division of states, which is pre-eminently the manufacturing section of the country, contains an average of over 100 inhabitants to the square mile. The South Atlantic and South Central divisions, which are pre-eminently farming regions, are much less densely peopled. The scattered character of the population of the western states and territories is illustrated by the low density of population.

CENTER OF POPULATION.

By the Eleventh Census the center of population in 1890 was in the following position:

Latitude	39°	11'	56''
Longitude	85	32	53

In ten years the center of population has moved westward 53' 13", or about 48 miles, and northward 7' 48", or about 9 miles. It rests now in southern Indiana, at a point a little west of south of Greensburg, the county seat of Decatur county, and 20 miles east of Columbus, Indiana.

The closeness with which the center of population, through such rapid westward movement as has been recorded, has clung to the parallel of 39° of latitude can not fail to be noticed. The most northern point reached was at the start in 1790; the most southern point was in 1830, the preceding decade having witnessed a rapid development of population in the southwest, Alabama, Arkansas, Mississippi, and Louisiana having been admitted as states and Florida annexed and organized as a territory. The extreme variation in latitude has been less than 19 minutes, while the hundred years of record have accomplished a movement of longitude of over 9 degrees. Assuming the westward movement to have been uniformly along the parallel of 39° of latitude, the westward movement of the several decades has been as follows: 1790–1800, 41 miles; 1800–1810, 36 miles; 1810–1820, 50 miles; 1820–1830, 39 miles; 1830–1840, 55 miles; 1840–1850, 55 miles; 1850–1860, 81 miles; 1860–1870, 42 miles; 1870–1880, 58 miles, and 1880–1890, 48 miles, a total westward movement of 505 miles. The sudden acceleration of movement between 1856 and 1860 was due to the transfer of a considerable body of population from the Atlantic to the Pacific coast, 12 individuals in San Francisco exerting as much pressure at the then pivotal point, viz, the crossing of the eighty-third meridian and the thirty-ninth parallel, as 40 individuals at Boston.

The center of population is the center of gravity of the population of the country, each individual being assumed to have the same weight. The method of determination used, in order that the result might be comparable with that obtained in 1880, was in brief as follows:


The population of the country was first distributed by "square degrees", as the area included between consecutive parallels and meridians has been designated. A point was then assumed tentatively as the center, and corrections in latitude and longitude to this tentative position were computed. In this case the center was assumed to be at the intersection of the parallel of 39° with the meridian of 86° west of Greenwich. The population of each square degree was assumed to be located at the center of that square degree, except in cases where it was manifest that this assumption would be untrue, as, for instance, where a part of the square degree was occupied by the sea or other large body of water, or where it contained a city of considerable magnitude which was situated "off center". In these cases the position of the center of the population of the square degree was estimated as nearly as possible. The distance of each such center of population of a square degree, whether assumed to be at the center of the square degree or at a distance from the center, from the assumed parallel and from the assumed meridian, was then computed. The population of each square degree was then multiplied by its distance from the assumed parallel of latitude, and the sums of the products, or moments, north and south of that parallel were made up. Their difference, divided by the total population of the country, gave a correction to the latitude. In a similar manner the east and west moments were made up, and from them a correction in longitude was obtained.

In 1790 the center of population was at 39° 16.5′ north latitude and 76° 11.2′ west longitude, which a comparison of the best maps available would seem to place about 23 miles east of Baltimore. During the decade from 1.790 to 1800 it appears to have moved almost due west to a point about 18 miles west of the same city, being in latitude 39° 16.1′ and longitude 76° 56.5′.

From 1800 to 1810 it moved westward and slightly southward to a point about 40 miles northwest by west of Washington, being in latitude 39° 11.5′ and longitude 77° 37.2′. The southward movement during this decade appears to have been due to the annexation of the territory of Louisiana, which contained quite extensive settlements.

From 1810 to 1820 it moved westward and again slightly southward to a point about 16 miles north of Woodstock, Virginia, being in latitude 39° 5.7′ and longitude 78° 33′. This second southward movement appears to have been due to the extension of settlements in Mississippi, Alabama, and eastern Georgia.

From 1820 to 1830 it moved still westward and southward to a point about 19 miles southwest of Moorefield, in the present state of West Virginia, being in latitude 38° 57.9′ and longitude 79° 16.9′. This is the most decided southward movement that it has made during any decade. It appears to have been due in part to the addition of Florida to our territory and in part to the great extension of settlements in Alabama, Louisiana, Mississippi, and Arkansas, or generally, it may be said, in the southwest.



Eleventh (Fensia of the United States. Robert P. Porter, Superintendent.

From 1830 to 1840 it moved still farther westward, but slightly changed its direction northward, reaching a point 16 miles south of Clarksburg, in the present state of West Virginia, being in latitude 39° 2′ and longitude 80° 18′. During this decade settlement had made decided advances in the prairie states and in the southern portions of Michigan and Wisconsin, the balance of increased settlement evidently being in favor of the northwest.

From 1840 to 1850 it moved westward and slightly southward again, reaching a point about 23 miles southeast of Parkersburg, in the present state of West Virginia, in latitude 38° 59′ and longitude 81° 19′, the change of direction southward being largely due to the annexation of Texas.

From 1850 to 1860 it moved westward and slightly northward, reaching a point 20 miles south of Chillicothe, Ohio, this being in latitude 39° 0.4′, longitude 82° 48.8′.

From 1860 to 1870 it moved westward and sharply northward, reaching a point about 48 miles east by north of Cincinnati, Ohio, in latitude 39° 12′, longitude 83° 35.7′. This northward movement was due in part to waste and destruction in the south consequent upon the civil war, and in part probably to the fact that the census of 1870 was defective in its enumeration of the southern people, especially of the newly enfranchised negro population.

In 1880 the center of population had returned southward to nearly the same latitude which it had in 1860, being in latitude 39° 4.1′, longitude 84° 39.7′. This southward movement was due only in part to an imperfect enumeration at the south in 1870. During the decade from 1870 to 1880 the southern states made a large positive increase, both from natural growth and from immigration southward.

During the past decade the center of population has moved northward into practically the same latitude which it occupied in 1870. It has moved westward 53′ 13″, or 48 miles, being less by 10 miles than its movement during the preceding decade, 6 miles greater than the movement between 1860 and 1870, and slightly less than the average westward movement since the First Census, its present position being in latitude 39° 11′ 56″ and longitude 85° 32′ 53″. The most salient point of its progress during the past decade is the northing which has been made, which is largely due to the great development in the cities of the northwest and in the state of Washington, and also in no small degree to the increase of population in New England.

The center of the area of the United States, excluding Alaska, is in northern Kansas in approximate latitude 39° 55′ and approximate longitude 98° 50′. The center of population is therefore about three-fourths of a degree south and more than 13 degrees east of the center of area.

The following table shows the movement of the center of population since 1790:

CENSUS YEARS,	North latitude.	West longitude.	Approximate location by important towns.	Westward movement in miles during preceding decade.
1790	399 16, 5	769 11.2	23 miles east of Baltimore, Maryland	
1800	39 16.1	76 56,5	18 miles west of Baltimore, Maryland	41
1810	39 11.5	77 37.2	40 miles northwest by west of Washington, District of Columbia	86
1820	39 5.7	78 33,0	16 miles north of Woodstock, Virginia	50
1830	38 57.9	79 16.9	19 miles west-southwest of Moorefield, in the present state of West Virginia.	39
1840	39 2.0	80 18.0	16 miles south of Clarksburg, in the present state of West Virginia	55
1850	38 59.0	81 19.0	23 miles southeast of Parkersburg, in the present state of West Virginia	55
1860	39 0.4	82 48,8	20 miles south of Chillicothe, Ohio	81
1870	39 12.0	83 35.7	48 miles east by north of Cincinnati, Ohio	42
1880	33 4.1	84 39,7	8 miles west by south of Cincinnati, Ohio	58.
1890	39 11.9	85 32, 9	20 miles east of Columbus, Indiana	48

POSITION OF THE CENTER OF POPULATION: 1790 TO 1890.

GEOGRAPHICAL DISTRIBUTION OF POPULATION.

DISTRIBUTION OF POPULATION ACCORDING TO DRAINAGE BASINS.

In the tables appended are given the approximate area of each drainage basin in square miles (land and water surface), and the aggregate population, foreign born population, and negro population, of each such drainage basin in 1890, 1880, and 1870, together with the number of inhabitants of each such class to the square mile.

The drainage areas are classified primarily by the two oceans and the Great Basin; second, by sections of the coast; third, by the principal rivers, the rivers of each section of the coast being arranged under that section, and the branches of a river placed under the main river.

The primary divisions are set at the margin of the page. Under each primary division its secondary divisions are placed, being indented one space. Under each of these secondary divisions the tertiary divisions are placed, and so on, the subdivisions of a drainage basin being in every case indented within that of the stream comprising them.

The New England coast comprises the area and population of the basins of the several rivers given beneath it, and, in addition to these, the area and population of the minor streams and of the immediate coast from the eastern border of Maine to the Hudson river.

The Middle Atlantic coast comprises, besides the basin of the rivers under it, in like manner the basins of the minor streams and of the coast itself as far as the mouth of the Potomac, including that stream.

The South Atlantic coast, in like manner, comprises the country from the Potomac southward to Florida.

The Gulf of Mexico, commencing with the peninsula of Florida, embraces the coast and the whole Mississippi valley to the mouth of the Rio Grande, including the latter stream.

The population of the various subdivisions was obtained by using the county as a unit, and subdividing the counties into tenths in cases where they lie partly in one basin and partly in another. Of course, in making these divisions of counties, population and not area was considered.

The areas of the different river basins were measured approximately from maps, and were finally adjusted to suit a total area of the United States of 3,025,600 square miles, exclusive of Alaska.

From the first table it appears that 96.16 per cent of the inhabitants live in the country which is drained to the Atlantic ocean; that 52.69 per cent of the population live in the region drained by the Gulf of Mexico, and that 43.77 per cent of the entire population of the country are congregated in the drainage area of the Mississippi river; that only 0.41 per cent live in the Great Basin, and 3.43 per cent on the Pacific coast. It shows, further, that the proportion living within the region drained to the Atlantic is steadily diminishing, while of this region the part drained to the Gulf of Mexico is becoming relatively more populous, as is the case in a still more marked degree in the region drained to the Pacific.

From the second of these tables it appears that of the foreign born population nearly 93 per cent live within the Atlantic drainage basin; that three-fourths of 1 per cent live in the Great Basin, and a little over 6 per cent upon the Pacific slope. The proportion living in the region drained by the Atlantic is slowly diminishing, while that upon the Pacific slope is increasing. In the region draining to the Gulf of Mexico there are about 37 per cent, and in the Mississippi basin 34.50 per cent.

The third table shows the distribution of the population of pure and mixed negro blood. It appears that 99.76 per cent, or 9,976 persons out of every 10,000, live within the Atlantic drainage basin, leaving only the most trifling number for the Great Basin and the Pacific slope. It appears also that in the region draining into the Gulf of Mexico there are 61 per cent or a little over three-fifths of the entire negro element, while in the Mississippi basin there is one-third of this entire element.

DISTRIBUTION OF THE AGGREGATE POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890.

		189	0	188	0	183	70
DRAINAGE BASINS.	Approximate area in square miles.	Total population.	Population per square mile.	Total population.	Population per square mile.	Total population.	Population per square mile.
Atlantic ocean.	2, 178, 210	60, 220, 763	27. 65	48, 707, 352	22, 36	37, 706, 410	17.31
New England coast	61,830	4, 486, 813	72, 57	3,811,102	61, 64	3, 286, 416	53, 15
St. John river	7,890	53, 381	6,77	46, 615	5.91	37, 544	4, 76
Penobscot river	8, 934	113, 179	12.67	111,050	12, 43	112, 326	12.57
Kennebec river	10, 102	236, 553	23.42	231, 345	22, 90	224, 365	22, 21
Merrimac river	4,864	616, 594	126, 77	500, 978	103.00	436, 238	89, 69
Connecticut river.	11, 269	782, 216	69.41	692, 803	61, 48	618, 171	54, 86
Housatonic river	1,933	251, 701	130, 21	208, 920	108.08	182, 738	94.54
Middle Atlantic coast	83, 020	11, 482, 411	138.31	9, 646, 057	116, 10	8, 038, 651	96.83
Hudson river	13, 366	1, 094, 126	81.80	1,009,082	75, 50	959, 376	71.78
Delaware river	12, 012	2, 561, 113	213. 21	2, 175, 800	181.14	1,834,009	152, 68
Susquehanna river	27, 655	1, 965, 184	71.06	1, 673, 847	60.53	1, 445, 902	52.28
Potomac river	14,479	870, 135	60. 10	791,007	54, 63	657, 644	45.42
South Atlantic coast	132, 040	4, 248, 466	32.18	3, 705, 807	28.07	2, 799, 126	21, 20
James river	9, 684	495, 910	51.21	448, 891	46.35	365, 913	37.79
Cape Fear river	8, 310	239, 399	28. 81	212, 904	25, 62	164,994	19.85
Neuso river	5, 299	216, 933	40.94	197, 552	37. 28	149, 761	28, 26
Pedce river	17, 098	600, 277	35.11	505, 252	29, 55	367, 785	21, 51
Roanoke river	9, 237	404, 281	43.77	364, 160	39, 42	276, 289	29.91
Santee river	14, 696	607, 098	41, 31	507, 205	34.51	373, 389	25.41
Sayannah river	11,402	446, 569	39:17	384, 739	33.74	280, 783	24.63
Altamaha river	14, 109	473, 967	33, 59	401, 789	28.48	801,091	21, 34
Great Lakes	135, 763	6, 762, 321	49. 81	5, 307, 026	39. 09	4, 223, 236	31.11
St. Lawrenco river	13, 636	474, 158	84.77	469, 554	34. 43	458, 834	33, 65
Lake Ontario	12, 387	1,006,668	81. 27	926, 128	74.77	853, 486	68.90
Lake Erie	17, 207	2, 179, 269	126, 65	1,720,712	100.00	1, 372, 848	79.78
Lake Huron	18, 839	439, 393	23, 32	313, 255	16.63	176, 914	9. 39
Lake Michigan	45, 876	2, 507, 562	54.66	1,820,534	39. 81	1, 327, 417	28, 93
Lake Superior	17,830	. 155, 271	8.71	50, 843	2.85	33, 737	1,89
Red River of the North	39, 577	247, 518	6. 25	69, 093	1.77	3, 361	0.08

GEOGRAPHICAL DISTRIBUTION OF POPULATION.

DISTRIBUTION OF THE AGGREGATE POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890—Continued.

		189	0	188	0	1870		
DRAINAGE BASINS.	Approximate area in square miles.	Total population.	Population per square mile.	Total population.	Population per square mile.	Total population.	Populatio per squar mile.	
tlantic ocean—Continued.								
Gulf of Mexico	1, 725, 980	32, 993, 234	19.12	26, 167, 367	15.16	19, 355, 620	11.	
Apalachicola river	18, 918	699, 713	36, 99	608, 057	32, 14	480, 296	25.	
Mobile river	43, 436	1, 425, 649	32. 82	1, 207, 680	27.80	938, 242	21.	
Tembigbee river	18, 896	611, 338	32. 35	499, 882	26, 45	383, 763	20.	
Alabama river	23,820	784, 099	32. 92	679, 170	28, 51	526, 821	22.	
Pascagoula river	8, 989	129, 084 175, 698	14. 37 20, 27	98, 800 148, 635	11. 00 17. 14	68,476	7. 13.	
Sabine river	8, 670	179, 656	8, 45	134, 860	6.60	114,588 85,413	4.	
Trinity river	20, 440 17, 960	449,718	25. 04	315, 220	17.55	128, 244	7.	
Brazos river	59, 646	512, 621	8.59	363, 892	6. 10	165, 986	2.	
Colorado river	41, 220	183, 524	4.45	125, 860	3, 05	55,004	1.	
Nucces river.	18, 944	41,633	2.20	27, 635	1, 46	11, 204	0.	
San Antonio river	16, 352	169, 847	10, 39	122, 413	7.49	72, 137	4.	
Rio Grande	128, 792	156, 150	1.21	115, 517	0, 90	79, 370	0.	
Mississippi river	1, 240, 039	27, 411, 522	.22.11	21, 776, 479	17, 56	16, 333, 045	13.	
Yazoo river	12,794	415, 406	32.47	366, 502	28.65	259, 563	20.	
Illinois river	29, 013	1, 867, 935	64, 38	1, 474, 337	50, 82	1,206,706	41.	
Rock river	9,792	532, 117	54.34	506, 835	61.76	497, 302	50.	
Wisconsin river	12, 280	259, 778	21. 15	208, 189	16.95	167, 361	13.	
Chippewa river	8, 892	141, 529	15.92	84, 240	9, 47	43,022	4.	
St. Croix river	7, 576	92, 854	12.26	59, 832	7.90	30, 664	4.	
Minnesota river	16, 000	327, 852	20.49	231, 065	14, 44	119, 847	7.	
Cedar river	12, 492	393, 021	31.46	372, 556	20, 82	290, 884	23,	
Des Moines river	14, 652	423, 128	28.88	328, 746	22, 44	224, 993	15.	
Ohio river	201, 720	10, 986, 877	54.47	9, 588, 303	47. 53	7, 839, 424	38,	
Tennessee river	43, 897	1, 384, 733	31.55	1, 177, 144	26. 82	927, 054	21.	
Cumberland river	18, 578	720, 012	38.77	643, 819	34. 66	529, 088	28	
Kentucky river	7, 425	291, 022	89, 19	253, 839	34, 19	203, 230	27.	
Green river	9, 065	358, 804	39.58	332, 056 200, 297	36, 63 54, 76	262, 874 161, 132	44.	
Licking river	3, 658	221, 478 334, 795	60, 55 20, 66	200, 287	15, 81	182, 131	10.	
Kunawha river	16, 690 7, 625	495, 636	65.00	375, 939	49, 30	292, 326	38.	
Monongahela river	7, 025 11, 437	970, 860	84.89	809, 026	70. 82	645, 752	50.	
Miami river	5, 400	469, 596	86,96	413, 592	76. 59	351, 370	65.	
Scioto river	6, 480	444, 124	68, 54	400, 856	61.86	337, 914	52.	
Muskingum river.	7, 740	541,378	69, 95	505, 196	65, 27	445, 934	57.	
Wabash river.	33, 725	1,915,700	56, 81	1,727,214	51. 21	1, 455, 300	43.	
Big Sandy river	4,050	190, 283	46, 98	154, 012	38, 03	109,886	27.	
Missouri river	527, 155	4, 560, 561	8. 65	2,841,451	5, 39	1,604,465	3	
Big Sioux river	7.880	119,337	15. 14	51, 241	6. 50	5, 290	0.	
Yellowstone river	69, 683	21, 574	0, 31	3, 184	0, 05	241	0.	
Platte river	90, 011	647, 104	7.10	267, 230	2, 97	68,471	0.	
Kansas river	59, 256	985, 524	16, 63	623, 621	. 10. 52	176, 308	2.	
Osage river	15,444	508, 291	32. 91	385, 848	24. 98	278, 444	17	
Arkansas river	185, 671	1,771,312	9.54	1, 141, 607	6. 15	533, 831	2	
Cimarron river	17, 360	55, 690	3. 21	4, 203	0. 24	1, 093	0.	
Canadian river	42, 710	54, 766	1.28	24, 859	0.58	18,887	0	
White river	27, 925	338, 305	12, 11	244, 455	8.75	147, 979	5	
Red river (Louisiana)	89, 970	955, 757	10, 62	705, 806	7.84	445, 366	4	
Washita river	19, 138	360, 566	18.84	281, 582	14.71	187, 385		
St. Francis river	7,884	162, 897	20.66	118, 168	14.99	78, 428	0	
reat Basin	228, 150	256, 130	1.12	210, 998	0. 92	125, 384 65, 627	2	
Great Salt Lake	32, 400	156, 150	4,82	104, 621 49, 864	3, 23 1, 55	20, 592	0	
neific ocean	32, 148 619, 240	38, 119 2, 145, 357	1, 19 3, 46	1, 237, 433	2,00	726, 577	1	
Colorado rivor	225, 049	208, 643	0, 93	109, 188	0.49	39, 495	0	
Green river	47, 222	27, 494	0, 58	10,709	0. 23	4, 860	(
Grand river	26, 472	47, 349	1.79	14,795	0.56	165	1	
Little Colorado river	29, 268	3,821	0, 13	3, 644	0.12	428		
Gila river	68, 623	45, 917	0. 67	28, 348	0, 41	6, 954	(
Sacramento river	58, 824	378,462	6, 43	324, 398	5.51	240, 246	4	
San Joaquin river	29, 952	134, 206	4, 48	88,902	2, 97	67,450		
Klamath river	14,660	18, 199	1, 24	14,627	1,00	10,000		
Columbia river	216, 537	393,415	1.82	222, 737	1.03	104,882	1 .	
Willamette river	11,700	129,782	11, 00	78, 326	6, 69	50, 271.		
Snake river	103, 835	142, 091	1.37	55, 256	0, 53	21,530		

PROGRESS OF THE NATION.

DISTRIBUTION OF THE FOREIGN BORN POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890.

		189	90	188	30	1870		
DRAINAGE BASINS,	Approximate area in square miles.	Foreign born population.	Foreign born pop- ulation per square mile.	Foreign born population.	Foreign born pop- ulation per square mile.	Foreign born population.	Foreign born pop ulation per squar mile.	
tlantic ocean	2, 178, 210	8, 595, 004	3, 95	6 999 761	0.00	F 080 100		
New England coast.	61,830	1, 111, 989	17, 98	6, 232, 764	2.86	5, 272, 190	2.	
St. John river.		10, 515	1.33	764, 982	12. 37	611, 859	9.	
Penobscot river	1 110 (11, 954	1.34	8, 358 8, 561	1.06 0.96	7,011	0.	
Kennebec river	0,001	26, 630	2. 64	17, 306	1.71	8, 910 10, 655	1.	
Merrimac river		165, 257	33.98	106, 888	21. 98	82, 936	1. 17.	
Connecticut river	11, 269	179, 132	15.90	130, 173	11.55	110, 274	9.	
Housatonic river	1, 933	58, 069	30. 35	40, 867	21.14	37, 487	19.	
Middle Atlantic coast	83, 020	2, 248, 320	27.08	1, 670, 184	20. 12	1, 542, 297	18.	
Hudson river	13, 366	195, 543	14.63	169, 041	12.65	190, 244	14.	
Delaware river	12, 012	450, 770	37.53	345, 284	28.74	325, 959	27.	
Susquehanna river	27, 655	224, 389	8.11	153, 775	5. 56	151,930	5.	
Potomac river	14, 479	32, 905	2. 27	34,018	2. 35	34, 856	2.	
South Atlantic coast	132, 040	31, 116	0.24	29, 537	0.22	29,066	0.	
James river	9, 684	9, 139	0.94	7, 492	0.77	7, 318	0,	
Cape Fear river	8, 310	687	0.08	800	0.10	797	0.	
Neuse river	5, 200	471	0.09	592	0, 11	544	0.	
Pedec river	17, 098	903	0.05	973	0.06	851	0.	
Roanoke river	9, 237	1,462	0.16	1, 200	0.14	757	Ů.	
Santee river	14, 696	1,844	0.13	2, 093	0.14	2,055	O,	
Savannah river	11,402	4, 039	0.35	4, 176	0.37	4,450	0.	
Altamaha river	14, 109	1,841	0.13	1,549	0.11	1,566	0.	
Great Lakes	135, 763	1, 689, 541	12.44	1, 205, 852	8.88	1,007,071	7.	
St. Lawrence river	13,636	71,488	5, 24	74, 903	5. 49	89, 185	6,	
Lake Ontario	12, 387	185, 150	14.95	160, 789	12.98	161,581	13.	
Lake Erie	17, 207	496, 548	28.86	365, 940	21, 27	312, 219	18.	
Lake Huron	18, 839	133, 641	7. 09	98, 156	5. 21	52, 149	2.	
Lake Michigan	45, 876	724, 774	15.80	482, 118	10.51	373, 581	8,	
Lake Superior Red River of the North	17, 830	77, 940	4, 37	. 23, 946	1.34	18, 356	1.	
	39, 577	114, 124	2, 88	33, 539	0.85	1,539	O.	
Gulf of Mexico	1, 725, 980	3, 399, 914	1. 97	2, 528, 670	1.47	2, 080, 358	1.	
Apalachicola river	18, 918	3,703	0.20	2, 958	0.16	2,832	0.	
Mobile river	43, 436	12, 547	0. 29	7,492	0. 17	7, 500	0.	
Alabana river	18,896	6, 732	0.36	2,732	0.14	2,008	0.	
Pascagoula river	23, 820	4,310	0. 18	2, 693	0.11	2, 826	0.	
Pearl river.	8, 980	799	0.09	680	0.08	685	0.	
Sabine river	8,670	029	0.11	1,078	0.12	1, 203	0.	
Trinity river	20, 440	1, 218	0, 06	1,099	0.05	387	0.	
Brazos river	17,960	12,001	0.67	7, 238	0.40	1,005	o.	
Colorado river	59, 646	23, 132	0.39	14, 908	0. 25	7, 005	0.	
Nucces river.	41, 220	16, 777	0.41	12, 695	0. 31	6, 872	0.	
San Antonio river	18, 944 16, 352	9, 093	0.48	7, 683	0.41	2, 086	0,	
Rio Grande	128, 792	25, 337	1.55	18, 635	1.14	12, 969	0.	
Mississippi river	1, 240, 030	31, 023 3, 190, 805	0. 24 2. 57	22, 107	0.17	12, 470	0.	
Yazoo river	12, 794		0.17	2, 377, 454	1.92	1, 985, 936	1.	
Illinois river	29, 013	2, 113 455, 514	15.70	2, 541	0.20	3, 539	0.	
Rock river	9, 792	127, 524	13.02	308, 104	10.62	205, 878	9,	
Wisconsin river	12, 280	68, 054	5. 54	118, 385 53, 135	12. 09 4. 33	133, 561	13.	
Chippewa river.	8, 892	47, 906	5.39	26, 969	3.03	46,891	3.	
St. Croix river	7, 576	36, 865	4.87	22, 909	3.03	14, 643 12, 507	1.	
Minnesota river	16,000	111, 336	6.96	80, 171	5.01	44,727	1.	
Cedar river	12,492	73, 113	5.85	66, 682	5.34	51,408	2. 4. 1	
Des Moines river	14, 652	64, 958	4.43	44, 622	3.05	25, 975	1.	
Ohio river	201,720	746, 785	3.70	634, 409	3. 15	619, 550	3,	
Tennessee river	43, 897	10, 571	0.24	6, 544	0. 15	5, 331	0.	
Cumberland river	18,573	8, 246	0.44	6, 362	0.34	6, 796	0.	
Kentucky river	7, 425	3, 965	0.53	3, 627	0.49	3, 664	0,	
Green river	9, 065	2, 621	0.29	2,773	0.81	2, 948	0,	
Lieking river	3, 658	16, 280	4.45	16, 812	4. 60	17, 223	4.	
Kanawha river	16, 690	3, 892	0. 23	2,778	0. 17	2, 144	0.	
Monongahela river	7, 625	68, 789	9. 02	37, 737	4.95	30, 694	4.	
Allegheny river	11, 437	142, 265	12.44	100, 734	8. 81	90, 225	7.	
Miami river	5, 400	56, 400	10.44	54, 727	10.13	56, 647	10.	
Scioto river	6, 480	28, 160	4. 35	27, 674	4.27	28, 367	4.	
Muskingum river	7, 740	38, 979	5.04	36, 079	4.66	37, 246	4, 8	
Wabash river	33, 725	99, 167	2, 94	98, 958	2. 93	95, 585	2. 8	
Big Sandy river	4 050	4, 102	1.04	4, 437	1.10	4, 413	1, (

ARIBUTION OF THE FOREIGN BORN POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890—Continued.

		189	00	188	30	18	70
DRAINAGE BASINS.	Approximate area in square miles.	Foreign born population.	Foreign born popu- lation per squaremile.	Foreign born population.	Foreign born popu- lation per squaremile.	Foreign born population.	Foreign born popu- lation per squaremile
Atlantic ocean—Continued.							
Gulf of Mexico-Continued.			}				
Mississippi river-Continued.						1	
Missouri river	527, 155	664,663	1. 26	859, 369	0.68	207, 224	0.3
Big Sioux river	7,880	33, 906	4, 30	14, 704	1.87	2, 194	0.2
Yellowstone river	69, 683	4,333	0, 06	821	0.01	54	0.0
Platte river	90,011	138, 101	1, 53	66, 103	0.73	20, 924	0. 2
Kansas river	59, 256	143,014	2, 41	93, 353	1.58	31,820	0.5
Osago river	15, 444	24, 599	1.59	18, 605	1.20	15, 284	0, 9
Arkansas river	185, 671	91, 595	0.49	59, 442	0.32	14,778	0.0
Cimarron river	17, 360	3,304	0, 19	345	0.02	144	0.0
Canadian river	42,710	2,617	0.06	750	0.02	593	0.0
·White river	27,925	2,679	0.10	1,931	0,07	752	0.0
Red river (Louisiana)	89, 970	8,754	0.10	7, 454	0.08	4,073	0. (
Washita river	19, 138	2,531	0. 13	2, 518	0,13	1, 336	0.0
St. Francis river	7,884	3, 160	0.40	3, 406	0.43	3, 288	0.4
Great Basin	228, 150	68,671	0.30	71, 679	0.31	48, 804	0, 2
Great Salt Lake	32, 400	42, 307	1. 31	33, 439	1.03	24, 098	0.7
Humboldt river	32,148	12,027	0. 37	19, 777	0.62	13, 321	0.4
Pacific ocean	619, 240	585, 872	0. 95	375, 500	0.61	246, 235	0.4
Colorado river		49, 435	0. 22	29, 835	0.13	11, 214	0.0
Green river	47, 222	. 7,723	0.16	3, 566	0.08	1,845	0.0
Grand river		10,620	0.40	2,965	0, 11	41	0.0
Little Colorado river	29, 268	542	0.02	656	0.02	187	0.0
Gila river.	68,623	16, 229	0, 24	. 13, 235	0.19	4,504	0.0
Sacramento river	58,824	99, 702	1.60	100, 884	1.72	84, 520	1
San Joaquin river	1	32, 975	1.10	25, 399	0.85	21,975	0.7
Klamath river	1 ' 1	4,493	0. 31	5, 153	0.35	4, 529	0.3
Columbia river	216, 537	108, 138	0.50	45, 370	0.21	21, 417	0.1
Willamette river	11,700	22, 321	1.91	10, 086	0.86	8,677	0.3
Shake river.	103, 835	23, 461	0, 23	12, 820	0.12	8, 829	0.0
Clarke Fork	63, 291	16,620	0, 26	4, 499	0.07	3, 439	0.0

DISTRIBUTION OF THE NEGRO(a) POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890.

		189	0	188	80	1870		
DRAINAGE BASINS.	Approximate area in square miles.	Negro population.	Nogro population per square mile.	Negro population.	Negro population per square mile.	Negro population.	Negro population per square mile.	
tlantic ocean	2, 178, 210	7, 451, 871	3.42	6, 572, 708	3, 02	4, 874, 543	2. 2	
New England coast	61, 830	44, 185	0.71	89, 520	0.64	31, 395	0. 5	
St. John river	7, 890	42	0, 01	a 40	0. 01	68	0.0	
Penobscot river	8, 934	123	0.01	137	0, 02	185	0.0	
Kennebec river	10, 102	361	0.04	408	0, 04	420	0.1	
Merrimac river	4,864	3, 399	0, 70	2, 741	0, 56	1, 916	0.3	
Connecticut river	11, 269	5, 815	0, 52	5,789	0, 51	4, 947	0.	
Housatonic river	1, 933	4, 274	2.21	4, 355	2, 25	3, 921	2.	
Middle Atlantic coast	83, 020	573, 996	6, 91	526, 728	6. 34	425, 443	5.	
Hudson river	13, 366	14, 375	1, 08	14,770	1.11	13, 962	1.	
Delaware river	12, 012	82, 152	6, 84	68, 238	5, 68	53, 029	4.	
Susquehanna river	27, 655	22, 513	0.81	20, 162	0. 73	17, 865	0.	
Potomac river	14,479	183, 505	12.67	178,368	12, 32	144, 208	9.	
South Atlantic coast	132, 040	2, 267, 088	17. 17	2,079,086	15, 75	1, 546, 387	11.	
James river	9, 084	221, 238	22.85	216,770	92, 38	177, 761	18.	
Cape Fear river	8, 310	87, 364	10.51	83, 557	10, 05	60, 760	7.	
Neuse river	5, 290	95, 407	18,00	95, 887	18. 10	68, 862	13.	
Pedee river	17, 098	246, 841	14, 41	215,786	12, 62	147, 671	8.	
Roanoke river	9, 237	187, 900	20.34	183, 433	19. 86	137, 622	14.	
Santee river	14, 696	280, 793	19.11	240, 908	16, 30	168, 564	11.	
Savannah river	11, 402	239, 622	21.02	200, 924	18.41	148, 772	13.	
Altamaha rivor	14, 109	248, 253	17. 60	212, 447	15, 06	156, 556	11.	
Great Lakes	135, 763	44, 408	0.33	38, 870	0, 20	30, 102	0.	
St. Lawrence river	13, 630	1,310	0, 10	1,450	0.11	1, 275	0.	
Lake Ontario	12, 387	5, 570	0.45	6, 126	0.49	5, 623	0.	
Lake Erie	17, 207	17, 226	1.00	16, 727	0.97	13, 289	0.	
Lake Huron	18, 830	2, 082	0.11	1,346	0, 07	744	0.	
Lako Michigan	45, 870	17, 397	0. 38	13, 103	0. 20	9,075	0.	
Lake Superior	17, 830	823	0.05	112	0.01	96	0.	
Red River of the North	39, 577	272	0.01	98	0.00	1	0.	
Gulf of Mexico	1, 725, 980	4, 521, 922	2, 62	3, 888, 406	2, 25	2,841,215	12.	
Apalachicola river	18, 918	361, 573	19.11	312, 731	10, 53	244, 519	10.	
Mobile river	43, 496	643, 206	15. 81	573, 463	13, 20	443, 560	10.	
Tombiguee river	18,890	208, 767	13.01	200, 408	13. 78	100, 351	0.	
Alabama river	23, 820	331, 405	5, 54	300, 497	12, 62	232, 234	2	
Pascagoula river	8,980	49, 717	9,06	30, 291	4, 38	21, 895 49, 355	5.	
Pearl river.	8, 670 20, 440	78, 531	2,66	66, 749	7. 70	30, 275	1	
Sabine river Trinity river	17, 960	54, 348	4,01	45, 615	2, 23	31, 483	i	
Brazos river	59, G46	71, 937 115, 364	1.93	53, 488 91, 253	2, 08	50, 281	ů	
Colorado river	41, 220	33, 618	0, 82	20, 102	1,58	18, 067	11	
Nucces river.	1	li .	0.07	11	1	813	17	
San Antonio river	16, 352	1, 378 33, 583	2, 05	1, 287 26, 956	0, 07 1, 65	18, 100	1	
Rio Grande		1,785	0,01	1,778	0, 01	1, 312	0	
Mississippi river	1,240,030	2, 474, 778	2,00	2, 157, 007	1.74	1, 556, 404	1	
Yazoo river		202, 434	20.51	218,619	17.09	135, 174	10	
Illinois river		19, 152	0.06	13, 681	0.47	7, 929	0	
Rock river.		1, 279	0.13	1,592	0.47	1,207	1 0	
Wisconsia river	,	316	0, 03	208	0. 10	200		
Chippewa river	1	-90	0.01	70	0.02	61	C	
St. Croix river	1	130	0,02	76	0.01	50	1 6	
Minnesota river		269	0,02	108	0.01	83		
Cedar river		847	0.07	953	0.01	585		
Des Moines river	14, 652	3, 200	0.22	2,315	0.16	1, 295		
Ohioriver		790, 956	3.92	753, 744	3.74	600, 190		
Tennessee river		225, 737	5, 14	213, 011	4, 85	11	:	
Cumberland river		152,692	8. 22	151, 814	8.17	130, 246		
Kentucky river		61,894	8.34	63, 303	8, 54	54, 827		
Green river		52,468	5. 79	50, 084	6. 19	44, 427	.	
Licking river	-,	18, 241	4.00	20,062	ì	17, 212	t	
Kanawha riyer		27,065	1.62	22, 501	i	15, 226		
Monongahela river		11,092	1, 57	9, 151	1	6, 595	1	
Allegheny river	. 11,437	8, 230	0,72	6, 358		4, 334	i	
Miami river		15, 385	2. 85	13,016	1		i i	
Scioto river	6, 480	17, 887	2.76	16, 550	ļ	11		
Muskingum river	7,740	5,749	1	5, 469	1	- 11	1	
Wabash river	. 83, 725	30, 902	1	27, 014	1	- Ji	,	
Big Sandy river		6, 509	1	TI .	1	11	L	

a Includes all persons of negro descent.

DISTRIBUTION OF THE NEGRO (a) POPULATION ACCORDING TO DRAINAGE BASINS: 1870 TO 1890—Continued.

		189	00	188	80	18	10
DRAINAGE BASINS.	Approximate area in square miles.	Negro population.	Negro population por square mile.	Negro population.	Negro population per square mile.	Negro population.	Negro population per square mile.
Atlantic ocean—Continued.							
Gulf of Mexico-Continued.	1	ii ·		ĺ			
' Mississipni river—Continued.		-					
Missouri river	527, 155	137, 272	0, 26	121,777	0.23	87, 240	0.1
Big Sioux river	1	102	0, 01	40	0.01	41	0. 0
Yellowstone river.		382	0.01	42	0.00	2	0.0
Platteriver	90, 011	6. 159	0.07	2, 348	0.03	633	0.0
. Kansas river	59, 256	25, 998	0.44	22, 183	0.37	9, 572	0.0
Osago river		17, 309	1, 12	15, 554	1,01	9,632	0. 6
Arkansas river		156, 888	0.84	98, 927	0.53	56, 108	0.3
Cimarron river	17, 360	2, 047	0.12	25	0.00	18	0.0
Canadian river	42,710	1,585	0.04	307	0, 01	34	0.0
White river	27, 925	54, 898	1.97	37, 158	1.33	21,657	0.7
Red river (Louisiana)	89, 970	877, 756	4, 20	200, 632	3, 33	195, 364	2.1
Washita river		161, 992	8.46	126, 726	6, 62	80.301	4. 2
St. Francis river	,	31, 316	3.97	19, 137	2,43	9, 322	1.1
Freat Basin	228, 150	863	0.00	738	0.00	477	0.0
Great Salt Lake	32, 400	414	0.01	186	0.01	109	0.0
Humboldt river	32, 148	225	0,01	336	0.01	258	0.0
Pacific ocean	619, 240	17, 306	0.03	7, 347	0.01	4,989	0.0
Colorado river	225, 049	2, 950	0.01	352	0.00	101	0.0
Green river.		157	0.00	19	0.00	27	0.0
Grand river	1	339	0.01	71	0,00	2	0.0
Little Colorado river	1	178	0. 01	8	0.00	2	0.0
Gila river	68, 623	969	0.01	113	0.00	14	0.0
Sacramento river	1	3, 867	0.07	2, 813	0.05	2,224	0.0
San Joaquin river	29, 952	1,464	0.05	740	0.02	513	0, 0
Klamath river	1	126	0.01	87	0, 01	43	0, 0
Columbia river	216, 537	2, 275	0, 01	575	0.00	414	0. 0
Willamette river	11,700	430	0.04	168	0.01	168	0.0
Snake river.	103, 835	280	0.00	84	0.00	60	0.0
Clarke Fork		498	0.01	66	0,00	26	0.0

a Includes all persons of negro descent.

The following table, which is a condensation of the table that appears on pages xxxviii and xxxix, shows the percentage of the total population of the principal drainage basins of the country as it existed in the three decades mentioned:

DIVISIONS.	1890	1880	1870
The United States	Per cent. 100.00	Per cent. 100,00	Per cent. 100.00
Atlantic ocean	,	97.11	97. 79
New England coast	7.16	7.60	8. 52
Middle Atlantic coast	18.34	19, 23	20.85
South Atlantic coast	6,78	7.80	7. 26
Great Lakes	10.80	10.58	10.95
Red River of the North	0, 39	0.14	.0, 01
Gulf of Mexico	52, 69	52.17	50. 20
Great Basin	0.41	0.42	0. 33
Pacific ocean	3, 43	2, 47	1.88

Of the percentages given in the preceding table for the drainage basin of the Gulf of Mexico, the tertiary division of the Mississippi river embraces 43.77 per cent for 1890, 43.42 for 1880, and 42.36 for 1870.

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH TOPOGRAPHIC FEATURES.

Considering the surface of the United States broadly, it is seen to contain two great elevated areas. The eastern, known as the Appalachian Mountain system, is separated from the Atlantic by a broad plain sloping gently eastward. The western, known as the Cordilleran Mountain system, is many times as broad as the eastern system, more than twice as high, and the mountain ranges which crown it are vastly greater in number and more complex. It extends westward to the Pacific coast.

Between these two systems lies a broad valley, most of which is drained by the Mississippi river to the Gulf of Mexico. The northeastern part is drained by the St. Lawrence river and the system of the Great Lakes to the Gulf of St. Lawrence, while along the gulf coast are considerable areas drained by other streams.

The country thus broadly outlined contains every variety of surface found upon the globe. The various effects due to differences in slope, elevation, and climate are all represented.

An attempt has been made in the table shown on page xlvi to subdivide the country into areas differing in the character of their surface, their products, and their climate, and to classify the population in accordance therewith. These subdivisions are briefly characterized as follows:

Coast swamps.—These swamps are found along the South Atlantic and Gulf coasts, extending inland to varying distances, in some places as much as 100 miles. They have the greatest breadth in North Carolina and Louisiana, but border the coast nearly all the way from southeast Virginia to the mouth of the Rio Grande, Texas. Upon the Atlantic coast the surface of these swamps, while exceedingly level, has ample slope for drainage, and accordingly as the land becomes valuable their borders are being drained and converted into farms. In the Carolinas a considerable area of them is utilized for rice plantations. In the main they are well timbered, principally with cypress and juniper, among which is a luxuriant growth of cane. The population of this region is mainly of the negro race, the climate being very unhealthy for the white race.

ATLANTIC PLAIN.—The Atlantic plain comprises the strip of land lying between the Coast swamps and the fall line throughout the Atlantic states south of New York and the Gulf states as far as the Mississippi river. It is characterized by a level surface, a low elevation, scarcely reaching 200 feet above the sea, is underlaid by recent sedimentary rocks, and, except where they have been removed by the hand of man, is covered with pine forests.

PIEDMONT REGION.—This region comprises a strip of country extending from Maine to Alabama, lying between the fall line on the east and the Blue Ridge on the west. It is underlaid by metamorphic rocks and forested with a mixed growth of broad and narrow leaf trees. The lower portion is comparatively level, being broken only by the beds of streams, but in the neighborhood of the Blue Ridge and throughout New England it is hilly.

NEW ENGLAND HILLS.—This name has been applied to the hill country in the upper part of New England, including all of the upper part of Maine, the White mountains of New Hampshire, the Green mountains of Vermont, and the Adirondacks of New York, all of which is a broken, mountainous country, ranging in elevation from 1,000 to 6,000 feet, and covered with forests.

APPALACHIAN MOUNTAIN REGION.—This region includes the Blue Ridge and the Appalachian valley lying immediately north and west of it, and extends from New Jersey to Georgia and Alabama. The Blue Ridge consisting of a single range throughout Pennsylvania, Maryland, and Virginia, expands in North Carolina into a very complex mass of mountains, and there reaches its maximum elevation, namely, 6,700 feet.

The Appalachian valley is drained in New Jersey and Pennsylvania by the Delaware and Susquehanna rivers, in Virginia by the Potomac, James, and Kanawha rivers, and in Tennessee mainly by the Tennessee river. It is traversed by numerous ranges, some of them assuming the dignity of separate mountain ranges, and all of them running closely parallel to one another and to the general direction of the valley.

CUMBERLAND-ALLEGHENY PLATEAU.—Rising from the northwest border of the Appalachian valley is an escarpment extending more or less continuously from northeastern Pennsylvania down through Maryland, Virginia, and Tennessee into Alabama. From the summit of this escarpment a plateau stretches with a general northwestern slope. This plateau is everywhere deeply scored by streams with a general northwesterly direction. These streams have cut the plateau into a mass of very irregular ridges and gorges, making it one of the most intricate mountain regions on the globe. The entire region is densely covered with forests, the hand of man having removed but a very small part of them.

INTERIOR TIMBERED REGION.—This region comprises southern Ohio and Indiana, the western half of Kentucky and Tennessee, and the northeastern part of Mississippi, together with small areas in adjoining states. It possesses no characteristic features beyond the fact that, except in the settled regions, it is covered with forests.

Lake Region.—A narrow strip of country bordering on the Great Lakes has been segregated under this name. It includes small parts of New York, Pennsylvania, and Ohio, and most of Michigan, Wisconsin, and northern Minnesota. Owing to the proximity of large bodies of water this region has many of the characteristics of a coast climate. The atmosphere being moist, the winters are abnormally warm and the summers abnormally cool. This region contains great pine forests, which are still serving as a main source of supply of that timber.

OZARK MOUNTAIN REGION.—This region is located in northwest Arkansas, southwest Missouri, and the eastern part of the Indian territory. In Arkansas it is made up of a succession of narrow ranges 2,000 to 3,000 feet high, having a generally east and west trend, separated by somewhat broad valleys. Farther to the northeast, in Missouri, the hills become merely a confused mass, without order or system.

ALLUVIAL REGION OF THE MISSISSIPPI.—This region extends in a rapidly widening strip from Cairo, at the mouth of the Ohio, to the coast swamps in Louisiana, into which it merges without any sharp line of demarcation. It includes parts of the states of Missouri, Arkansas, Mississippi, and Louisiana, besides a trifling area in Kentucky and Tennessee. Much the larger portion of it is marshy, and is below the level of the water in the rivers. The dry land lies mainly along the immediate banks of the streams, having been formed by deposition from overflows. With the exception of the cultivated land, this region is entirely covered with forests. The soil is of the highest

degree of fertility, but the climate is hostile to the white race, and by far the larger proportion of its inhabitants is of the negro race.

Prairie region.—This region comprises a small portion of western Indiana, most of Illinois and Iowa, southern Wisconsin and Minnesota, northern Missouri, and eastern North Dakota, South Dakota, Kansas, and Nebraska, and extends in a broad belt down through the Indian territory and Texas.

On the east it merges by insensible degrees into the forest-clad regions, and on the west by equally insensible degrees into the Great Plains. It is a region of transition from the one to the other. Its climate is such that without protection forests can not thrive.

Its surface is level or slightly undulating, and was, in its natural state, covered with luxuriant grasses, but timber growth was scarce, and was confined almost entirely to the bluffs and the borders of streams. With the protection afforded by man, the growth of forests has increased in this region, until now it presents a landscape diversified by a tree growth the extent of which is constantly increasing. It is the granary of the country.

GREAT PLAINS.—Merging with the prairie region by insensible degrees are the Great Plains, extending from approximate longitude 99° to the foot of the Rocky mountains, and from the Canadian border to the Rio Grande. It is a region devoid of timber, except in the narrowest strips along certain streams, but sparsely covered with bunch grass, changing in the more arid regions to sage, artemisia, cactus, and yucca. Its surface is a monotonous, billowy expanse, broken only here and there by lines of cliffs and buttes.

Throughout this region the rainfall is insufficient for the needs of agriculture, and irrigation is necessary for the cultivation of the soil. The supply of water in the flowing streams is sufficient to irrigate only a small part of the land, and the extent to which settlement is possible will in the future become, therefore, a question of the abundance of water and not of land.

Cordilleran region.—The Cordilleran region is naturally subdivided into districts which differ from one another in certain features and have other features in common. Except in the extreme northwest, in Washington, western Oregon, and northwest California, the climate is arid and the rainfall is insufficient for agriculture. This aridity of climate and deficiency of rainfall increase southward and reach a maximum in southern Nevada, California, and Arizona. The prevalence of forests accompanies the rainfall. Upon the northwest coast and inland as far as the Cascade range in Oregon and Washington the country is densely covered with forests of great trees. This forest belt extends inland through northern Washington and Idaho into the mountainous region of Montana, and thence southeastward, accompanying the mountain ranges into the Yellowstone Park. Elsewhere no forests are found except upon the mountains, and in the more arid regions of the south even the mountains are bare to their summits. The valleys produce only the vegetation characteristic of an arid region. Where the rainfall is abundant bunch grass is found, but as the rainfall diminishes and the dryness of the atmosphere increases, the vegetation of the valleys changes to artemisia, cactus, yucca, and other desert plants.

ROCKY MOUNTAIN REGION.—This region, including the easternmost portion of the Cordilleran system, comprising western Montana, eastern Idaho, western Wyoming, central Colorado, and New Mexico, with a little of Texas, is composed of a series of ranges separated by valleys of greater or less breadth, trending parallel to one another a little west of north and east of south. It is naturally subdivided into two parts. The northern part extends from Canada southeastward into central Wyoming; thence for a distance of 100 miles or thereabout the mountain ranges disappear, leaving in their place only broad plateaus. The ranges reappear in southern Wyoming and extend thence southward. In the northern part the mountains range in altitude from 9,000 to 13,000 feet or more, rising from a base of 4,000 or 5,000 feet. In the southern part the base is much higher, rising in Colorado to 6,000 or 8,000 feet, with high mountain valleys reaching 10,000 feet above the sea, while many of the ranges exceed 14,000 feet in altitude. Both the general level of the country and the mountain ranges diminish in altitude southward.

PLATEAU REGION.—This region comprises most of the drainage basin of the Colorado river above the mouth of the Virgin, in southern Nevada. It is a region of great plateaus, whose surfaces are level or slightly inclined, and which terminate with great lines of cliffs, in some cases thousands of feet in height. From the mountains which border this range on the east, north, and west these plateaus descend by a succession of gigantic steps from an elevation of 12,000 feet down to 1,000 or 2,000 feet above the sea. Every stream is in a canyon, and as the rainfall is light and spasmodic a great majority of these canyons are dry during the greater part of the year. In many regions these canyons are so abundant as to have reduced the plateau to a mere skeleton, or the process of erosion may have gone still further, so that nothing is left of the upper plateau but fragments in the form of mesas and buttes.

The higher plateaus in the neighborhood of the mountains are green and forested from the abundant rainfall. The lower plateaus, on the other hand, have only the sparsest vegetation or are absolutely sterile.

BASIN REGION.—In the interior of the Cordilleran region is an area comprising practically all of Nevada, western Utah, part of eastern California, and southern Oregon, which has no drainage to the sea. It is a closed basin. The only discharge of its waters is by sinking into the thirsty soil or by evaporation into the thirsty atmosphere. This is the most desert part of the country, with the exception of the course of the lower Colorado and Gila rivers. The rainfall is scanty, even upon the mountains; so scanty, indeed, that there are but two or three running streams of any magnitude within it. Its surface is diversified by many ranges of mountains having a general parallel trend

rising from flat valleys filled with alluvium. These ranges divide the basin into numerous minor basins, in each of which water collects and sinks. In the eastern part the largest basin is that known as the Great Salt Lake, into which several small streams flow from the Wasatch mountains. In the western part the principal basin is that of the Humboldt river. The elevation of the floor of the basin ranges from 6,000 feet near its middle line, downward, reaching in Death valley, in eastern California, an elevation of 200 feet below the level of the sea.

COLUMBIAN MESAS.—The drainage basin of the Snake river, in Idaho, Oregon, and Washington, together with a part of the basin of the Columbia, in the latter state, has been in great part covered by eruptions of basalt, which, bursting out of the soil at various points, has spread over the country, forming a table land.

SIERRA NEVADA.—Separating the Great Basin from the California valley, in eastern California, is a broad, heavy, forest-covered range of mountains with long slopes to the west and an abrupt ascent to the east.

PACIFIC VALLEY.—West of the Cascade range and the Sierra Nevada and stretching from Puget sound to southern California is a valley drained in Oregon by the Willamette and in California by the Sacramento and San Joaquin rivers. In its southern part, south of the latitude of the bay of San Francisco, the climate is such that irrigation is necessary, while north of it the rainfall is sufficient, and in Oregon and Washington is more than sufficient, for the farmers' needs. Where the rainfall is insufficient this valley is treeless, but farther north, and especially in Oregon and Washington, it is covered with dense forests.

CASCADE RANGE.—Stretching northward in line with the Sierra Nevada, but distinguished sharply from it by the character of its formation, is the Cascade range. It is a series of extinct volcanoes, rising from a high plateau of volcanic rock. This range is densely forested.

COAST RANGES.—Separating this valley from the Pacific is a succession of ranges trending parallel with the coast, and known as the Coast ranges. In southern California the valleys among these ranges are of the highest degree of fertility, and produce grapes and tropical fruits in profusion. Farther north the country is but little settled or even explored.

The following tables show, for each of the subdivisions characterized above, the aggregate population, foreign born population, and negro population, in thousands at each of the last three censuses, namely, 1890, 1880, and 1870. They show also the numerical increase expressed in even thousands, the per cent of increase, the number in each 100,000 of the total population, the density or the population per square mile and, finally, the increase per square mile in each subdivision.

Grouping these subdivisions, it will be seen from the first table that in the swamp regions of the country, including in that term the coast marshes and the alluvial region of the Mississippi river, there are 2,694,000 inhabitants, or 4.30 per cent of the total population. This, as was previously stated, consists mainly of the negro race. In the desert and semi-desert regions of the country in 1890 there are found 1,469,000, or 2.35 per cent of the population. In the mountain region of the west there are found 1,535,000 people, or about 2.45 per cent, and in the eastern mountain region 10,888,000 people, or about one-sixth of the entire population.

DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH TOPOGRAPHIC FEATURES: 1870 TO 1890.

				i							<u> </u>			1	
	POT	ULATION	TN	INC	REASE IN	THOUSAN	NDS.	NUMBER	IN EACH	100,000	pon	TT かてへい	משמ	INCR	EASE
TOPOGRAPHIC DIVISIONS.		HOUSAND		1880 t	NUMBER IN EACH 100,000 POPULATION PER SQUARK MILE.							SQUARE MILE.			
	1890	1880	1870	Num- ber.	Per ceut.	Num- ber.	Per cent.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Coast swamps	1,809	1,569	1, 284	240	15, 30	285	22. 20	2, 889	3, 128	3, 330	21. 24	18. 42	15.08	2.82	3. 34
Atlantic plain	8,784	7, 113	5, 546	1,671	23.49	1,567	28, 25	14, 027	14, 182	14, 384	75. 15	60, 85	47.45	14.30	13.40
Picdmont region	7, 858	6, 660	5, 468	1, 198	17.99	1,192	21.80	12, 548	13, 279	14, 181	65.88	55.84	45.84	10.04	10.00
New England hills	2, 290	2,171	1, 995	119	5.48	176	8, 82	3, 657	4, 329	5, 174	40.69	38.57	35.44	2.12	3.13
Appalachian Mountain region	2, 849	2, 386	1, 959	463	19, 40	. 427	21,80	4,550	4,757	5, 081	49.83	41.73	34, 26	8.10	7.47
Cumberland-Allegheny plateau	5, 749	4,787	3, 940	962	20.10	847	21.50	9, 180	9,544	10, 218	59. 33	49.41	40.66	9. 92	8.75
Interior timbered region	11,292	9, 891	7, 976	1,401	14.16	1, 915	24.01	18, 032	19, 720	20, 686	44.32	38. 82	31.31	5.50	7.51
Lake region	3, 578	2,507	1,722	1,071	42, 72	785	45, 59	5, 714	4,998	4, 466	25.12	17.60	12.09	7, 52	5, 51
Ozark Mountain region	1,041	734	473	307	41.83	261	55. 18	1,662	1,463	1, 227	22.76	16.05	10.34	6. 71	5. 71
Alluvial region of the Mississippi	. 885	683	460	202	29, 58	223	48, 48	1,413	1, 362	1, 193	23.55	18. 18	12. 24	5, 37	5.94
Prairie region	13, 048	9,777	6, 715	3, 271	33.46	3,062	45.60	20, 836	19,493	17, 415	28.79	21.57	14. 82	7, 22	6.75
Great Plains	737	222	73	515	231. 93	149	204. 11	1,177	443	189	1.53	0.46	0. 15	1.07	0.31
North Rocky Mountain region	153	50	29	103	206.00	21	72.41	244	100	75	1, 13	0.37	0. 21	0.76	0, 16
South Rocky Mountain region	247	192	. 78	55	28.65	114	146. 15	394	383	202	2, 11	1.64	0.07	0.47	0.97
Plateau region	110	81	29	29	35, 80	52	179. 31	176	162	75	0.66	0.49	0. 17	0.17	0.32
Basin region	403	252	149	151	59.92	103	69.13	644	502	386	1.37	0.86	0.51	0.51	0. 35
Columbian mésas	219	91	27	128	140.66	64	237.04	350	181	70	1.95	0.81	0, 24	1.14	0.57
Sierra Nevada	146	136	111	10	7.35	25	22.52	233	271	. 288	4.90	4.57	3. 73	0, 33	0.84
Pacific valley	435	248	166	187	75.40	82	49.40	695	494	431	9.11	5. 19	3.48	3.92	1.71
Cascade range	179	54	30	125	231.48	24	80.00	286	108	78	5, 50	1.66	0, 92	3.84	0.74
Coast ranges	810	552	328	258	46, 74	224	68, 29	1, 293	1, 101	851.	14, 32	9, 76	5. 80	4.56	3.96

The following table relating to the distribution of the foreign born shows that more than one-fourth of this element is found in the prairie region. The next most populous regions are the Atlantic plain, with its great cities, and the lake region. These three areas taken together include more than one-half of the entire foreign born element. A notable proportion of this element is also found in the subdivisions of the western Cordilleran region. On the other hand, the low coast swamps, the alluvial region of the Mississippi and the Ozark mountains contain very few of this element.

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH TOPOGRAPHIC FEATURES: 1870 TO 1890.

		REIGN BO		INC	REASE IN	THOUSA	NDS.		IN EACI	I 100,000		REIGN BO		INCREASE PER SQUARE		
TOPOGRAPHIC DIVISIONS.		HOUSAND		1880 to 1890		1870 t	1870 to 1880		POPULATION.			SQUARE MILE.			MILE.	
	1890	1880	1870	Num- ber,	Per cent.	Num- ber.	Per cent.	-1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	
Coast swamps	141	118	116	23	10.49	2	1,72	1, 524	1,766	2,084	1,66	1, 39	1, 36	0.27	0,03	
Atlantic plain	1,655	1,213	1,053	442	36. 44	160	15, 19	17,892	18, 159	18,915	14. 16	10.38	9, 01	3,78	1, 37	
Piedmont region	1,002	686	585	316	46.06	101	17. 26	10,833	10, 269	10,508	8, 40	5, 75	4.91	2. 65	0.84	
New England hills	417	348	339	69	19.83	9	2, 65	4,508	5, 210	6,089	7.41	6. 18	6.02	1. 23	0, 16	
Appalachian Mountain region	178	131	140	47	35. 88	a 9	a6.43	1, 924	1,961	2,515	3. 11	2, 20	2,45	0, 82	a0.16	
Cumberland-Allegheny plateau	780	566	531	214	37, 81	35	6. 59	8, 433	8,473	9,538	8, 05	5.84	5, 48	2.21	0,36	
Interior timbered region	734	665	638	Q9	10.38	27	4. 23	7,935	9, 955	11,460	2.88	2.61	2.50	0. 27	0.11	
Lako region . ,	1,066	684	471	382	55.85	213	45, 22	11, 524	10, 240	8,461	7.48	4.80	3.31	2.68	1.49	
Ozark Mountain region	22	15	9	7	46.67	6	66. 67	238	225	162	0.48	0, 33	0. 20	0. 15	0, 13	
Alluvial region of the Mississippi	12	12	12					130	180	216	0, 32	0.32	0, 32			
Prairie region	2, 393	1,702	1,344	691	40.60	358	26, 64	25, 870	25, 479	24,142	5. 28	3.76	2.97	1.52	0.79	
Great Plains	141	57	21	84	147.37	36	171.43	1, 524	853	377	0. 29	0.12	0.04	0.17	0.08	
North Rocky Mountain region	46	16	14	30	187.50	2	14, 29	497	239	251	0, 34	0.12	0, 10	0, 22	0.02	
South Rocky Mountain region	42	. 33	9	9	27. 27	24	266, 67	454	494	162	0.36	0, 28	0.08	0.08	0, 20	
Plateau region	20	11	. 5	9	81, 82	6	120.00	216	165	90	0.12	0.07	0.03	0, 05	0.04	
Basin region	108	91	57	15	16, 48	34	59,65	1, 146	1, 362	1,024	0.36	0.31	0, 19	0.05	0.12	
Columbian mesas	35	17	6	- 18	105.88	11	183, 33	378	254	108	0.31	0. 15	0.05	0.16	0, 10	
Sierra Nevada	38	48	47	a10	a20.83	1	2, 13	411	719	844	1.28	1.61	1,58	a0. 33	0.03	
Pacific valley	109	61	41	48	78.69	20	48.78	1, 179	913	737	2, 28	1, 28	0.86	1.00	0.42	
Cascade range	46	. 10	4	36	360.00	G	150.00	497	150	72	1.41	0. 31	0. 12	1.10	0, 19	
Coast ranges	267	196	125	71	36, 22	71	56, 80	2, 887	2,934	2, 245	4.72	3.46	2, 21	1. 26	1, 25	

a Decrease.

The following table showing the distribution of the negro element is sharply contrasted with that of the foreign born element. The interior timbered region contains more than one-fourth of the negro element of the country, and the Atlantic plain another fourth. The coast swamps and the alluvial region of the Mississippi contain large proportions. Indeed, these regions, together with the Piedmont region, contain nearly nine-tenths of the negro population.

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH TOPOGRAPHIC FEATURES: 1870 TO 1890.

	NEGR	O POPUL	ATION	INC	REASE IN	THOUSA	NDS.		BER IN	EACH L NEGRO	NEGRO	POPULAT	INCREASE PER SQUARE		
TOPOGRAPHIC DIVISIONS.	IN	THOUSAN	DS.	1880 to 1890 1870 to 1880				OF TOTA OPULATIO		80	UARE MI	MILE.			
	1890	1880	1870	Num- ber.	Per cent.	Num- ber.	Per cent.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Coast swamps	774	702	570	72	10. 26	132	23.16	10, 361	10, 667	11,680	9.09	8, 24	6, 69	0.85	1. 55
Atlantic plain	1,861	1,682	1,218	229	1.4, 03	414	33.99	24, 913	24,799	24, 959	15, 92	13,96	10.42	1.96	3.54
Piedmont region	1,504	1, 369	1,037	135	9.86	332	32.02	20, 134	.20, 802	21, 250	12, 61	11.48	8, 69	1, 13	2, 79
New England hills	13	15	14	b 2	b13.33	1	7.14	174	228	287	0, 23	0.27	0. 25	b0.04	0,02
Appalachian Mountain region	201	178	134	23	12, 92	44	32.84	2,691	2,705	2,746	3.52	3.11	2.34	0.41	0.77
Cumberland-Allegheny plateau	161	149	119	12	8.05	- 30	25, 21	2, 155	2, 264	2, 439	1,66	1.54	1, 23	0.12	0.31
Interior timbered region	1,897	1,718	1,267	179	10.42	451	35, 60	25, 395	26, 105	25,963	7.45	6.74	4,97	0.71	1.77
Lake region	19	17	13	2	11.76	4	30. 77	254	258	266	0.13	0.12	0.09	0, 01	0.03
Ozark Mountain region	53	37	23	16	43. 24	14	60.87	710	562	471	1.16	0.81	0.50	0, 35	0,31
Alluvial region of the Mississippi	537	408	252	129	31, 62	156	61.90	7, 189	6, 200	5,164	14. 29	10,86	6.71	3.43	4, 15
Prairie region	416	342	225	74	21, 64	117	52.00	5,569	5,197	4,611	0,92	0.75	0.50	0.17	0. 25
Great Plains	13	5	2	8	160.00	3	150.00	174	76	41	0.03	0, 01	0.00	0,02	0.01
Cordilleran region	21	9	6	12	133.33	3	50.00	281	137	123	0.02	0.01	0, 01	0.01	

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH ALTITUDE.

During recent years the active prosecution of topographic surveys by the United States Geological Survey and the extension of railroads into remote regions have added greatly to our knowledge of the relief of the country, and greatly increased the material available for making a contour map of the country. This material has been compiled in the office of the United States Geological Survey, and among other uses to which it has been put a map has been prepared from it on a scale of 1: 2,500,000, or about 40 miles to 1 inch, showing approximate contour lines at 100 feet, 500 feet, 1,000 feet, 1,500 feet, 2,000 feet, and thence by intervals of 1,000 feet up to 12,000 feet above sea level. This map has been used in the distribution of population herewith presented. From it the counties falling between the different contour lines have been drawn off and tabulated. In cases where a contour divides a county, the portions upon each side of the contour have been estimated to the nearest tenths of counties, having due regard in each case to the distribution of population within the county. The population in 1870, 1880, and 1890 was then classified in accordance with the tabulated list of counties.

The following table shows the distribution of the aggregate population in accordance with altitude:

DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH ALTITUDE: 1870 TO 1890.

ALTITUDE IN FEET.		ULATION HOUSAND		OF TOT WITH	IN EACH AL POPU IN EACH ALTITUD	GIVEN	BER I	E IN NUM- N EACH),000.	TOTAL P	IN EACH 1 POPULATION OR ALTERU	BELOW		ULATION UARE MI			ASE PER E MILE.
	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
0 to 100	10, 387	8, 273	6. 441	16, 587	16, 495	16, 705	+92	-210	16, 587	16, 495	16, 705	51.84	41. 29	32. 15	10.55	9. 14
100 to 500	13, 838	11, 654	9, 240	22,098	23, 235	23, 964	_1, 137	-729	38, 685	39, 730	40, 669	35, 65	30.02	23. 80	5, 63	6. 22
500 to 1,000	23, 947	19, 813	15, 914	38, 240	39, 503	41, 273	1, 263	_1,770	76, 925	70, 233	81, 942	43. 85	36. 28	29. 14	7.57	7.14
1,000 to 1,500	9,431	7, 256	5, 136	15,060	14, 467	13, 320	+593	+1, 147	91, 985	93, 700	95, 262	23.84	18.34	12.98	5.50	5, 36
1,500 to 2,000	2,354	1, 597	978	3,759	3, 184	2, 536	+575	+648	95, 744	96, 884	97, 798	9, 84	6, 68	4.09	3. 16	2. 59
2,000 to 3,000	1, 154	723	405	1,843	1,441	1, 050	+402	+391	97, 587	98, 325	98, 848	4. 37	2.74	1.53	1,63	1. 21
3,000 to 4,000	381	185	124	608	369	322	+239	+47	98, 195	98, 694	99, 170	2. 14	1.04	0.70	1.10	0.34
4,000 to 5,000	296	135	75	473	269	195	+204	+74	98, 668	98, 963	99, 365	1.14	0.52	0.29	0.62	0, 23
5,000 to 6,000	487	270	137	778	538	355	+240	+183	99, 446	99, 501	99, 720	2, 21	1.23	0, 62	0, 98	0.61
6,000 to 7,000	161	98	56	257	195	145	+62	+50	99, 703	99, 696	99, 865	0, 98	0, 60	0.34	0.38	0.26
7,000 to 8,000	94	59	33	150	118	86	+32	+32	99, 853	99, 814	99, 951	1.03	0, 64	0.36	0, 39	0.28
8,000 to 9,000	43.	39	. 14	69	78	36	9	+42	99, 922	99, 892	99, 987	1.05	0, 95	0.84	0, 10	0.61
9,000 to 10,000	39	45	3	62	90	8	-28	+82	99, 984	99, 982	99, 995	2.03	2.34	0.16	a0: 31	2.18
10,000 and over	10	9	2	16	18	5	_2	+13	100, 000	100,000	100,000	0.54	0.49	0.11	0, 05	0.38

a Decrease.

The figures of distribution in 1870 and 1880, herewith presented, have been obtained by the use of a much more elaborate map than that used in 1880, and therefore differ somewhat from those published in the report of the Tenth Census.

It is seen by the table and diagram accompanying that about one-sixth of the people of the country live less than 100 feet above sea level, namely, along the immediate seaboard and in the swampy and alluvial regions of the south, and that more than three-fourths live below 1,000 feet, while below 5,000 feet are found nearly 99 per cent of the inhabitants. At great altitudes there is found only the most trifling proportion.

In the area below 500 feet is included nearly all that part of the population which is engaged in manufacturing and in the foreign commerce of the country and most of that engaged in the culture of cotton, rice, and sugar.

The interval between the 500 feet and 1,500 feet contours comprises the greater part of the prairie states and the grain-producing states of the northwest.

East of the ninety-eighth meridian the contour of 1,500 feet is practically the upper limit of population, all the country lying above that elevation being mountainous.

The population between 2,000 and 5,000 feet is found mainly on the slope of the great western plains. In this region the belt between 2,000 and 3,000 feet is almost everywhere the debatable ground between the arid region of the Cordilleran plateau and the humid region of the Mississippi valley. Above 3,000 feet irrigation is almost universally necessary for success in agricultural operations.

Between 4,000 and 5,000 feet, and more markedly between 5,000 and 6,000 feet, it will be noticed that the population is decidedly in excess of the grade or grades below it. This is mainly due to the fact that the densest settlement at high altitudes in the Cordilleran region is at the eastern base of the Rocky mountains and in the valleys about Great Salt Lake, which regions lie between 4,000 and 6,000 feet. Of these the extensive settlements at the base of the mountains in Colorado are mainly between 5,000 and 6,000 feet.

Above 6,000 feet the population, which is confined, of course, to the Cordilleran region, is almost entirely engaged in the pursuit of mining, and the greater part of it is located in Colorado, New Mexico, Nevada, and California.

While the population is increasing numerically in all altitudes, its relative movement is decidedly toward the region of greater altitudes, and is most marked in the country lying between 1,000 and 6,000 feet above the sea.

The density of population is greatest near sea level in the narrow strip along the seaboard which contains our great seaports. The density diminishes gradually and rather uniformly up to 2,000 feet, where the population becomes quite sparse.

The average elevation of the country, excluding Alaska, is about 2,500 feet. The average elevation at which the inhabitants lived, taking cognizance of their distribution, in 1870 was 687 feet; in 1880 it had increased to 739 feet, and in 1890 to 788 feet.

The following table shows the distribution of the foreign born element in altitude above sea level:

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH ALTITUDE; 1870 TO 1890.

ALTITUDE IN FEET.		N BORN F	OPULA-			ON BORN	BER II	IN NUM- LEACH ,000.	LATIO	N EACH 10 REIGN BOB N BELOW I ALTITUDE.	N POPU-		N BORN 1 R SQUAE		INCREA SQUAR	SE PER E MILE.
	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
0 to 100	2, 320	1, 682	1, 431	25, 081	25, 180	25,705	99	525	25, 081	25, 180	25, 705	11.58	8, 40	7. 14	3, 18	1, 26
100 to 500	1,321	1,043	938	14, 281	15, 614	16, 849	-1, 333	-1, 235	39, 362	40, 794	42, 554	3.40	2. 69	2.42	0.71	0, 27
500 to 1,000	3, 500	2, 587	2, 278	37, 838	38, 727	40, 920	889	-2, 193	77, 200	79, 521	83, 474	6.41	4.74	4.17	1, 67	0, 57
1,000 to 1,500	1,380	956	690	14, 919	14,311	12, 394	+608	+1,917	92, 119	93, 832	95, 868	3, 49	2.42	1, 74	1.07	0, 68
1,500 to 2,000	318	166	93	3,438	2, 485	1,671	+953	+814	95, 557	96, 317	97, 539	1, 33	0. 69	0.39	0, 64	0, 30
2,000 to 3,000	119	65	33	1, 287	973	593	+314	+380	96, 844	97, 290	98,132	0.45	0. 25	0.13	0, 20	0, 12
3,000 to 4,000	48	26	21	519	389	377	+130	+12	97, 363	97, 679	98, 509	0. 27	0. 15	0. 12	0.12	0, 03
4,000 to 5,000	57	. 30	19	616	449	341	+167	+108	97, 979	98, 128	98, 850	0.22	0. 12	0.07	0.10	0.05
5,000 to 6,000	114	74	46.	1, 232	1, 108	826	+124	+282	99, 211	99, 236	99, 676	0, 52	0. 34	0, 21	0, 18	0: 13
6,000 to 7,000	34	19	11	368	284	198	+84	+86	99, 579	99, 520	99, 874	0, 21	0.12	0.07	0.09	0, 05
7,000 to 8,000	17	10	4	184	150	72	+34	+78	99, 763	99,670	99, 946	0.19	0, 11	0.04	0.08	0. 07
8,000 to 9,000	9	. 7	2	97	105	36	_8	+69	99, 860	99, 775	09, 982	0. 22	0. 17	0, 05	0.05	0.12
9,000 to 10,000	10	12	1	108	180	18	-72	+162	99, 968	99, 955	100,000	0.52	0. 63	0.05	a0.11	0, 58
10,000 and over	. 3	3	• • • • • • • • • • • • • • • • • • •	32	45		- 13	+45	100, 000	100,000	100.000	0.18	0.16			0, 16

a Decrease.

It is seen that about one-fourth of all the foreign born live at an altitude less than 100 feet above the sea, that more than three-fourths live at an altitude less than 1,000 feet, and 99 per cent live below the contour of 6,000 feet. A larger proportion live at low altitudes than is the case with the total population, which is doubtless due to the fact that many of this element live in our large cities, which are mainly upon the seaboard. On the other hand, at great altitudes there are found a larger proportion than of the total population.

The direction of spread of the foreign born element is toward the regions of great altitude. There has been during the past twenty years a diminution in the proportion living below the contour of 1,000 feet and a general increase in the number at great elevations.

The average altitude at which the foreign born element lived in 1890 is 890 feet, which is decidedly greater than that of the total population.

The table on the following page shows the distribution of the negro population in accordance with altitude. From this it is seen that not quite one-fourth of this element live at less than 100 feet, being a smaller proportion than in the case of the foreign born element, but a larger proportion than is the case with the total population. About 70 per cent live at a less altitude than 500 feet, which is a vastly greater proportion than in the case either of the total population or of the foreign born element, while below 1,000 feet we find 94.5 per cent, and below 2,000 feet are found 99 out of every 100 of the negro inhabitants.

No decided movement of the negro population in altitude is perceptible.

The average elevation at which the negro element was living in this country in 1890 is 427 feet. It will be noted that this is greatly below that of the total population and the foreign born element. Indeed, these results emphasize the tendency of the negro element toward low and hot parts of the country.

PROGRESS OF THE NATION.

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH ALTITUDE: 1870 TO 1890.

ALTITUDE IN FEET.		O POPULA THOUSAN		100,000	BER IN E OF TOTAL PULATIO	NEGRO	CHANGE BER IN 100,	EACH	TOTAL N	IN EACH 1 EGRO POPI EACH ALT	JLATION		POPULAT UARE MI			ASE PER E MILE,
	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
0 to 100	1,708	1, 499	1, 144	22, 865	22, 778	23, 443	+87	665	22, 865	22, 778	23, 443	8.53	7.48	5, 71	1, 05	1.77
100 to 500	3,536	3,070	2,231	47, 336	46, 650	45,717	+686	+933	70, 201	69, 428	69, 160	9.11	7. 91	5. 75	1. 20	2, 16
500 to 1,000	1,816	1.068	1, 263	24, 311	25, 346	25.881	-1.035	535	94, 512	94, 774	95,041	3, 33	3.05	2, 31	0. 28	0.74
1,000 to 1,500	279	242	169	3,735	3,677	3, 463	+58	+214	98, 247	98,451	98, 504	0.71	0, 61	0.43	0, 10	0.18
1,500 to 2,000	60	50	38	803	760	779	+43	19	99, 050	99, 211	99, 283	0.25	0. 21	0.16	0.04	0.05
2,000 to 3,000	43	38	27	576	577	554	-1	+23	99, 626	99, 788	99, 837	0, 16	. 0.14	0. 10	0.02	0.04
3,000 to 4,000	15	9	G	201	137	123	+64	+14	99,827	99, 925	99, 960	0, 08	0.05	0.03	0.03	0.02
4,000 to 5,000	4	2	1	53	30	20	+25	+10	99, 880	99, 955	99, 980	0.02	0, 01	0.00	0.01	0.01
5,000 to 6,000	6	2	1	, 80	30	20	+50	- - 10	99, 960	99, 985	100,000	0, 03	0. 01	0.00	0, 02	0.01
6,000 to 7,000	2	1		27	15		+12	+15	99, 987	100,000	100,000	0,01	0, 01		•	0.01
7,000 to 8,000	1			13			+13		100,000	100,000	100,000	0. 01			0. 01	*******

 σ Includes all persons of negro descent.

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH MEAN ANNUAL TEMPERATURE.

The great increase in the amount of data concerning the distribution of temperature in the country during the past ten years, produced by the extension of State Weather Services, rendered it advisable to collect material and prepare a new map showing the distribution of the isothermals, and to make therefrom a recomputation of the distribution of population in 1870 and 1880. The necessary data have been freely contributed by the Chief Signal Officer of the Army, General A. W. Greely, and by the several directors of the State Weather Services, to whom this office is under great obligations. The information collected from these various sources has been placed upon a map of the United States, and isothermals have been drawn in accordance with their indications, combined with a knowledge of the relief of the country and the influence of the relief upon temperature. The counties falling between the different isothermal lines have been drawn from the maps in tabular form and the population classified in accordance therewith.

The following table is presented as embracing the results of this investigation. In this table the first column shows the degrees of temperature; the second, third, and fourth columns show a distribution of population in thousands in accordance with the isothermal lines; the fifth, sixth, and seventh columns show the number in each 100,000 of the total population, at the date designated, living between the various isothermal lines; the eighth and ninth columns show the change in the number from census to census under the assumption that the entire population was 100,000; the tenth, eleventh, and twelfth columns show the number of inhabitants, the total population being assumed as 100,000, living under temperature conditions below each of the several grades; the thirteenth, fourteenth, and fifteenth columns show the density of population, that is, the number of inhabitants per square mile in each of the several grades, while the last two columns show the increase in density.

DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH MEAN ANNUAL TEMPERATURE: 1870 TO 1890.

DEGREES OF TEM-		PULATION		100,000	BER IN E OF TOTA N WITHIN GRADE,	L POPU-	CHANGE BER IN 100,	EACH	TOTAL P	IN EACH 10 OPULATION ACH GRAD	00,000 OF BELOW		ULATION UARE MI			SE PER E MILE.
PERATURE,	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 40	1,035	579	354	1,653	1, 154	918	+499	+236	1,653	1, 154	918	4, 70	2, 64	1. 61	2, 06	1.03
40 to 45	5, 122	3, 718	2,745	8, 179	7, 413	7, 119	+766	+294	9,832	8, 567	8,037	12.52	9. 11	6.72	3, 41	2.39
45 to 50	17, 173	13, 705	11, 177	27, 423	27, 325	28, 988	+98	1, 663	37, 255	35, 892	37,025	28. 61	22. 87	18.65	5, 74	4,22
50 to 55	19,778	16, 248	12,794	31,583	32, 395	33, 181	812	-786	68, 838	68, 287	70, 206	31.02	25, 55	20, 11	5, 47	5, 44
55 to 60	8, 626	7, 137	5, 201	13,775	14, 230	13,722	455	+508	82,613	82, 517	83, 928	22, 78	18, 89	14.01	3.89	4, 88
60 to 65	0, 178	5,007	3, 529	9,866	9, 983	9, 152	117	+831	92,479	92, 500	93, 080	17.89	14. 53	10, 24	3, 30	4, 20
65 to 70	3, 932	3, 141	2, 183	6, 279	6, 262	5, 662	+17	+600	98, 758	98, 762	98, 742	14, 16	11. 33	7. 88	2.83	3.45
70 to 75	758	610	479	1,210	1,216	1,242	-6	26	99, 968	99, 978	99, 984	7, 49	6, 02	4, 72	1.47	1.30
75 and over	20	11	6	32	22	16	+10	+6	100,000	100, 000	100,000	3.60	2. 01	1. 03	1.59	0.98

A glance at the table will show that in 1870, 1880, and 1890 more than half the population was living under a temperature between 45 and 55 degrees, and that between 45 and 60 degrees were found from 70 to 75 per cent of the inhabitants. Only a trifle over 1 per cent were living where the temperature was greater than 70 degrees, while in the region where the mean annual temperature was above 75 degrees the number of inhabitants was trifling. The number of inhabitants to the square mile not only expresses the density of population, but also gives a comparative measure of the absolute number and the increase in absolute number. The greatest density has been, since 1870, where the temperature ranges from 50 to 55 degrees. From this as a maximum it diminishes rapidly both with an increase and decrease in temperature. The most rapid proportional increase in population has taken place at the two extremes, where it has trebled during the twenty years intervening between 1870 and 1890, while in the same time it has increased but about 50 per cent in the most densely settled group.

The average annual temperature of the territory of the United States, excluding Alaska from consideration, is 53 degrees. The average annual temperature under which the people of the country live, taking into account the density of settlement, is practically the same.

The following table, when contrasted with that showing the distribution of the total population in accordance with mean annual temperature, develops the fact that, as a whole, the foreign born live under temperature conditions considerably lower than the total population. These differences may be summarized in the statement that while the average temperature under which the total population lives is 53 degrees, that of the foreign born is 48 degrees. Nearly 41 per cent live where the temperature ranges from 45 to 50 degrees, while between 40 and 55 degrees of temperature are found more than 86 per cent of the entire foreign born.

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH MEAN ANNUAL TEMPERATURE: 1870 TO 1890.

DEGREES OF TEM- PERATURE.		N BORN I		OF TO BORN	IN EACH OTAL FO N POPULA ITHIN EA GRADE.	REIGN	BER	IN NUM- N EACH ,000.	TOTA POPU	IN EACH 1 L FOREIGN PLATION BI LACH GRAD	BORN		n born i Per sqi Mile.		INCREA SQUARI	SE PER
	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 40	. 317	137	66	3, 427	2,051	1, 186	+1,376	-+865	3, 427	2,051	1, 186	1. 44	0, 62	0. 30	0.82	0.32
40 to 45	1, 335	886	625	14,432	13, 263	11, 227	+1,169	+2,036	17, 859	15, 314	12,413	3, 27	2. 17	1.53	1.10	0.64
45 to 50	3, 787	2, 680	2, 298	40,941	40, 120	41, 279	+821	1, 159	58, 800	55, 434	53, 692	6, 32	4, 47	3.83	1.85	0,64
50 to 55	2,891	2, 209	1,982	31, 254	33,069	35, 603	-1,815	-2, 534	90,054	88, 503	89, 295	4, 43	3. 38	3.04	1.05	0.34
55 to 60	559	478	871	6,043	7, 156	6,664	-1,113	+492	96, 097	95, 659	95, 959	1.54	1, 32	1.02	0.22	0.30
60 to 65	117	88	68	1, 265	1,317	1, 221	52	+96	97, 362	96, 976	97,180	0.37	0. 28	0. 22	0.09	0.06
65 to 70	138	102	70	1,492	1,527	1, 257	-35	+270	98, 854	98, 503	98, 437	0, 50	0. 37	0. 25	0.13	0.12
70 to 75	95	94	84	1,027	1, 407	1, 509	380	102	99, 881	99, 910	99, 946	0, 94	0. 93	0.83	0.01	0.10
75 and over	11	6	3	119	90	54	+29	+36	100,000	100, 006	100,000	2,00	1.09	0.54	0, 91	0.55

The following table, showing the distribution of the negro element in accordance with the mean annual temperature, presents a sharp contrast to both the preceding tables, and especially to that showing the distribution of the foreign born population. The average temperature under which the negro element exists in this country, namely, 61 degrees, is no less that 8 degrees higher than that of the total population and 13 degrees higher than the foreign born population.

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH MEAN ANNUAL TEMPERATURE: 1870 TO 1890.

DEGREES OF TEM-		POPULA' HOUSAND		OF TOT	R IN EACH TAL NEGI TION WI	O POP-	BER I	E IN NUM- N EACH ,000.	TOTAL N	IN EACH 1 VEGRO POPU W EACH GE	ULATION		POPULAT UARE MI		INCREA SQUAR	SE PER E MILE.
PERATURE.	1890	1880	1870	1800	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 40	. 3	2	1	40	30	20	+10	+10	40	80	20	0, 01	0. 01	0.00		0.01
40 to 45	16	13	10	214	198	205	+16	7	254	228	225	0,04	0. 03	0.02	0. 01	0.01
45 to 50	161	136	106	2, 155	2,067	2, 172	+88	105	2,409	2, 295	2, 397	0. 27	0. 23	0.18	0.04	0.05
50 to 55	762	692	533	10, 201	10. 515	10, 922	-314	-407	12,610	12, 810	13, 319	1, 17	1, 06	0, 82	0.11	0.24
55 to 60	1, 805	1,703	1, 331	24, 163	25, 877	27, 275	1,714	-1,398	36, 773	38, 687	40, 594	4.98	4.70	3. 67	0. 28	1.03
60 to 65	2, 721	2,318	1,614	36, 426	35, 223	33, 074	+1,203	+2,149	73, 199	73, 910	73,668	8, 71	7, 42	5. 17	1, 29	2. 25
65 to 70	1, 761	1,512	1, 113	23, 574	22, 975	22, 808	+539	+167	96, 773	96, 885	96, 176	6.36	5.46	4.02	0, 90	1.44
70 to 75	235	202	171	3, 146	3, 069	3, 504	+77	-435	99,919	99, 954	99,980	2, 82	1.99	1.69	0. 33	0.30
75 and over	6	3	1	81	46	20	+35	+26	100,000	100,000	100,000	1,09	0.54	0.18	0,55	0.36

The negro population is the most numerous in that region which has a mean annual temperature between 60 and 65 degrees, where there are found 36 per cent of their whole number; between 55 and 60 degrees there are found 24 per cent, and between 65 and 70 degrees there are 24 per cent of the total number. Thus between 55 and 70 degrees there are living 84 per cent of the entire negro element.

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH MEAN ANNUAL RAINFALL.

Through the courtesy of the Chief Signal Officer of the Army, General A. W. Greely, and of the directors of the Weather Services of the various states, the latest and most reliable data regarding the rainfall of the country have been placed at the disposal of this office. In addition to this, a compilation has been made of all other accessible material, including the Smithsonian collections and the records of the state engineer of California. From these various sources data from nearly 2,000 stations have been obtained, platted upon a map of the United States, and the curves of mean annual rainfall, at intervals of 10 inches, sketched in accordance with their indications, supplemented by our knowledge of the relief of the country and its known influence upon rainfall.

From the map thus prepared the counties falling between the different curves of mean annual rainfall were drawn off in lists. In cases where the county was cut in parts by a curve, due weight was given in the partition of the county to any inequality in distribution of population. The population was then distributed by counties, in accordance with the lists. The result is shown in the table appended:

INCHES OF RAIN-		PULATION HOUSAND		OF TOT	R IN BACH AL POPU V EACH G	LATION	CHANGE BER IN 100,	EACH	TOTAL PO	N EACH 10 OPULATION ACH GRADE	BELOW		TLATION TARE MI			ASE PER E MILE.
FALI,.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 10	188	139	74	300	277	192	+23	+85	300	277	192	0.76	0, 56	0, 30	0. 20	0. 26
10 to 20	1,636	695	366	2, 613	1,386	949	+1,227	+437	2,913	1,663	1, 141	1.84	0, 78	0, 41	1.06	0, 37
20 to 30	3, 781	2,178	736	6, 038	4,342	1, 909	+1,696	+2,433	8,951	6, 005	3, 050	8.16	4, 70	1.59	3.46	3. 11
30 to 40	21, 353	17, 539	14, 129	34, 098	34, 969	36, 643	-871	_1,674	43,049	40, 974	39, 693	43. 19	35. 47	28. 58	7.72	6.89
40 to 50	24, 710	20, 556	16,472	30, 459	40,984	42,720	-1,525	1, 736	82, 508	81, 958	82, 413	59.08	49. 15	39, 39	9. 93	9.76
50 to 60	10, 122	8, 393	6, 251	16, 164	16, 734	16, 212	570	+522	98, 672	98, 692	98, 625	25, 16	20.87	15, 54	4. 29	5. 33
60 to 70	798	638	524	1, 274	1.272	1, 359	+2	-87	. 90, 946	99, 964	99, 984	18. 20	14, 55	11. 95	3, 65	2, 60
70 and over	34	18	6	54	36	16	+18	+20	100,000	100, 000	100, 000	3.98	2.11	0, 70	1,87	1.41

In this table the first column shows the grades, expressed in inches of rainfall; the second, third, and fourth columns show the population in thousands found in each grade in 1890, 1880, and 1870; the fifth, sixth, and seventh columns show the number in each 100,000 of the population in each of these grades at the periods under consideration; the eighth and ninth columns show the increase or decrease in number; the tenth, eleventh, and twelfth columns show the number of inhabitants in each 100,000 below each grade, and therefore are cumulative columns; the thirteenth, fourteenth, and fifteenth columns show the population per square mile in each grade in 1890, 1880, and 1870, and the last two columns show the increase in population per square mile.

It will be noticed that the main body of the population of the country inhabits the region in which the annual rainfall is between 30 and 50 inches, nearly three-fourths of the inhabitants being found there. On either side, as the rainfall increases or diminishes, the population diminishes rapidly. It will be seen further that the arid region of the west, where the rainfall is less than 20 inches, a region which comprises two-fifths of the entire area of the country, contains at present less than 3 per cent of the population.

The greatest density of population is in the area enjoying from 40 to 50 inches of annual rainfall, the average of this region being 59.08 inhabitants to the square mile. Next to that is the area having from 30 to 40 inches, where the density is 43.19. The density of population has increased rapidly in these regions. It is apparent, however, that the most rapid increase, as expressed by density of population, is where the rainfall ranges from 20 to 30 inches; that is, in the eastern portion of the Great Plains ranging from Texas to Dakota, where the density has increased in twenty years from 1.59 to 8.16.

The average annual rainfall upon the surface of the United States, as deduced from the map previously mentioned, is 29.6 inches. The average annual rainfall with relation to the population, deduced by giving weight to each area of country in proportion to the number of its inhabitants, was, in 1870, 42.5 inches; in 1880 it had diminished to 42 inches, and in 1890 to 41.4 inches, the diminution being caused mainly by the settlement of the Great Plains and the arid regions of the west.

The following table shows the distribution of the foreign born element with reference to rainfall in 1890, 1880, and 1870:

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH MEAN ANNUAL RAINFALL: 1870 TO 1890.

		N BORN F		OF TO BORN	IN EACH TAL FOI POPULA EACH G	REIGN TION	CHANGE BER IN 100,		TOTAI POPU	IN EACH 10 FOREIGN LATION BE ACH GRADE	BORN LOW	POPT	REIGN BO ULATION UARE MIL	PER		SE PER E MILE.
INCHES OF RAINFALL.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 10	51	49	28	551	734	503	-183	+231	551	784	503	0.21	0, 20	0.11	0.01	0. 09
10 to 20	368	164	95	3,979	2, 455	- 1, 706	+1,524	+749	4, 530	3, 189	2, 209	0.41	0.18	0.11	0.23	0.07
20 to 30	955	596	265	10, 324	8, 922	4, 760	+1,402	+4,162	14, 854	12, 111	6, 989	2.13	1, 33	0, 59	0.80	0. 74
30 to 40		2, 904	2, 577	41,643	43, 473	46, 291	-1,830	-2,818	56, 497	55, 584	53, 260	8.04	6, 06	5, 38	1.98	0, 68
40 to 50		2, 807	2,455	41, 081	42,021	44,099	-940	-2,078	97, 578	97, 605	97, 350	9.00	6.71	5.87	2.38	0.84
50 to 60	144	96	82	1, 557	1,437	1, 473	+120	-36	99, 135	99, 042	98, 832	0, 36	0. 24	0, 20	0. 12	0.04
60 to 70	69	. 58	64	746	808	1.150	-122	-282	99, 881	99, 910	99, 982	1, 57	1. 32	1.46	0, 25	a0. 14
70 and over	11	6	1	119	90	18	+29	+72	100,000	100,000	100, 600	1.29	0.70	0, 12	0, 50	0, 58

a Decrease.

It will be seen that by far the greater proportion of the foreign born population lives where the rainfall ranges from 30 to 50 inches annually, the proportion ranging from 90 per cent in 1870 down to about 83 per cent in 1890. As to the proportion of the foreign born living within these limits in recent years, it has not increased in the regions where the rainfall is greater, but where it is less, that is, in the western states and territories. The proportion of the foreign born living under a rainfall of 20 to 30 inches has increased in twenty years from less than 5 per cent up to more than 10 per cent. It has increased in approximately the same proportion in those regions where the rainfall is still less, that is, between 10 and 20 inches.

The following table shows the distribution of the negro element in respect to mean annual rainfall:

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH MEAN ANNUAL RAINFALL: 1870 TO 1890.

		POPULA'			IN EACH AL NEGR WITHIN GRADE,	O POP-	CHANGE BER IN 100,	EACH	TOTAL N	IN EACH 10 EGRO POPU V EACH GI	H.ATION	NEGRO I SQI	POPULATI UARE MU			SE PER E MILE.
INCHES OF RAINFALL.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 10	2 17 29 385 2,352 4,481 204	1 7 16 344 2, 168 3, 855 190	3 7 252 1,676 2,780	27 227 388 5, 154 31, 486 59, 987 2, 731	15 107 243 5, 227 32, 948 58, 578 2, 887	62 143 5, 164 34, 344 56, 967 8, 320	+12 +120 +145 -73 -1,457 +1,409 -156	+15 +45 +100 +63 -1, 401 +1, 611 -433	27 254 642 5, 796 37, 282 97, 269 100, 000	15 122 365 5, 592 38, 535 97, 113 100, 000	02 205 5, 369 39, 713 96, 680 100, 000	0, 01 0, 02 0, 06 0, 80 5, 62 11, 14 3, 90	0.00 0.01 0.04 0.72 5.18 9.58 3.63	0, 00 0, 02 0, 53 4, 01 6, 91 3, 00	0.01 0.01 0.02 0.08 0.44 1.56 0.27	0, 01 0, 02 0, 19 1, 17 2, 07 0, 54

a Includes all persons of negro descent.

The above table shows that the vast majority of the negro race, more than nine-tenths of their whole number, live where the rainfall ranges from 40 to 60 inches, and that no less than 60 per cent live where the rainfall is between 50 and 60 inches. Their habitat is thus again strongly contrasted with that of the inhabitants of foreign birth.

While there is little movement of this race perceptible in the above table, what little thus appears is in the direction of a region of greater rainfall. Thus in twenty years the negro element living where the rainfall was between 40 and 50 inches has materially diminished, while it has materially increased in the region having between 50 and 60 inches.

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH MEAN RELATIVE HUMIDITY OF THE ATMOSPHERE.

The atmosphere along the Atlantic, Gulf, and Lake coasts, and the entire Pacific coast is heavily charged with moisture. It is especially so upon the coast of Oregon and Washington, where the atmosphere is more highly charged with moisture than elsewhere within our territory. The high mountain regions of the Appalachian and to a considerable extent those of the Rocky mountain ranges also have a moist atmosphere. The moisture is less in the Piedmont region east of the Appalachians and in the Upper Mississippi valley. Passing across the prairies and the Great Plains, the amount of moisture in the atmosphere diminishes still more, while the minimum is reached in the Great Basin, in Utah, Nevada, southern Arizona, and southeastern California. In a general way, the amount of moisture in the atmosphere increases and decreases with the rainfall, but this is not always the case. The upper lake region, with an atmosphere as moist as that of Washington city, has a much smaller rainfall. The coast of southern California, with a deficient rainfall, has as moist an atmosphere as the Atlantic coast.

In the following table, showing this distribution, the population is given to the nearest thousands, as the results aimed at are merely general relations. The first column defines the groups, expressed in percentages of saturation; the second, third, and fourth columns, the absolute number of inhabitants in thousands in the various groups at the Eleventh, Tenth, and Ninth censuses; the fifth, sixth, and seventh columns, the number in each 100,000 of the total population within each group; the eighth and ninth columns, the change in number in each 100,000 of the total population; the tenth, eleventh, and twelfth columns, the number in each 100,000 of the total population below each group; the thirteenth, fourteenth, and fifteenth columns show the density of population, that is, the number of inhabitants per square mile, while the last two columns show the increase in density.

DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH MEAN RELATIVE HUMIDITY: 1870 TO 1890.

PERCENTAGE OF		PULATION HOUSAND		OF TOT	RIN EACH 'AL POPU N EACH (LATION		N NUMBER 100,000.	TOTAL P	IN EACH 10 OPULATION ACH GROUI	BELOW		ULATION UARE MI		INCREA SQUARE	
SATURATION.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 10 1880
Below 50	309	219	137	493	437	355	+50	+82	493	437	355	1.14	0.81	0.50	0. 33	0. 31
50 to 55	433	202	91	692	403	236	+289	+167	1,185	840	591	1.67	0.78	0, 35	0.89	0.43
55 to 60	291	134	61	465	267	158	+198	+109	1,650	1,107	749	1.12	0.52	0, 24	0.60	0, 28
60 to 65	868	439	136	1, 386	875	353	+511	+522	3,036	1,982	1,102	3, 29	1.66	0, 52	1.63	1. 14
65 to 70	22, 969	19, 279	14,388	36, 679	38, 438	37, 315	-1,759	+1, 123	39,715	40, 420	38, 417	31, 18	26.17	19, 53	5, 01	6.64
70 to 75	34, 067	27, 280	21,885	54, 401	54, 390	56, 759	+11	-2, 369	94, 116	94,810	95, 176	39, 63	31.73	25, 46	7.90	6. 27
75 to 80	3, 341	2,403	1,730	5, 335	4, 791	4,487	+544	+304	99, 451	99, 601	99, 663	14.76	10.61	7.64	4.15	2. 97
80 and over	344	200	130	549	309	337	+150	+62	100,000	100,000	100, 000	5, 53	3, 21	2, 00	2. 32	1. 12

A glance at this table shows that nearly all the population breathe an atmosphere containing 65 to 75 per cent of its full capacity of moisture; that is, the atmosphere is from two-thirds to three-fourths saturated. In 1890, 57,036,000 out of 62,622,250 were found in this region; in 1880, 46,559,000 out of 50,155,783, and in 1870, 36,273,000 out of 38,558,371. The number of inhabitants living in a drier atmosphere was at each census comparatively trifling, numbering in 1870 less than 500,000, and in 1890 less than 2,000,000. In the moister atmosphere were found larger numbers scattered along the Gulf coast and the shores of Washington and Oregon.

The most rapid increase is found near the top and bottom of the scale, and particularly in the more arid region, where the population has nearly doubled during each of the last two periods.

The following table shows that with the persons of foreign birth nearly two-thirds breathe an atmosphere which has a relative humidity between 70 and 75 per cent, and that nearly one-fourth of them are found where the atmosphere is charged to the extent of 65 to 70 per cent, the proportion of this element of the population being trifling elsewhere:

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH MEAN RELATIVE HUMIDITY: 1870 TO 1890.

PEROENTAGE OF SATURATION.		N BORN I		OF TO	R IN EACH	ATION	BER II	E IN NUM- N EACH ,000.	TOTAI POPU	IN EACH 1 . FOREIGN LATION BE ACH GROU	BORN		N BORN : PER SQU MILE.			ASE PER E MILE.
SATURATION.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 50	82	72	47	887	1, 078	844	191	+234	887	1, 078	844	0, 30	0. 27	0, 17	0.03	0, 10
50 to 55	72	30	14	778	449	251	+329	+198	1,665	1, 527	1,095	0.28	0.12	0,05	0.16	0, 07
55 to 60	72	30	14	778	449	251	+320	+198	2, 443	1, 976	1,346	0.28	0, 12	0, 05	0.16	0, 07
60 to 65	132	81	40	1, 427	1, 213	719	+214	+494	3, 870	3, 189	2, 065	0, 50	0.31	0, 15	0. 19	0.16
65 to 70	2, 183	1,820	1,464	23,600	27, 246	26, 298	-3, 646	+948	27, 470	30, 435	28, 363	2,96	2, 47	1,99	0.40	0, 48
70 to 75	5, 897	4, 135	3, 624	63,752	61,901	65,098	+1,851	-3, 197	91, 222	92, 336	93, 461	6.86	4. 81	4, 22	2.05	0. 59
75 to 80	718	452	321	7,702	6, 766	5, 766	+996	+1,000.	98, 984	99, 102	99, 227	3, 17	2.00	1, 42	1.17	0.58
80 and over	04	60	43	1,016	898	779	+118	+125	100,000	100,000	100,000	1.51	0. 96	0, 69	0. 55	0. 27

The following table, showing the distribution of the negro population in respect to atmospheric moisture, develops the fact that no less than 95 per cent, or nineteen-twentieths, live where the relative humidity is between 65 and 75 per cent, the proportion elsewhere being trifling:

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH MEAN RELATIVE HUMIDITY: 1870 TO 1890.

PERCENTAGE OF		POPULAT HOUSAND		OF T	IN EACH OTAL NE OPULATION EACH (GRO ON	CHANGE BER IN 100,	V EACH	TOTAL N	IN EACH 10 EGRO POP W EACH GE	ULATION		POPULAT UARE MI			ASE PER E MILE.
SATURATION.	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
Below 50	3	2	1	40	30	20	+10	+10	40	80	20	0.01	0, 01	0, 00		0. 01
50 to 55	8	4	2	107	61	41	+46	+20	147	91	61	0.03	0.02	0.01	0, 01	0, 01
55 to 60	8	1	2	107	61	41	+46	十20	254	152	102	0, 03	0, 02	0, 01	0, 01	0. 01
60 to 65	0	5	2	121	76	41	+45	+35	375	228	143	0.03	0.02	0.01	0,01	0. 01
65 to 70	2,993	2,779	2,054	40,067	42,228	42,091	2, 161	+137	40, 442	42, 456	42, 234	4.06	3. 77	2,79	0. 29	0. 98
70 to 75	4,152	3, 537	2, 619	55, 582	53, 746	53, 668	+1,836	+78	96, 024	96, 202	95, 902	4, 83	4. 11	3.05	0, 72	1,06
75 to 80	205	249	199	3, 949	3,783	4,078	+160	295	99, 973	99, 985	99, 980	1.30	1.10	0.88	0. 20	0.22
80 and over	2	1	1	27	15	20	+12	 5	100,000	100, 000	100,000	0.08	0.02	0.02	0. 01	••••

a Includes all persons of negro descent.

DISTRIBUTION OF POPULATION IN ACCORDANCE WITH LATITUDE AND LONGITUDE.

Three tables are given on the following pages, the first showing the population of the country in 1890 by thousands, distributed by square degrees; that is, by areas included between consecutive parallels and consecutive meridians. It is in effect a population map of the country, showing not only the total population of each square degree, but an approximation to the relative density of population in each square degree. The magnitude of the numbers betrays the whereabouts of the great centers of population, as New York, Chicago, etc., while, on the other hand, the sparseness of population upon the Cordilleran plateau is shown in an equally forcible manner.

The second and third tables are abstracts from the first table. The second table shows the distribution of the population in accordance with latitude, giving first the absolute population in thousands between each two consecutive parallels across the country in 1890, 1880, and 1870; the percentages of increase in population between each two parallels; the number of inhabitants in each group, upon the assumption that the total population was 100,000 at each of these three censuses; the number in 100,000 north of each parallel of latitude; the number of inhabitants per square mile, and the increase or decrease in the density of population.

The third table presents similar facts regarding the distribution of population in accordance with longitude, arranged in a similar manner.

POPULATION IN EACH SQUARE DEGREE

						***************************************					Mahamara	
DEGREES						DEGREES OF	LATITUDE.					
OF LONGITUDE.	48-49	47-48	46-47	45-46	44-45	43-44	42-43	41-42	40-41	39-40	38-39	37-3 8
Total	144	388	547	1, 064	2, 134	3, 235	0, 655	7, 506	9, 832	7, 284	4, 606	3, 528
67- 68		5	5	27	22							
8- 69	i	5	24	47	69							
59- 70		5	13	25	126	33		3				
70- 71			3	20	91	153	460	124				· · · · · · · · · · · · · · · · · · ·
71- 72				5	52	162	1, 233	515				• • • • • • • •
2- 7ä					123	120	345	455	31			
73- 74			<i></i>		111	150	373	465	2, 573			
74- 75					75	72	273	311	1, 080	196	. 1	
75- 76					75	216	200	354	554	1,414	141	. 3
6- 77					21	155	309	252	543	727	118	11-
77- 78						223	207	153	198	249	360	243
78- 79						130	426	142	244	138	129	13
79~ 80						12	101 /	209	539	141	63	15
80 81							8	288	602	172	7:3	10
81- 82					• • • • • • • • • • • • • • • • • • • •			448	291	219	140	7.
82- 83					3	65	60	122	231	252	207	8
83 84			1	11	34	161	395	305	237	256	170	9
84- 85			12	30	24	161	197	217	268	671	303	18
85- 86	• • • • • • • • • • • • • • • • • • •		8	13	62	169	210	217	252	222	374	14
86- 87			.9	7	29	63	60	165	232	286	158	1.4
87- 88		1	37	49	73	156	384	950	134	209	295	18
88– 80		16	37	27	141	201	311	218	150	165	150	15
89- 90			16	28	80	. 113	182	135	189	184	184	15
90 91			22	. 18	72	08	. 159	217	156	162	615	7
91- 92	5	6	14	42	101	115	121	134	187	138	92	5
92- 93	10	22	19	56	124	105	107	142	122	134	113	7
93- 94		1	10	212	275	79	92	173	116	151	121	14
94- 95		1	19	71	82	- 55	84	114	124	348	159	16
95- 93	4	17	42	50	45	53	96	133	118	168	139	12
96- 97	13	32	32	29	35	61	88	241	167	83	61	. 7
97- 98	31	31	25	19	30	48	41	80	105	90	95	10
98- 99	18	12	12	25	22	26	21	41	94	67	21	5
99-100	6	. 4	G	14	11	5	11	32	52	40	24	1
00-101	5	3	5	3	6		. 0	10	30	20	12	1
01-102	2	1	3				3	5	20	19	9	
02-103			2		2	- 1	14	6	8	12	2	
03-104	1		1	1	18	11	13	8	7	41	4	1
04_105			1	1	1	2	4	8	10	58	42	1
05-106		1	1	1	1	2	. 5	9	16	29	17	1
06-107	t i		1	1	2	1	2	4	5	25	0	1
07-108			1		. 1	1	1	2	1	9	12	
08-109	1	1 .	2		1		1	2	1	4	6	
09-110	1	1	3	2	•••••		1	2	2	1	1	
10-111	1	3	4	5	1	2	2	2	7	2	3.	
.11-112		7	7	6	3	4	8	-17	55	21	7	
12-113	Ł	12	17	22	3	4	7	2	27	1	4	
13-114	1	4	8	7	1	3	2	5	2	3	3	
14-115		1	2	2	1	3	3	1	1		••••••	
15-116		4	2	1	2	3	1	1	1	1	•••••	
16-117	2	3	13	1	5	8	1	1	2	2		• • • • • • • • • • • • • • • • • • • •
17-118	2	44	25	9	5	- 1	1	l	1	1		!
18–119	2	10	14	15	6	1	1	1	1	1	1	
19-120		. 3	2	6	1	2	1	3	3	17	4	1
20-121		6	4	10	2	1	1	4	4	30	30	1
21-122	23	53	15	25	5	1	• 1	5	7	36	82	14
122-123	9	50	27	96	34	8	11	8	13	22	62	35
123-124	1	14	20	25	20	11	9	11	12	14	12	
124-125	1	4	1		2	5	2	3	7		1	l

IN 1890 TO THE NEAREST THOUSAND.

				DEGR	EES OF LATI	TUDE-cont	inued.						DEGREES
36-37	35-36	34-35	33-34	32-33	31-32	30-31	29-30	28-29	27-28	26-27	25-26	24-25	OF LONGITUI
2,660	2,490	2, 239	2, 503	2, 282	1, 362	1, 101	844	109	61	22	7	19	
		UATE CONTRACTOR OF THE PARTY OF					' 	AND THE PARTY OF T					67
												·	
 .													70
				ļ	• • • • • • • • • • • • •						! 		71
						!						·	75
										· · · · · · · · · · · · · · · · · · ·			75
					• • • • • • • •	`		• • • • • • • • • •			 		
8	5	10									. 		;
178 136	57 135	16 62	1			:)			- · · · · · · · · · · · · · · · · · · ·		•••••••••••••••••••••••••••••••••••••••	····· 70
170	149	70	10							• • • • • • • • • • • • • • • • • • • •			78
174	115	136	90	65									
143	184	144	142	64				4	2	1			
122	153	170	140	102	71	43	38	25	9	2		19	
164	133	190	154	71	40	39	47	19	12			 	8
170	103	136	175	146	48	84	4		· · · · · · · · · · · · · · · · · · ·				8
90	. 122	122	271	153	102	71	2					·	8
117	132	145	166	146	123	28	į 1 ¦		,		! 		
265	187	137	152	158	65	10							
141	111	102	90	164	65	32	• • • • • • • • • • • • • • • • • • • •						8
153	131	104	156	113	48	61	j}		• • • • • • • • • • • • • • • • • • • •		,		8
115	287	129	118	101	53	31	17						
79 72	76 ∞ 83	116 95	120 68	144 85	121 95	83 148	318 57		•••••		• • • • • • • • • • • • • • • • • • • •		
56	75	103	65	79	57	67	12						
95	88	58	81	105	49	26	3						9
77	70	20	74	96	53	29	24						
			112	87	76	64	69	3					98
5			132	154	100	119	74	10	!			: '*********	
11	32		75	114	88	107	82	23	11	7	7		
5		2	25	46	51	36	80	11	13	11			08
•••••	1	10	10	18	17	13	12	10	14	I.	• • • • • • • • •		90
2	2	3 1	2 1	. 8	6 3	2	6	4	••••••	• • • • • • • • • •			10
1	2	1	1	2		1	. 1						10:
G	7	6	1	1	1	1	1					· · · · · · · · · · · · · · · · · · ·	103
6	7	G	1	1	6	3	1						
13	16	5	2	3	5	2						1	10
. 7	10	5	3	3	. 2							J	100
6	7	3	. 3	5	, 2								107
1	2	3	4	4	2	•••••		- 					108
1	1	. 1	3	4	3								109
	•••••		-1	3	2	1						1 :	110
! 1	2	2	3	5	3 1								11
1	3	1	2	3									
1	1	3	1	1		1							
	3	- 5	3										
1	5	5	3	3		l i	i					- 42	
1	4	23	17	18									117
14	6	76	10	1		!						i 1	118
16	8	14						i					
15	17	8											
20	5			I									121
• • • • • • •													129
					• • • • • • • • • • • • • • • • • • •					'			

PROGRESS OF THE NATION.

DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH LATITUDE: 1870 TO 1890.

DEGREES OF LATI-		ULATION		PER CEI		OF TO	IN EACH	ILATION	TOTAL I	IN EACH 16 POPULATION ACH PARAI	NORTH		ULATION UARE MI		INCREA:	SE PER E MILE.
TUDE.	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
8–49	144	17	6	747, 06	183.33	230	34	15	230	`34	15	1.51	0.18	0.06	1.33	0. 12
7–48	388	79	30	391. 14	163.33	620	157	78	850	191	93	3, 49	0.71	0. 27	2.78	0.44
6-47	547	215	84	154.42	155, 95	874	429	218	1,724	620	311	4. 15	1.63	0.64	2, 52	0. 99
5-46	1,064	483	249	120, 29	93. 98	1,699	963	646	3,423	1, 583	957	7. 66	3, 48	1.79	4.18	1. 69
4-45	2, 134	1,768	1, 354	20,70	30, 58	3, 408	3, 525	3, 512	6,831	5, 108	4, 469	13, 27	10.99	8, 42	2.28	2, 57
3-44	8,235	2, 678	2, 197	20, 80	21.89	5, 166	5, 339	5, 698	11, 997	10, 447	10, 167	19, 79	16.38	13.44	3.41	2. 94
2–43	6, 655	5, 358	4, 485	24, 21	19.46	10, 627	10, 683	11, 632	22, 624	21, 130	21,799	38, 71	31.17	26.09	7.54	5. 08
1-42	7,506	5, 938	4, 716	26.41	25, 91	11, 986	11, 839	12, 231	34, 610	32, 969	34, 030	40.79	32. 27	25, 63	8.52	6.64
0-41	9,832	7, 863	6, 177	25.04	27. 29	15, 701	15, 677	16, 020	50,311	48, 646	50,050	53,36	42.67	33. 52	10.69	9. 15
9-40	7, 284	6, 265	4, 994	16, 26	25, 45	11, 632	12,491	12, 952	61, 943	61, 137	33,002	39, 96	34. 37	27.39	5. 59	6.98
8-39	4,606	3, 996	3, 129	15.27	27.71	7, 355	7, 967	8, 115	69, 298	69, 104	71, 117	25. 58	22. 20	17.38	3.38	4.82
7-38		2, 831	2,017	24.62	40.36	5, 634	5, 644	5, 231	74, 932	74,748	76, 348	19, 91	15.97	11.38	3.94	4. 59
6-37	2, 660	2, 170	1, 644	22,58	32.00	4, 248	4,326	4, 264	79, 180	79,074	80,612	15.08	12.30	9.32	2.78	2. 98
5-36		2, 078	1, 594	19.83	30, 36	3, 976	4, 143	4, 134	83, 156	83, 217	84,746	14. 10	11.77	9. 03	2, 33	2,74
4-35	2, 239	1, 805	1,282	24.04	40.80	3, 575	3, 599	3, 325	86, 731	86, 816	88, 071	13, 29	10.71	7. 61	2, 58	3.10
3-34	2,503	1, 940	1, 291	29, 02	50.27	3, 997	3, 868	3, 348	90, 728	90,684	91, 419	16. 15	12, 52	8. 33	3, 63	4.19
2–33	2, 282	1, 939	1, 383	17.69	40.20	3, 644	3, 866	3, 587	94, 372	94, 550	95, 006	16. 18	13.75	9.81	2, 43	3.94
1-32	1,362	1,060	747	28, 49	41.90	2, 175	2, 113	1,937	96, 547	96, 663	96, 943	12.03	9.36	6.60	2, 67	2.76
0-31	1,101	865	595	27. 28	45, 38	1, 758	1,725	1, 543	98, 305	98, 388	98, 486	11,95	9.39	6.46	2, 56	2.93
9-30	844	673	505	25.41	33. 27	1, 348	1,342	1, 310	99, 653	99, 730	99, 796	15, 35	12. 24	9. 18	3.11	3, 06
8-29	109	61	39	78.69	56, 41	174	122	101	99, 827	99, 852	99, 897	4, 10	2.30	1. 47	1.80	0. 33
7–28	61	36	18	69, 44	100.00	97	72	47	99, 924	•99, 924	99, 944	3, 03	1.79	0, 89	1.24	0. 90
6-27	22	21	12	4, 76	75. 00	35	42	31	99, 959	99, 966	99, 975	1, 44	1.38	0.79	0, 06	0.59
526	7	7	6		16, 67	11	14	1.5	99, 970	99, 980	99, 990	1, 74	1.74	1. 49		0. 25
4-25	19	10	4	90.00	150, 00	30	20 .	10	100,000	100, 000	100,000	234, 57	123.46	49, 38	111, 11	74, 08


DISTRIBUTION OF THE AGGREGATE POPULATION IN ACCORDANCE WITH LONGITUDE: 1870 TO 1890.


		ULATION HOUSAND		PER CE INCRE		OF TOT WIT	IN EACH AL POPU THIN THE RIDIANS,	LATION	TOTAL	IN EACH 1 POPULATIO ACH MERII	N EAST		ULATION UARE MI			SE PER E MILE.
DEGREES OF LONGI- TUDE.	1890	1880	1870	1880 to 1890	1870 to 1880	1890	1880	1870	1890	1880	1870	1890	1880	1870	1880 to 1890	1870 to 1880
67- 68	59	53	40	11, 32	8. 16	94	106	127	94	106	127	15. 40	13, 89	12, 84	1, 57	1. 05
68- 69	145	130	125	11.54	4, 00	232	259	324	326	365	451	14.54	13.04	12.54	1.50	0.50
69- 70	205	202	201	1. 49	0, 50	327	403	521	659	768	972	18. 58	18.30	18. 21	0.28	0, 03
70- 71	851	606	547	40, 43	10.79	1, 359	1, 208	1, 410	2.012	1, 976	2,391	83. 01	50.11	53, 36	23.90	5. 75
71- 72	1,967	1,763	1,434	11, 57	22, 94	3, 141	3, 515	3,719	5,153	5, 491	6, 110	151. 32	135, 63	110.32	15. 69	25. 31
72- 73	1,074	921	824	16. 61	11.77	1,715	1,836	2, 137	6,868	7, 327	8, 247	78, 83	67, 60	60.48	11. 23	7. 12
73- 74 74- 75	3, 672	3,037	2,404	20, 91	26. 33	5, 864	6, 055	6, 235	12,732	13,382	14, 482	245, 55	203. 09	160.76	42.40	42.33
75- 76	2,008	1,604 2,591	1, 454 2, 196	25, 19 15, 98	10, 32 17, 99	3, 206 4, 799	3, 198 5, 100	3, 771 5, 695	15,938	16, 580 21, 746	18, 253 23, 048	100. 16 110. 82	80, 01 95, 56	72.53 80.99	20. 15 15, 26	7.48
76- 77	3,005 2,490	2, 220	1,902	12, 16	16.72	3,976	4, 420	4, 933	20,737 $24,713$	26, 172	28, 881	76.41	68. 12	58, 37	8. 29	14. 57 9. 75
77- 78	1,972	1,761	1,488	11, 98	18. 35	3, 149	3, 511	3, 859	27, 862	29, 683	32,740	59.50	53, 13	44, 89	6.37	8, 2
78- 79	1,745	1,376	1, 103	26. 82	24, 75	2, 787	2,743	2,861	30,649	32, 426	35, 601	49.31	38, 88	31. 17	10, 43	7.71
79- 80	1,801	1,670	1,308	7, 84	27.68	2, 876	3, 330	3, 392	33, 525	35, 756	88, 993	50.78	47.04	36, 81	3. 60	10. 20
80- 81	1, 936	1,559	1,213	24.18	28, 52	3, 092	. 3, 108	3, 146	36, 617	38, 864	42, 139	40. 24	32, 40	25. 21	7.84	7.19
81 - 82	2, 073	1.683	1, 277	23, 17	81.79	3, 310	3, 356	3, 312	39, 927	42, 220	45, 451	34.65	28. 13	21.34	6, 52	6. 79
82- 83	1,892	1,572	1,239	20, 36	26.88	3, 021	3, 134	3, 213	42, 948	45, 354	48, 864	33.08	27.48	21.66	5, 60	5. 82
83- 84	2, 527	2,049	1,583	23, 33	20, 44	4, 035	4,085	4, 105	46, 983	49, 439	52, 769	44.81	36, 34	28.07	8.47	8, 27
84- 85 85- 86	2, 997	2,578	2,054	16. 25	25.51	4, 786	5, 140 4, 348	5, 327	51,769	54, 570 58, 027	58, 096 62, 666	49, 16	42, 29	83.09	6. 87	8.60
86- 87	2, 525 2, 126	2, 181 1, 831	1,762 1,484	15.77 16.11	23.78 23.38	4, 032 3, 395	3, 651	4,570 3,849	55, 801 59, 196	62, 578	66, 515	42, 26 42, 10	36. 51 36. 26	20, 49 20, 30	5. 75 5. 84	7.05 6.87
87 - 88	3, 125	2, 258	1,664	38.40	35,70	4, 990	4,502	4, 316	64, 186	67, 080	70, 831	59.91	43, 29	31.90	16, 62	11.30
88- 89	2, 334	2,052	1,712	13.74	19.86	3, 727	4, 091	4,440	67, 913	71, 171	75, 271	37, 23	82, 73	27.31	4, 50	5.43
89- 90	2,067	1, 855	1, 597	11, 43	16.16	3, 301	3, 698	4, 142	71, 214	74, 869	79, 413	32.10	28, 80	24.80	3, 30	4.00
90- 91	2, 648	2, 296	1,852	18.43	20.73	4, 229	4, 458	4,803	75, 443	79, 327	, 84, 216	39.11	33.03	27, 36	6, 08	5.67
91- 92	1,715	1, 480	1, 195	15.88	23,85	2, 739	2,951	3,099	78, 182	82, 278	87, 315	25. 10	21.66	17. 49	3, 44	4.17
92- 93	1,541	1, 264	. 867	21.91	30.71	2, 461	2,520	2,508	80, 643	84, 798	89, 823	22. 26	18, 26	13.97	4,00	4.20
93- 94	1, 878	1,401	946	34, 05	48.10	2,999	2,793	2,453	83, 642	87, 591	92, 276	27, 07	20. 19	13.63	6,88	6, 50
94- 95	1,667	1, 261	807	32, 20	56, 26	2,662	2,514	2,093	86, 304	90, 105	04, 369	23. 41	17.71	11.33	5.70	6.38
95- 96 96- 97	1,399	995	516	40, 60	92.83	2,234 2,419	1,984 1,794	1,338 973	88, 538	92, 989 93, 883	95, 707 96, 680	18.77	13.35	6, 92 4, 88	5, 42 8, 01	6, 43
97- 98	1,515 1,259	900 722	375 207	68. 33 74. 38	140.00 248,79	2,010	1, 440	537	90, 957 92, 967	95, 323	97, 217	10.72 14.90	11. 71 8. 55	2.45	6.35	6, 10
98- 99	724	367	59	97.28	522, 03	1, 156	732	153	94, 123	96, 055	97, 370	8.46	4, 20	0.69	4.17	3.60
99-100	328	127	13	158, 27	876, 92	524	253	34	94, 647	96, 308	97, 404	4.05	1, 57	0.16	2.48	1.41
100-101	146	48	ō	204, 17	860, 00	233	96	13	94, 880	96, 404	97, 417	1. 95	0, 64	0.07.	1.31	0. 57
101-102	'80	5	1	1, 500, 00	400.00	128	10	3	95, 008	96,414	97, 420	1. 13	0.07	0.01	1,06	0.00
102–103	84	11	2	663, 64	450.00	134	22	5	95, 142	96, 436	97, 425	1. 18	0. 15	0.03	1,03	0.12
103-104	139	33	8	321, 21	312.50	222	66	21	95, 364	96, 562	97, 446	1.89	0.45	0.11	1,44	0, 34
104-105	177	86	31	105, 81	177.42	283	171	80	95, 647	90, 673	97, 526	2.51	1, 22	0.44	1, 29	0.78
105-106 106-107	138	107 85	44	28.97	143. 18	220 144	213 170	114 101	95, 867 96, 011	96, 886 97, 056	97, 040 97, 741	2.10 1.43	1. 63 1. 35	0, 67 0, 62	0.47	0, 96 0, 79
107–108	90 61	26	39 13	5. 88 134. 62	117, 95 100, 00	97	52	34	96, 011 96, 108	97, 108	97, 741	0.98	0, 42	0.02	0.56	0.73
108-109	43	16	8	168.75	100, 00	69	32	21	96, 177	97, 140	97, 796	0.67	0, 25	0.13	0.42	0. 21
109-110	27	13	2 :	107, 69	550,00	43	20	5	96, 220	97, 160	97, 801	0.42	0. 20	0.03	0. 22	0. 17
110-111	41	24	6	70. 83	300.00	65	18	16	96, 285	97, 214	97, 817	0. 64	0.37	0.09	0.27	0. 28
111-112	182	119	70	52, 94	70.00	201	237	182	96, 576	97, 451	97, 999	2.86	1.87	1, 10	0.00	0.77
112-113	119	56	27	112, 50	107.41	190	112	70	96, 766	97, 563	98, 069	1.91	0.90	0.43	1.01	0.47
113-114	51	21	12	142.86	75, 00	81	42	31	96, 847	97, 605	98, 100	0.83	0.34	0. 20	0.40	0.14
114-115	25	11	10	127. 27	10.00	40	22	26	96, 887	97, 627	98, 126	0.42	0, 18	0. 17	0.24	0,01
15-110	28	13	12	115, 38	8. 33	45 88	26 48	31	96, 932	97, 653	08, 157	0.48	0. 22	0. 20	0.26	0.02
116-117	55	24	10	129, 17	140.00	246	118	26 62	97, 020 97, 266	97, 701 97, 819	98, 183 98, 245	0.93	0.41 1.04	0. 17 0. 42	0, 52	0. 24 0. 62
17-118 18-119	154 164	59 59	24 22	161.02 189.76	145.83 163.64	262	116	57	07, 528	97, 935	98, 302	2.71 3.04	1.07	0.41	1, 97	0.60
19-120	93	58 71	41	182, 76 30, 99	73, 17	148	142	106	97, 676	98, 077	98, 408	1.77	1.35	0.78	0,42	0.57
20-121	152	119	88	27.73	35, 23	243	237	228	97, 910	88, 314	98, 636	3, 01	2, 35	1.74	0. 66	0, 61
21-122	424	258	178	64. 84	44. 94	677	514	462	98, 596	98, 828	99, 098	9. 30	5.66	3.91	3, 64	1.78
22-123	705	475	285	48, 42	66. 67	1, 126	947	789	99, 722	99, 775	99, 837	18, 09	12, 19	7. 81	5, 90	4.88
23-124	149	96	56	55. 21	71. 43	238	191	145	99, 960	99, 966	99, 982	4.70	3.03	1.76	1.67	1. 27
24-125	25	17	7	47.08	142.86	40	34	18	100, 000	100,000	100,000	4. 38	2.98	1, 23	1.40	1.78

Naturally the greater density of population in a square degree is governed by the location of the larger cities. Thus the two square degrees between latitudes 40° and 41° and longitudes 73° and 75°, comprising New York, Brooklyn, Jersey city, and other large cities, contain 3,653,000 inhabitants. The square degree between latitudes 42° and 43° and longitudes 71° and 72°, comprising Boston and its suburbs, has 1,233,000 inhabitants; that between latitudes 39° and 40° and longitudes 75° and 76°, which comprises most of Philadelphia, has 1,414,000, while that between latitudes 41° and 42° and longitudes 87° and 88°, in which is situated most of Chicago, contains 950,000 people.

The following diagrams show graphically the distribution of the aggregate population in accordance with latitude and longitude at each of the three censuses under consideration:

POPULATION BY MILLIONS.





The following tables show the distribution of the foreign born population in accordance with latitude and longitude:

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH LATITUDE: 1880 AND 1890.

DEGREES OF LATITUDE.	FOREIGN BOI TION IN TH		PER CENT OF INCREASE.	NUMBER IN I OF TOTAL FO POPULATIO THE PAR	OREIGN BORN ON WITHIN	NUMBER IN I OF TOTAL FO POPULATI OF EACH I	REIGN BORN ON NORTH	FOREIGN BO TION PER MI	SQUARE	INCREASE PER SQUARE MILE.
	1890	1880	1880 to 1890	1890	1880	1890	1880	1890	1880	1880 to 1890
48-49	66	6	1, 000. 00	714	90	714	90	0, 69	0. 06	0.68
47-48	137	32	328, 13	1,481	470	2, 195	569	1.23	0. 29	0.94
46-47	193	74	160.81	2, 086	1, 108	4, 281	1,677	1,46	0.56	0.90
45-46	331	140	136, 43	3,578	2, 096	7, 859	. 3,773	2,38	1.01	1.37.
44-45	522	406	28. 57	5, 643	6, 678	13, 502	9, 851	3, 25	2, 52	0.73
43-44	742	597	21, 29	- 8, 022	8, 937	21, 524	18,788	4.54	3, 65	0.89
42-43	1,596	1, 127	41.61	17, 254	16, 871	38, 778	35, 659	9. 28	6, 56	2. 72
41-42	1,682	1. 174	43, 27	18, 184	17. 575	, 56, 962	53, 234	9, 14	6.38	2.76
40-41	1,949	1,426	36, 68	21,070	21, 347	78, 032	74, 581	10.58	7.74	2.84
39-40	883	731	20.79	9, 546	10, 943	87, 578	85, 524	4.84	. 4.01	0.83
38-39	448	433	3, 40	4, 848	6, 482	92, 421	92, 006	2.49	2.41	0.08
37–38	286	233	22. 75	3, 092	3.488	95, 513	95,494	1.61	1.31	0.30
36-37	38	24	58. 33	411	359	95, 924	95, 853	0, 22	0.14	0.08
35-30,	37	23	60. 87	400	-344	96, 324	96, 197	0. 21	0, 13	0.08
34–35	45	22	104.55	487	329	96,811	96, 526	0, 27	0.13	0.14
33-34	33	22	50.00	357	329	97, 168	96,855	0. 21	0.14	0.07
.32-33	42	36	16.67	454	539	97, 622	97, 394	0.30	0. 20	0.04
31-32	25	14	78.57	270	210	97, 892	97, 604	0. 22	0.12	0.10
30-31	45	30	50.00	487	449	98, 379	98, 053	0.49	u. 33	0.16
29–30	96	91	5.49	1,038	1, 362	99, 417	99,415	1,75	1.66	0.09
28-29	12	7	71.43	130	105	90, 547	99, 520	0, 45	0, 26	0, 19
27–28	19	13	46, 15	205	195	90,752	99, 715	0, 94	0.65	0, 29
26-27	9	11	a18.18	97	165	99, 849	99, 880	0, 59	0.72	a0. 13
25-26	3	3		32	45	99, 881	90, 925	0.75	0.75	
24-25	11	5	120. co	119	75	100,000	100, 000	135, 80	61.73	74. 07

a Decrease.

DISTRIBUTION OF THE FOREIGN BORN POPULATION IN ACCORDANCE WITH LONGITUDE: 1880 AND 1890.

DEGREES OF LONGITUDE.	FOREIGN BO		PER CENT OF INCREASE.	OF T FOREIGN BO TION W	EACH 100,000 FOTAL DRN POPULA- ITHIN THE DIANS.	OF FOREIGN B TION EAS	V EACH 100,000 TOTAL ORN POPULA- ST OF EACH UDIAN,	POPULA	ON BORN TION PER MILE.	INCREASE PEI SQUARE MILE
	1890	1880	1880 to 1890	1890	1880	1890	1880	1890	1880	1880 to 1890
67- 68	10	9	11, 11	108	135	108	135	2, 62	2, 36	0.20
68- 69	15	12	25, 00	162	180	270	315	1.50	1, 20	0. 30
69- 70	18	10	80.00	195	150	465	. 465	1. 63	0, 91	0.71
70- 71	202	88	129. 55	2,184	1, 317	2, 649	1,782	10.70	8, 58	11. 1:
71- 72	572	441	29, 71	6, 184	6.602	8, 833	8, 384	44.00	33, 93	10, 07
72- 73	238	169	40.83	2,573	2,530	11, 400	10, 914	17. 47 79. 11	12.40	5, 07
73- 74	1, 183	899	31.59	12, 789	13, 458	24, 195	24, 372 28, 788	21, 05	60.12	18. 09
75- 76	422 513	295 406	43. 05 26. 35	4,502	4,416	28, 757	34, 800	18.92	14.71	0.3
76 77	261	198	31. 82	5, 546 2, 822	6, 078 2, 964	34, 303 37, 125	37, 830	8.01	14.07 6.08	3. 05 1. 03
77– 78	128	102	25.49	1, 384	1,527	38, 509	39, 357	3, 80	3, 08	11
78- 79	201	109	84. 40	2, 173	1,632	40, 682	40, 989	5, 68	3.08	0, 78 2, 60
79- 80	165	157	5. 10	1,784	2, 350	42, 466	43, 339	4. 65	4, 42	0, 23
80 81	160	102	56.86	1,730	1, 527	44, 196	14, 866	3, 33	2. 12	1. 21
81- 82	188	129	45. 74	2,032	1, 931	46, 228	16, 797	8.14	2. 16	0, 98
82- 83	108 -	107	0.93	1, 167	1,602	47, 395	48, 399	1, 89	1, 87	0, 02
£3- 84	272	211	28, 91	2, 940	3, 159	50, 335	51, 558	4.82	3, 74	1.08
84 85	260	229	13, 54	2, 811	3, 428	53, 146	54, 986	4.27	3, 76	0, 51
85- 86	174	145	20.00	1,881	2, 171	55,027	57, 157	2, 91	2, 43	0,48
86- 87.	118	94	25, 53	1, 276	1, 407	56,303	58, 564	2, 34	1.86	0, 48
87- 88* 88- 89	692	410	68.78	7, 481	6, 138	63.784	64, 702	13, 27	7.86	5, 41
89- 90	337 234	291	15, 81	3, 643	4, 356	67, 427	69,058	5, 38	4, 64	0.74
90- 91	362	191 342	22, 51 5, 85	2, 530	2,859	09, 957	71, 917	3. 63	2, 97	0, 66
91- 92.	184	167	10.18	3, 913	5, 120	73, 870	77, 037 79, 537	5. 35	. 5.05	0, 80
92- 93	175	137	27. 74	1, 989 1, 892	2,500 2,051	75, 859 77, 751	81, 588	2. 69 2. 53	5. 41	0, 25
93- 94	264	154	71, 43	2, 854	2, 305	80, 605	83, 893	3, 80	1. 98	0.55
94- 95	175	125	40, 00	1,892	1, 871	82, 497	85, 764	2. 46	2. 29	1.58
95- 96	182	117	55. 56	1, 968	1,751	84, 465	87, 515	2.44	1.70	0.70
96- 97	239	129	85. 27	2,584	1, 931	87, 049	80, 446	3, 11	1.67 1.68	0, 87
97- 98	197	108	82.41	2, 130	1,617	89, 179	91,063	2. 33	1. 28	1, 43 1, 05
98- 99	114	58	96. 55	1, 232	868	90, 411	91, 991	1,33	0.68	0, 65
99-100	55	20	175, 00	595	299	91, 006	92, 230	0. 68	0.25	0, 43
100-101	23	9	155, 56	249	135	91, 255	92, 365	0. 31	0.12	0, 19
101-102	12	1	1, 100.00	130	15	91, 385	92, 380	0.17	0.01	0, 16
103-104	17	3	466. 67	184	45	91, 569	92, 425	0. 24	0.04	0, 20
104–105	26 33	8	225.00	281	120	91, 850	92, 545	0. 85	0.11	0.24
105-106	24	14 16	135. 71	357	210	92, 207	92, 755	0.47	0, 20	0. 27
106-107	16	15	59, 00 6, 87	259	239	92, 466	92, 994	0, 36	0, 24	0, 12
107–108	10	4	150, 00	173	224	92, 639	93, 218 93, 278	0. 25	0, 24	0.01
108-109	8	3	166, 67	86	60 45	92, 747	93, 323	0, 16	0,00	0.10
109-110	7	4	75. 00	76	60	92, 833 92, 909	93, 383	0. 13	0, 05	0.08
110-111	12	10	20.00	130	150	93, 039	93, 533	0.11	0.00	, 0.05
111-112	49	38	28, 95	530	569	93, 509	94, 102	0. 10	0, 16	0, 03
112-113	38	17	123, 53	411	254	93, 980	94, 356	0.77	0, 00	0. 17
113-114	15	6	150, 00	162	. 90	94, 142	94, 446	0, 61 0, 25	0, 27	0.84
114-115	6	3	100, 00	65	45	94, 207	94, 491	0. 10	. 0.10	0.15
l15–116	8	5	60, 00	86	75	94, 293	94, 566	0.14	0, 05 0, 08	0.05
117-118	11 29	9	22. 22	119	135	94, 412	94, 701	0.19	0, 15	0, 0 0 0, 04
18–119	29 34	11	163, 64	813	165	94, 725	94, 866	0.51	0, 10	0, 04
19–120	21	14 22	142. 86	367	210	95, 092	95, 076	0.63	0.20	0, 37
20-121	37	36	a4.55	227	329	95, 319	95, 405	0.40	0.42	a0. 02
21-122	124	81	2.78	400	509	95, 719	95, 944	0. 73	0, 71	0,02
22-123.	233	169	53. 09 37. 87	1,340	1,212	97, 059	97, 156	2, 72	1, 78	0.04
23-124	33	19	73. 68	2, 519 357	2, 530	99, 578	99, 686	5.98	4, 34	1.04
24-125	6	2	200.00	65	284	99, 935	99, 970	1.04	0, 60	0.44
				. 00	. 30	100,000	100,000	1.05	0.35	0, 70

a Decrease.

The following tables show the distribution of the negro population in accordance with latitude and longitude:

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH LATITUDE: 1880 AND 1890.

DEGREES OF LATITUDE.	NEGRO POPI THOUS		PER CENT OF INCREASE,	NUMBER IN I OF TOTA POPULATIO THE PAR	L NEGRO	NUMBER IN F OF TOTA POPULATION EACH PA	L NEGRO N NORTH OF	NEGRO POPU SQUARE	LATION PER	increase per square mile.
	1890	1880	1880 to 1890	1890	1880	1890	1880	1890	1880	1880 to 1890
48-10		,								
47-48	2			27		27		0.02		0.02
46-47	1	1		13	15	40	15	0. 01	0.01	
45-40	3	2	50.00	40	30	80	45	0.02	0.01	0.01
44-45	5	4	25.00	67	61.	147	106	0, 03	0.02	0.01
43~44	10	10		134	152	281	258	0.06	0.06	
42-43	51	43	18.60	683	653	964	911	0.30	0. 25	0.05
41~42	78	65	20.00	1,044	988	2,008	1,899	0.42	0, 35	0.07
40~41	154	125	23. 20	2,002	1,899	4, 070	3,798	0.84	0.68	0.16
39~40	421	382	10, 21	5, 636	5, 805	9,700	9,'603	2.31	2.10	0.21
38~39	485	474	2.32	6, 493	7, 203	16, 199	16, 806	2.69	2, 63	0.00
37~38	512	492	4.07	6, 854	7, 476	23, 053	24,282	2, 89	2.78	0.11
36-37	593	565	4.96	7,938	8, 585	30,991	32, 867	3.36	3, 20	0.16
35~36	658	588	11.90	8, 809	8, 935	39, 800	41, 802	3.73	8. 33	0.40
34-35	828	722	14.68	11,084	10, 971	50, 884,	52, 773	4.91	4. 28	0.63
33~34	1,112	884	25, 79	. 14, 880	13, 483	65, 770	66, 206	7.18	5.71	1.47
92~33.`	1,197	1,000	9.82	16, 024	16, 563	81,794	82, 769	8.49	7.73	0.70
31-32	564	474	18.99	7, 550	7, 203	89, 344	89, 972	4.98	4.19	0.79
30-31	480	405	18. 52	6, 426	6, 154	95, 770	96, 126	5. 21	4.40	0.81
29-30	283	235	20, 43	3,788	3, 571	99, 558	99, 697	5. 15	4.27	0.88
28-29	23	14	64. 20	308	213	99, 806	99, 910	0.87	0, 53	0, 34
27-28	4	. 2	100, 00	54	30	99, 920	99, 940	0.20	0, 10	0. 10
26-27		1	b100.00		15	99, 920	99, 955	,	0.07	bo. 05
25-26				[99, 920	99, 955			
24–25	6	3	100.00	80	45	100,000	100,000	74.07	37.04	37.02

 α Includes all persons of negro descent.


Decrease.

PROGRESS OF THE NATION.

DISTRIBUTION OF THE NEGRO (a) POPULATION IN ACCORDANCE WITH LONGITUDE: 1880 AND 1890.

DEGREES OF LONGITUDE.		OPULATION IN OUSANDS,	PER CENT OF INCREASE.	OF TO: POPULA	N EACH 100,000 FAL NEGRO TION WITHIN MERIDIANS.	OF TOT	EACH 100,00 AL NEGRO ON EAST OF MERIDIAN.	NEGRO P	OPULATION PEI ARE MILE.	INCREASE PER
	1890	1880	1880 to 1890	1890	1880	1890	1880	1890	1880	1880 to 1800
67- 68										
68- 69	.,					• · · · · · · · · · · · · · · · · · · ·				1
69- 70										.]
70- 71	. 7	4	75.00	94	61	94	61	0. 08	0.39	0.2
71- 72	. 21	20	5.00	281	304	375	365	1.65	1.54	0.0
72- 73	. 11	10	10.00	147	152	522	517	0, 81	0, 73	0.0
73- 74	50	49	14. 29	750	745	1, 272	1, 262	3, 74	3,28	0.4
74- 75	49	40	22.50	656	608	1. 928	1, 870	2, 44	2.00	0.4
75- 76	156	149	4,70	2, 088	2, 264	4, 016	4, 134	5, 75	5, 50	0.2
76- 77	358	357	0.28	. 4, 793	5, 425	8, 800	9, 559	10.99	10, 95	0.0
77- 78	467	458	1.97	6, 252	6, 950	15, 061	16, 518	14, 09	13, 82	0.2
78- 79	302	302		4, 043	4,589	19, 104	21, 107	8, 53	8, 53	
79- 80	362	338	7.10	4, 846	5, 136	23, 950	26, 243	10. 20	9, 52	0. 6
80- 81	356		19.46	4. 766	4, 528	28, 716	30, 771	7.40	6. 19	1.2
81- 82	I .	348	16. 95	5, 449	5, 288	34, 165	36, 059	6. 80	5.82	0, 0
82- 83	332	1	36, 63	4,445	3, 692	38, 610	39, 751	5, 80	4, 25	1.5
83- 84	352	. 301	16.94	4,712	4, 574	43, 322	44, 325	6. 24	5, 34	0,0
84 - 85	467	423	10.40	6, 252	6, 428	49, 574	50, 753	7.66	1	0, 7
85 86	342	307	11.40	4,578	4, 665	54, 152	55, 418	5. 72	5, 14	0.5
86- 87	377	336	12. 20	5, 047	5, 106	59, 199	60, 524	7, 47	6, 65	0, 8
87- 88	369	348	6.03	4, 940	5, 288	64, 139	65, 812	7.07	6, 67	0, 41
88 89	315	301	4. 65	4, 217	4, 574	68, 356	70, 386	5.02	4, 80	0. 2
89- 90	374	355	5, 35	5,007	5, 394	73, 363	75, 780	5.81	5, 51	0. 30
90- 91	587	470	24, 89	7, 858	7, 142	81, 221	82, 922	8, 67	6, 94	1.7:
91- 92		329	24. 62	5, 489	4, 999	86, 710	87, 921	6, 00	4, 81	1.10
92- 93	201	168	19.64	2, 691	2, 553	89, 401	90,474	2, 90	2, 43	0.47
93- 94	177	150	18.00	2, 370	2, 279	91, 771	92, 753	2, 55	2, 16	0.48
94- 95	155	137	13. 14	2,075	2, 082	93, 846	94, 835	2. 18	1, 92	1
95- 96	166	141	17. 73	2,222	2, 143	96, 068	96, 978	2, 23	1, 80	0. 26
96- 97	163	119	36, 97	2, 182	1,808	98, 250	98, 786	2. 12	1, 55	0, 34
97- 93	82	57	43. 86	1, 098	806	99, 348	90, 652	0, 97	0, 67	0.57
98- 99	. 16	9	77.78	214	137	99, 562	99, 789	0, 19	0, 11	0, 30
99-100	3	2	50.00	40	30	99, 602	99, 819	0.04	0, 02	0, 08
90-101	1	1	[]	13	15	99, 615	99, 834	0.01	0, 01	0, 02
01-102	1			13		99, 628	99, 834	0, 01		
02-103	1			13		99, 641	99, 834	0,01		0, 01
03-104	2	1	100.00	27	15	99, 668	99, 849	0.03	0, 01	0.01
04-105	4	1	300, 00	54	15	99, 722	99, 864	0, 06	0, 01	0, 02
05-106	1	1		13	15	99, 735	99, 879	0.02	0. 02	0, 05
06-107	1	1		13	15	99, 748	09, 894	0.02	0, 02	************
07-108	1			13	•••••	99, 761	99, 894	0, 02		
08-109 09-110	1			13		99, 774	99, 891	0.02		0, 62
0-111.	1		•••••	13		99, 787	99, 894	0, 02		0, 02
1-112.	1			13		99, 800	99, 894	0.02		0. 02
2-113.	1		••••••	13.		99, 813	99, 804	0. 02		0, 02
3-114.	. 1			13		99, 826	99, 894	0. 02		0.02
4-115				•••••	•••••	99.826	99, 894	****		0. 02
5-116.		********				99, 826	69, 894			**********
6-117	******			• • • • • • • • • •		99, 826	99, 894	• • • • • • • • • • • • • • • • • • • •		
7-118	1					99, 826	90, 894			******
8-119.	. 9			13		99, 839	90, 894	0.02		
9-120	ت. 1		••••••	27		99, 866	99,894	0.04		0. 02
0-121	1	***********		13]	99, 879	99, 894	0. 02		0, 04
1-122	. 4	2	**************************************	13		99, 892	99, 894	0. 02		0.02
2-123.	4		100, 00	54	30	99, 946	99, 924	0, 09	0.04	0. 02
1-124	*	1		54	61	100, 000	90, 985	0, 10	0.10	0, 05
l-125		1	•••••••		15	100, 000	100,000	-, 20	0.03	
										b0, 03

b Decrease.



URBAN POPULATION.

In the published records of former censuses urban population has been defined as that element living in cities, or other closely aggregated bodies of population, containing 8,000 inhabitants or more. This definition of the urban element, although a somewhat arbitrary one, is used in the present discussion of the results of the Eleventh Census in order that they may be compared directly with those of earlier censuses.

Throughout the United States, with the exception of the New England states, there is no difficulty or uncertainty in carrying out the above definition of urban population. Excepting in these states, municipal charters are generally granted only to dense bodies of population, and all such bodies are incorporated and their limits sharply defined by the acts of incorporation. In the New England states, on the contrary, the general practice is to subdivide the counties into towns, which are, so far as area and distribution of population are concerned, similar as political divisions to the townships of the states of the Upper Mississippi valley. When certain conditions of population are fulfilled these towns are chartered bodily as cities. Thus these cities may contain considerable numbers of rural population, and, conversely, certain towns may contain dense bodies of population of magnitude sufficient to be classed as urban. It is therefore possible in these states to make only an approximate separation of the urban and rural elements. According to this definition the urban population of the country was 18,284,385 in 1890, the total population being 62,622,250. The urban population in 1890 constituted 29,20 per cent of the total population. Corresponding figures for the several censuses are given in the following table:

CENSUS YEARS.	Population of the United States.	Population of cities having 8,000 inhabitants or more.	Inhabitants of specified cities in each 100 of the total population.
1790	3, 929, 214	131, 472	3.35
1800	5, 308, 483	210, 873	3,97
1810	7, 239, 881	356, 920	4.93
1820	9, 633, 822	475, 135	4.93
1830	12, 866, 020	864, 509	6.72
1840	17, 069, 453	1, 453, 994	8.52
1850	23, 191, 876	2, 897, 586	12.49
1860	31, 443, 321	5, 072, 256	16.13
1870	38, 558, 371	8, 071, 875	20, 93
1880	50, 155, 783	11, 318, 547	22.57
1890	02, 622, 250	18, 284, 385	29. 20

It will be seen that the proportion of urban population has increased gradually during the past century from 3.35 up to 29.20 per cent, or from one-thirtieth up to nearly one-third of the total population. The increase has been quite regular from the beginning up to 1880, while from 1880 to 1890 it has made a leap from 22.57 up to 29.20 per cent, thus illustrating in a forcible manner the accelerated tendency of our population toward urban life. The number of cities having a population of 8,000 or more increased from 6 in 1790 to 286 in 1880, whence it has leaped to 448 in 1890.

The urban element in 1890 is distributed very unequally over the country, as is shown below by geographical divisions:

GEOGRAPHICAL DIVISIONS.	Urban population.	Per cent of entire urban population.
The United States	18, 284, 385	100, 00
North Atlantic South Atlantic North Central South Central Western	9, 015, 383 1, 419, 964 5, 703, 896 1, 147, 089 908, 053	49, 31 7, 76 31, 60 6, 27 4, 97

The North Atlantic division contains nearly one-half the urban population of the country, while the North Atlantic and North Central divisions together contain nearly five-sixths.

In the North Atlantic division 51.81 per cent, or more than one-half the entire population, is contained in cities of 8,000 inhabitants or more. During the past ten years the urban element in this division has increased 44.15 per cent, while the total population has increased but 19.95 per cent. This relative increase is well distributed among the several states of this division, with the single exception of Vermont, whose urban element has increased but little. In Maine, Vermont, Massachusetts, Rhode Island, and New York the numerical increase in the urban element is greater than the increase of the total population, so that in these states the rural population has actually diminished in number. This rapid increase in the urban element of the North Atlantic division is due to the equally rapid extension of manufactures and commerce, requiring the aggregation of the inhabitants into compact bodies.

In the North Central division 25.91 per cent, or a trifle more than one-fourth of the inhabitants, are classed as urban. In the past ten years the number of the urban element has nearly doubled, while the total population has increased but 28.78 per cent. The number of cities has increased from 95 in 1880 to 152 in 1890. The increase in number of urban population, viz, 2,769,217, is comprised mainly in a few large cities; thus the total increase in the 11 largest cities, comprising a trifle more than one-half of the urban population of this section, is 1,446,089, or more than half the entire gain in urban population in this division.

In the South Atlantic and South Central divisions the proportion of urban population is comparatively small, being in the first named but 16.03 per cent of the entire population, or less than one sixth, and in the second but 10.45 per cent, the proportion of urban to the total population in all the southern states being less than 13 per cent. The industries of these states are mainly agricultural, and while manufactures and mining are making some progress they are still in their infancy. The progress in these branches of industry may be measured roughly by the growth of the urban element. In 1880 this element numbered 1,616,095, and constituted less than 10 per cent of the population. In 1890 it numbered 2,567,053, having increased 58.84 per cent, while the total population had increased but 20.07 per cent.

In certain of these states the proportion of urban population is still trifling; thus, in Mississippi it constitutes but 2.64, in North Carolina but 3.87, and in Arkansas but 4.89 per cent of the total population.

Mining, commerce, and manufactures in the western states and territories are in a much more advanced stage, as is shown by the greater proportion of the urban element. Considered as a whole, the urban element in the Western division in 1890 constituted 29.99 per cent of the whole population, while in 1880 it constituted 23.97 per cent. It has therefore gained much more rapidly than the total population.

In 1880 there was but 1 city, New York, which had a population in excess of a million. In 1890 there were 3, New York, Chicago, and Philadelphia.

In 1870 there were but 14 cities each containing more than 100,000 inhabitants. In 1880 this number had increased to 20, and in 1890 to 28.

The relative rank of the cities having a population of 100,000 or more at the date of each of these censuses is set forth in the following table:

RANK.	1890	1880	1870
1	New York, N. Y.	New York, N. Y.	New York, N. Y.
2	Chicago, Ill.	Philadelphia, Pa.	Philadelphia, Pa.
3	Philadelphia, Pa.	Brooklyn, N. Y.	Brooklyn, N. Y.
4	Brooklyn, N. Y.	Chicago, Ill.	St. Louis, Mo.
5	St. Louis, Mo.	Boston, Mass.	Chicago, Ill.
6	Boston, Mass.	St. Louis, Mo.	Baltimore, Md.
7	Baltimore, Md.	Baltimore, Md.	Boston, Mass.
. 8	San Francisco, Cal.	Cincinnati, Ohio.	Cincinnati, Ohio.
9	Cincinnati, Ohio.	San Francisco, Cal.	New Orleans, La.
10	Cleveland, Ohio.	New Orleans, La.	San Francisco, Cal.
11	Buffalo, N. Y.	Cleveland, Ohio.	Buffalo, N. Y.
12	New Orleans, La.	Pittsburg, Pa.	Washington, D. C.
13	Pittsburg, Pa.	Buffalo, N. Y.	Newark, N. J.
14	Washington, D. C.	Washington, D. C.	Louisville, Ky.
15	Detroit, Mich.	Newark, N. J.	
16	Milwankee, Wis.	Louisville, Ky.	
17	Newark, N. J.	Jersey city, N. J.	
18	Minneapolis, Minn.	Detroit, Mich.	1
19	Jersey city, N. J.	Milwaukee, Wis.	
20	Louisville, Ky.	Providence, R. I.	
21	Omaha, Neb.		
22	Rochester, N. Y.		
23	St. Paul, Minn.		
24	Kansas city, Mo.		
25	Providence, R. I.		
26	Denver, Colo.	·	
27	Indianapolis, Inc.		
28	Allegheny, Pa.		

URBAN POPULATION.

The following table shows the 50 principal cities of the United States in the order of their rank, giving the population in 1890 and 1880, and the increase from 1880 to 1890:

POPULATION OF THE FIFTY PRINCIPAL CITIES IN 1890 IN THE ORDER OF THEIR RANK.

	POPUL	ATION.	INCRE	CASE.		POPUL	VTION.	INCRE	ASE.
CITTES.	1890	1880	Number.	Per cent.	CITIES.	1890	1880	Number.	Per cent.
New York, N. Y Chicago, III Philadelphia, Pa Brooklyn, N. Y St. Louis, Mo	1, 099, 850 1, 046, 964 806, 343	1, 206, 299 503, 185 847, 170 560, 663 350, 518	309, 002 596, 665 199, 794 239, 680 101, 252	25, 62 118, 58 23, 58 42, 30 28, 89	Denver, Colo Indianapolis, Ind Allogheny, Pa Albany, N. Y Columbus, Ohio	106, 713 105, 436 105, 287 94, 923 88, 150	35, 629 75, 056 78, 082 90, 758 51, 647	71, 084 30, 380 26, 605 4, 165 36, 503	199, 51 40, 48 33, 81 4, 59 70, 68
Boston, Mass Baltimore, Md san Francisco, Cal Cincinnati, Ohio Cleveland, Ohio	448, 477 434, 439 298, 997 296, 908 261, 353	362, 839 332, 313 233, 950 255, 130 160, 146	85, 638 102, 126 65, 038 41, 769 101, 207	23, 60 30, 73 27, 80 16, 37 63, 20	Syraeuse, N. Y. Worcester, Mass. Toledo, Ohio Richmond, Va New Haven, Conn	88, 143 84, 655 81, 434 81, 388 81, 298	51, 792 58, 291 50, 137 63, 600 62, 882	36, 351 26, 364 31, 297 17, 788 18, 416	70, 19 45, 23 62, 42 27, 97 29, 29
Buffalo, N. Y. New Orleans, La. Pittsburg, Pa. Washington, D. C. Detroit, Mich	242,039	155, 134 216, 090 156, 380 177, 624 116, 340	100, 530 25, 949 82, 228 52, 708 89, 536	64, 80 12, 01 52, 58 29, 71 76, 96	Paterson, N. J Lowell, Mass Nashville, Tenn Seranton, Pa Fall River, Mass	78, 347 77, 696 76, 168 75, 215 74, 398	51, 031 50, 475 43, 350 45, 850 48, 961	27, 316 18, 221 32, 818 29, 565 25, 437	53, 53, 30, 64 75, 70 64, 05 51, 95,
Milwaukee, Wis Newark, N. J Minucapolis, Minu Jersey city, N. J Louisville, Ky	204, 468 181, 830 164, 738 163, 003 161, 120	115, 587 136, 508 46, 887 120, 722 128, 758	88, 881 45, 322 117, 851 42, 281 37, 371	76, 90 33, 20 251, 35 35, 02 30, 20	Cambridge, Mass Atlanta, Ga Memphis, Tenn Wilmington, Del Dayton, Ohio	70, 028 65, 539 64, 495 61, 431 61, 220	52, 669 37, 409 33, 592 42, 478 38, 678	17, 359 28, 124 30, 903 18, 953 22, 542	32, 96 75, 18; 92, 90; 44, 62; 58, 28;
Omaha, Neb Rochester, N. Y St. Paul, Minn Kansas city, Mo Providence, R. I	140, 452 133, 896 133, 156 a132, 716	30, 518 89, 360 41, 473 55, 785 104, 857	109, 934 44, 530 91, 683 76, 931 27, 289	360, 23 49, 83 221, 07 137, 91 26, 02	Troy, N. Y Grand Rapids, Mich Reading, Pa Camden, N. J Trenton, N. J	60, 956 60, 278 58, 661 58, 313 57, 458	56, 747 32, 016 43, 278 41, 659 29, 910	4, 200 28, 262 15, 383 16, 654 27, 548	7, 42; 88, 27 35, 54 30, 08 02, 10

a Includes a population of 13,048 for territory which, by decision of the supreme court of the state, is now outside the limits of Kansas city.

The following table shows the number of cities classified according to population at the date of each census:

NUMBER OF CITIES CLASSIFIED ACCORDING TO POPULATION: 1790 TO 1890.

CENSUS YEARS.	Total.	8,000 to 12,000.	12,000 to 20,000.	20,000 to 40,000.	40,000 to 75,000.	75,000 to 125,000.	125,000 to 250,000.	250,000 to 500,000.	500,000 to 1,000,000	1,000,000 and over.
1790	в	1	3	1	1					
1800	0 11	1		3	2					
1810	13	3	4	2	2	2				
1830	26	12	7	3	1	. 1	2			
1840	44 85	17 36	11 20	10 14	1 7	3 3	3	1	1	
1860	141	62	34	23	12	. 2	5	1	2	
1870	226	92	63	39	14	8	3	5	2	
1880	286 448	110 176	76 107	55 91	21 35	0 14	14	·± 7	1 1	3
1800	446	1	100		1		1	<u> </u>		


The following table shows, by states and groups of states, the total population in 1880 and 1890, the urban population in the same years, the number of cities, and the proportion which the urban population bears to the total population:

URBAN POPULATION: 1880 AND 1890.

Two United States	TOTAL	NUMBER OF CITIE OF URBAN O POPUL		PULATION.	URBAN PO	PULATION.	TOTAL PO		
The United States	1880		1890]1		; 	CONTRACTOR OF STREET	Marie A. Marie of the Control of the	STATES AND TERRITORIES.
Month Atlantic division	Num- ber. Per cen	Num ber.	Per cent.		1880	1890	1880	1890	
Maine		286	20. 20	448	11, 318, 547	18, 284, 385	50, 155, 783	62, 622, 250	The United States
New Hampshire	137 43.	137	51.81	199	6, 254, 096	9, 015, 383	14, 507, 407	17, 401, 545	North Atlantic division
New Kanapshire	5 13,	5	19.72	8	87, 100	130, 346	648, 936	661, 086	Maine
Massachuseths	5 21.9	5	27.37	5	1 1		! !	376, 530	New Hampshire
Ringer Inland	2 6.	2	7.93	2	21,500	26, 350	332, 286	332, 422	
Councethur	33 58.	33	69, 90	47	1,042,039	1, 564, 931	1, 783, 085	2, 238, 943	
New York		11	1	!		272, 571	1		
New Jersay. Penning/twinin. 5, 298, 014 4, 288, 391 2, 1282, 051 1, 148, 740 4, 28, 391 2, 1282, 051 1, 148, 740 4, 28, 391 2, 1282, 051 1, 148, 740 4, 4, 28, 391 2, 1282, 051 1, 148, 740 4, 4, 48, 391 1, 148, 740 1, 148,		И	1	1		385, 287	1		
Pennsylvania		li .				1			
Delaware	t .	11	1		: 1	1	1 1		-
Delaware	28 34.	28	40, 93	44	1, 498, 740	2, 152, 051	4, 282, 891	5, 258, 014	
Maryland	23 12.	23	16, 03	36	942, 387	1,419,964	7, 597, 197	8, 857, 920	
District of Columbia 230, 302 177, 824 220, 302 18, 871 1 100, 00 0 0 0 0 0 0 0 0	ľ	II.		·			1		
Vigitin	1	11	1		!	Ī	1		·
West Virginia		li .		3 .		!			
North Chrolina	1	11	1	1		1)		
South Cavolina	1	li .			1	t .	1	-	
Georgin		13	1	1	· '	1			
Florida		11	1			1	1		
North Central division	1	1)	1 1	1]	1	1		- I
Ohie. 3,672,316 3,108,062 1,150,342 745,894 29 31,57 20 Indiana 2,102,404 1,978,301 400,566 244,003 18 18.27 11 Illinols 3,826,351 3,077,871 1,456,955 722,021 24 38.83 18 Michigan 2,038,83 1,536,977 745,905 722,021 24 38.83 18 Wisconsin 1,636,880 1,534,977 424,546 212,431 17 25.17 0 Minnesota 1,301,826 780,773 309,315 107,623 6 28.37 4 Town 1,011,806 1,624,615 290,230 152,578 12 14,08 10 Missouri 2,670,184 2,108,380 703,743 450,300 8 20.27 5 North Dakota 182,719 360,000 703,743 450,300 8 20.27 5 South Dakota 328,808 408,268 10,177 1 3,10									Forth Central division
Indiama		\ <u></u>	}	<u> </u>					(Ohio
Hinois	1	lí					, , , , , , , , , , , , , , , , , , ,	, ,	
Michigan 2, 093, 889 1, 536, 937 540, 095 271, 566 20 20, 08 12 Wisconsin 1, 686, 880 1, 315, 497 424, 546 212, 431 17 25, 17 0 Minnesata 1, 301, 826 780, 773 309, 315 107, 623 6 28, 37 4 Lowa 1, 1011, 896 1, 624, 615 260, 230 152, 578 12 14, 08 10 Missouri 2, 679, 184 2, 168, 380 703, 743 450, 390 8 20, 27 5 North Dakota 182, 719 436, 909 703, 743 450, 390 8 20, 27 5 South Dakota 328, 808 488, 208 10, 177 1 3, 10 10 Kunsus 1, 658, 910 462, 402 250, 048 43, 521 8 24, 46 2 Kunsus 1, 1, 97, 906 900, 900 165, 870 55, 613 9 11, 62 4 Kentucky 1, 828, 035 1, 484, 600 276, 454 198, 603 7 14, 87 5 Temeasee 1, 767, 518	1	1	1 1	1	!	1			·
Wisconsin 1, 686, 880 1, 315, 497 424, 546 212, 431 17 25, 17 0 Minnesota 1, 301, 896 780, 773 300, 315 107, 623 6 28, 37 4 Town. 1, 911, 896 1, 624, 615 260, 230 152, 578 12 14, 80 10 Missouri 2, 670, 184 2, 168, 380 703, 743 450, 300 8 20, 27 5 North Dakota 182, 719 230, 909 10, 177 450, 300 8 20, 27 5 South Dakota 28, 888 280, 208 10, 177 1 3, 10 3, 10 Webraska 1, 058, 910 462, 402 250, 048 43, 521 8 24, 40 2 Kunsus 1, 427, 006 900, 000 165, 879 55, 613 9 11, 62 4 Sowth Central division 10, 972, 888 8, 910, 371 1, 147, 089 073, 708 37 10, 45 20 Kentucky 1, 858, 635 1, 648, 690 276, 45		i.					1!		
Minnesota 1, 301, 820 780,773 309, 315 107, 623 6 28,37 4 Towa 1, 011, 806 1, 624, 615 269, 290 132, 578 12 14, 08 10 Missouri 2, 679, 184 2, 108, 880 703, 743 450, 309 8 26, 27 5 North Dakota 182, 719 309, 909 10 1 3, 10 1 South Dakota 228, 808 408, 268 10, 177 1 3, 10 1 Kunsus 1, 658, 910 462, 402 250, 043 43, 521 8 24, 40 2 Kunsus 1, 1, 427, 006 990, 000 165, 870 55, 613 0 11, 62 4 South Central division 10, 972, 893 8, 919, 371 1, 147, 689 673, 708 37 10, 45 20 Kentucky 1, 858, 635 1, 948, 690 276, 454 198, 603 7 14, 87 5 Tennessee 1, 767, 518 1, 542, 359 202, 337 99, 527		}}	1 1		1		11		
Town		ll .	:		·	1			
Missouri 2, 679, 184 2, 168, 880 703, 743 459, 369 8 20, 27 5 North Dakota 182, 719 a36, 909 10, 177 1 3, 10 1 South Dakota 128, 808 a98, 268 10, 177 1 3, 10 1 Nobraska 1, 058, 910 452, 402 250, 048 43, 521 8 24, 40 2 Kansas 1, 427, 906 990, 906 165, 870 55, 613 9 11, 62 4 South Central division 10, 972, 893 8, 919, 271 1, 147, 089 678, 708 37 10, 45 20 Kentucky 1, 858, 635 1, 648, 690 276, 454 198, 603 7 14, 87 5 Tennessee 1, 767, 518 1, 542, 559 202, 337 99, 527 5 11, 45 4 Alabama 1, 128, 600 1, 131, 597 34, 908 11, 81 3 2, 64 1 Lonisama 1, 118, 547 939, 946 224, 909 3 <td< td=""><td>- 1</td><td>1/</td><td>;</td><td>-</td><td></td><td>1</td><td>. 1</td><td></td><td></td></td<>	- 1	1/	;	-		1	. 1		
North Dakota.		}			i		li li		
South Dakota 328,808 408,208 10,177 1 3,10 Nebraska 1,058,910 452,402 250,048 43,521 8 24,40 2 250,048 43,521 8 24,40 2 250,048 43,521 8 24,40 2 250,048 43,521 8 24,40 2 250,048 43,521 8 24,40 2 250,048 43,521 8 24,40 2 250,048 250,04	, ,	,	20. 21	٥	400, 000	100, 140		1	
Nebraska		1	3 10	1		10 177	. 11	. 1	South Dakota
Kansas	2 0.0	9			49 591				
Kentucky	1	1	<u> </u>				. 11		
Tennessee	20 7.5	20	10. 45	37	673, 708	1, 147, 089	8, 919, 371	10, 972, 893	outh Central division
Alabama	5 12.0	5	14, 87	7	198, 603	276, 454	1, 648, 690	1, 858, 635	
Mississippi 1,289,600 1,131,597 34,098 11,814 3 2.64 1 Lonisama 1,118,587 939,946 264,496 224,090 3 23.05 2 Texas 2,235,523 1,591,749 225,346 80,682 11 10.08 5 Oklahoma 61,834	4 6.	4	11.45	5	99, 527	202, 337	1, 542, 359	1, 767, 518	
Lonisana 1, 118, 587 939, 946 264, 496 224, 000 3 23, 65 2 Texas 2, 235, 523 1, 591, 749 225, 346 80, 682 11 10, 08 5 Oklahoma 61, 834 4 4, 89 1 Arkansas 1, 128, 179 802, 525 55, 223 13, 138 4 4, 89 1 Western division 3, 027, 613 1, 767, 607 908, 653 423, 677 24 29, 99 11 Montana 132, 159 39, 150 24, 557 2 18, 58 8 Wyoming 60, 705 20, 789 11, 690 1 10, 26 10, 26 Colorado 412, 198 194, 327 152, 795 50, 449 4 37, 07 2 New Mexico 153, 503 119, 565 5 50, 620 40, 440 5 20, 768 2 28, 73 1 Wevala 45, 761 62, 266 8, 511 10, 917 1 18, 60 1	2 3.6	2	5.89	4	45, 845	89, 135	1, 262, 505	1, 513, 017	
Texas 2, 235, 523 1, 591, 749 225, 346 80, 682 11 10, 08 5 Oklahoma 61, 834 Arkansas 1, 128, 179 802, 525 55, 223 13, 138 4 4. 89 1 Western division 3, 027, 613 1, 767, 607 908, 653 423, 677 24 29, 99 11 Montana 132, 159 39, 150 24, 557 2 18, 58 Wyoming 60, 705 20, 789 11, 690 1 10, 26 Colorado 412, 198 194, 327 New Mexico 153, 593 110, 565 Arizona 59, 620 40, 440 Utah 207, 905 143, 963 59, 732 20, 768 2 28, 73 1 Nevada 45, 761 62, 266 8, 511 10, 917 1 18, 60 1	1 1.0	1	2, 64	3	11, 814	34,098	1, 131, 597	1, 289, 600	
Oklahoma 61, 834 3, 027, 613 1, 128, 179 802, 525 55, 223 13, 138 4 4, 89 1 Western division 3, 027, 613 1, 767, 607 908, 053 423, 677 24 29, 99 11 Montana 132, 159 39, 150 24, 557 2 18,58 Wyoming 60, 705 20, 789 11, 690 1 10, 26 Colorado 412, 198 194, 327 152, 795 50, 449 4 37, 07 2 New Mexico 153, 593 119, 565	2 23.8	2	23, 65	3	224, 099	261, 496	939, 946		· · · · · · · · · · · · · · · · · · ·
Arkansas 1,128,179 802,525 55,223 13,138 4 4,89 1 Western division 3,027,613 1,767,607 908,053 423,677 24 29,99 11 Montana 132,159 39,150 24,557 2 18.58 Wyoming 60,705 20,789 11,690 1 10.26 Colorado 412,198 194,327 152,795 50,449 4 37.07 2 New Mexico 153,593 119,565 <	5 5.0	5	10.08	11	80, 682	225, 346	1,591,749		
Western division 3,027,613 1,767,607 908,053 423,677 24 29,99 11 Montana 132,159 39,150 24,557 2 18.58 Wyoming 60,705 20,789 11,690 1 10.26 Colorado 412,198 194,327 152,795 50,449 4 37.07 2 New Mexico 153,593 119,565 <td>1 1.0</td> <td></td> <td>1 90</td> <td></td> <td>19 199</td> <td> Да 999</td> <td>809 595</td> <td></td> <td></td>	1 1.0		1 90		19 199	 Да 999	809 595		
Montana 132, 159 39, 150 24, 557 2 18.58 Wyoming 60, 705 20,789 11, 690 1 10.26 Colorado 412, 198 194,327 152,795 50,449 4 37.07 2 New Mexico 153,593 119,565 40,440 <td>. 1</td> <td>)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	. 1)							
Wyoming 60,705 20,789 11,690 1 10,26 Colorado 412,198 194,327 152,795 50,449 4 37.07 2 New Mexico 153,593 119,565	11 23. 9				428, 077				
Colorado 412, 198 194, 327 152, 795 50, 449 4 37, 07 2 New Mexico 153, 593 119, 565 Arizona 59, 620 40, 440			1	. 1					
New Mexico 153,593 119,565 Arizona 59,620 40,440 Utah 207,905 143,963 59,732 20,768 2 28,73 1 Nevada 45,761 62,266 8,511 10,917 1 18.60 1	2 25.0	9	i	4	50 440				
Arizona 59,620 40,440 Utah 207,905 143,963 59,732 20,768 2 28,73 1 Nevada 45,761 62,266 8,511 10,917 1 18.60 1		ا ا	01.01	*		202,100			=
Utah 207,905 143,963 59,732 20,768 2 28.73 1 Nevada 45,761 62,266 8,511 10,917 1 18.60 1							- 11	, , ,	
Nevada	1 14.4	1	98 78	9	20 768	59. 739			
10.00	• 1	1 .		1	. 1	i - i		1	
10ano		l	10.00		,	.,	32,610	84, 385	Idaho
Washington			28 97	3		98, 765	. 1	1	
Oregon	1 10,	1			17.577		ii.		
California		1		- 1		. 1	, 11	i	

 $[\]sigma$ Population of Dakota in 1880 apportioned according to the present limits of North Dakota and South Dakota.





URBAN AND TOTAL POPULATION, BY STATES AND TERRITORIES: 1890.

Note. -The total length of each column represents the aggregate population of the state or territory, while the black part of the column represents the urban element, that is, the proportion contained in cities having 8,000 inhabitants or more.

In defining what constitutes a city, in each case the Census Office has consistently maintained the policy of including only such population as lives within the charter limits, because no other defined limits exist. In many cases, however, this does not give to the city all the population which naturally belongs to it. There may be populous suburbs, which are to all intents and purposes parts of the city, whose inhabitants transact business within the city, who may be served by the same post office, but who, living without the charter limits, are not included in the city's population. Of this our greatest city, New York, is a forcible example. Within a radius of 15 miles of the city hall, on Manhattan island, the people are in effect citizens of New York, so far as their business and social interests go, although politically they live in different cities, counties, and states. This body of population contains considerably in excess of 3,000,000 persons, or two-thirds the number in London, which is, similarly, a congeries of municipalities. Next to London, New York and its suburbs form the largest city of the globe. Other cases are those of St. Paul and Minneapolis, whose corporate limits join one another, and Bristol, Tennessee, and Bristol, Virginia, two corporations whose line of division follows the middle of the main street of the city, and which have a joint population of 6,226. Texarkana, Texas, and Texarkana, Arkansas, form a similar case. Knoxville, Tennessee, has large suburbs immediately adjoining, whose population would, if added, increase it to very nearly 40,000 inhabitants.

The rate of growth of many of these cities, especially those situated west of the Mississippi river, has been amazing. Chicago has added over half a million to her inhabitants, thus more than doubling her size in ten years. Minneapolis, St. Paul, Omaha, and Denver have expanded to triple or quadruple their former size, while all over the west smaller cities have sprung up as if by magic.

RURAL POPULATION.

During the last decade the rural population has diminished in numbers over a considerable part of the country, especially in the eastern and north central states. The areas over which this diminution has occurred are represented on the accompanying map, which has been prepared upon the following basis: from the total population of each county in 1890 has been subtracted the population of all cities or other compact bodies of population which number 1,000 or more. From the population of the same counties in 1880 has been subtracted the population of the same places at that time, and the remainders, which are assumed to be the rural population, are compared for increase or decrease. This process presents no difficulties or uncertainties in any part of the country except in the New England states, where the town system prevails, and where, as a rule, no smaller political units exist than these towns. The towns contain in most cases both urban and rural population in varying proportions, and unless one has personal acquaintance with them he has no basis for obtaining the relative proportion of these elements in any town except as indicated by the total population of the town. If the town be large the presumption is that it contains a considerable urban population, while if it is small it is probably all or nearly all rural. In the case of these towns the elimination of the urban element has been largely a matter of personal acquaintance, an estimate based thereon being guided to some extent by the population of the town, a population in excess of 2,500 indicating that a considerable proportion of the people were living under urban conditions.

The first table on the following page shows the proportion which the areas in which the rural population has diminished bears to the total areas of the states. This was prepared by footing up the counties in which such diminution had taken place and comparing the totals with the areas of the states. It shows that upon 16 per cent of the area of the country the rural population has diminished; that this diminution has been much greater in the North Atlantic division than elsewhere and least in the South Central division. It is greatest in New York state, where nearly five-sixths of the area has lost rural population; in Vermont, where more than three-fourths has lost; in Maine and New Hampshire, where nearly two thirds has lost. It is surprisingly low in Massachusetts, but here it should be added as a qualification of the figures that the majority of the counties of that state have gained only a trifling amount; have barely held their own in this respect. In the North Central division the states of Illinois, Ohio, Indiana, and Iowa, together with southern Michigan and Wisconsin, have diminished in rural population over great areas. These areas in Illinois and Ohio comprise over three-fifths of the state and in Indiana and Iowa more than two fifths.

Among the southern states Maryland has lost over the greatest territory, an area which exceeds half that of the state, while in Virginia much of the country lying east of the Blue Ridge has lost in rural population. The cotton states as a rule have lost very little.

Among the western states Nevada has lost rural population over nine-tenths of its area, and Utah, California, and Colorado have lost over areas which are notable because they occur in these newly settled states. The losses in these states are doubtless due not to a reduction in farming area, for they are not of strictly rural population, but to a reduction in the scattered mining population of those states.

Out of a total increase of population in the United States of 12,466,467 the rural population has increased 4,078,422, as is seen from the second table on the following page; in other words, about one-third of the total increase of the country during the past decade has been in its rural element. This increase has been distributed among the states in a most irregular manner. The North Atlantic division has suffered a decrease of rural population to the extent of 37,941. In all the other divisions of the country there has been an increase, but this increase has been in no way proportional to the total increase of population.

PERCENTAGE OF TOTAL AREA SHOWING LOSS IN RURAL POPULATION: 1890.


STATES AND TERRITORIES.	Per cent.	STATES AND TERRITORIES.	Per cent.
The United States	16, 25	North Central division—Continued.	-
North Atlantic division	58.96	Minnesota	8. 21 43. 26
Maine	64.96	Missouri	15, 99
New Hampshire	63, 10	North Dakota	
Vermont	77.20	South Dakota	
Massachusetts	18.92	Nebraska	
Rhode Island	28. 11	Kansas	7. 24
Connecticut	60, 85		
New York	82, 66	South Central division	8, 16
New Jersey	28,06	Kentucky	22, 79
Pennsylvania	38, 20	Tennessee	28.71
•		Alabama	12.24
South Atlantic division	16, 65	Mississippi	13.61
· · · · · · · · · · · · · · · · · · ·	10,00	Louisiana	4.34
Delaware	32.14	Texas	5, 21
Maryland	54.11		
District of Columbia		Oklahoma	
Virginia	41.57	Arkansas	
West Virginia	1.79		-0.00
North Carolina	13, 12	Western division	
South Carolina	4,56	Montana	
Georgia	14.11	Wyoming	
Florida	10, 25	Colorado	
	·	New Mexico	
		Arizona	
North Central division	20, 10	Utah.	14.75
Ohio	61, 39	Nevada	90, 50
Indiana	47, 39	Idaho	
Illinois	65, 73	Washington	
Michigan	26, 61	Oregon	•
Wisconsin	18. 25	California	
., 2,10,021,7141	A 674 67	1, 1,111	1

The following table shows the net numerical increase or decrease in rural population in the United States, groups of states, and the several states and territories:


INCREASE OR DECREASE IN RURAL POPULATION: 1880 TO 1890.

STATES AND TERRITORIES.	Increase.	Decrease.	STATES AND TERRITORIES.	Increase.	Decrease
The United States		-,	North Central division—Continued.		2003 10.00 11.00 Marketines
i i			Iowa	121,709	
Sorth Atlantic division		37, 941	Missouri	176, 171	
Maine		24, 391	North Dakota	332, 330	
New Hampshire			Cotten Dancour.	•	
Vermont		18, 944	Nebraska	340, 834	
Massachusetts		6, 522	Kansas	229,823	
Rhode Island		508			
Connecticut		11, 964	South Central division	1, 314, 973	
New York		163, 176	South Central division	1,014,010	
New Jersey	31, 316		Kentucky	98, 987	<i></i>
Pennsylvania	164,823		Tennessee	77, 985	
			Alabama	168, 227	
outh Atlantic division	664, 346		Mississippi	124,914	
Delaware	40		Louisiana	129, 255	
		18 000	Texas	396, 846	
Maryland		, .	Oklahoma	51,620	
			Arkansas	267, 139	
Virginia	114, 943				
North Carolina	156, 909		Western division	587, 280	
South Carolina.	108, 780		Western division	901, 200	
Georgia	183, 761		Montana	52,485	
Florida	72, 098		Wyoming	20, 268	
A TORGUST	12,000		Colorado	87,518	
orth Central division	1, 549, 764		New Mexico	20, 547	
	1, 540, 704		Arizona	14,882	
Ohio		13, 274	Utah	22, 542	
Indiana	8,073		Nevada		13, 08
Illinois		66, 741	Idaho	50, 735	.
Michigan	104, 877		Washington	136,715	
Wisconsin	103, 206		Oregon	79,773	
Minnesota	206, 756		California	114,900	

a No rural population.



Sc.



SEX. lxxi

Among the states in the North Atlantic division there has been a loss of rural population throughout New England and New York, the only states of this division in which the rural population has increased being New Jersey and Pennsylvania.

In the South Atlantic division the only state which has suffered a loss is Maryland, although Delaware has but a small gain. Virginia has lost heavily in certain parts, but the net result for the state has been a gain. In the other states of this division most of the increase in population has consisted in an increase of this element.

In the North Central division there has been a loss of rural population in Ohio and Illinois, while in Indiana the gain is triffing. In the other states of this division the gain in rural population has been substantial, especially in those upon the plains.

In every state of the South Central division there has been a considerable gain in the rural population. The same is true also of the states and territories comprising the Western division, with the exception of Nevada, which, with its great loss in total population, has suffered a corresponding loss in the rural element.

SEX.

The aggregate population on June 1, 1890, was 62,622,250. Of this number 32,067,880 were males and 30,554,370 were females. The following table shows for the United States as a whole the proportion which the number of each sex bears to the total population at each census from 1850 to 1890:

CENSUS YEARS,	Males.	Females.
	Per cent.	Per cent.
1850	51.04	48, 96
1860	51, 10	48.84
1870	50. 56	49.44
1880	50.88	49.12
1800	51,21	48.79

From the above table it is apparent that for 1890 in the United States males were in excess of females in the proportion of 51.21 and 48.79. This excess of males is to be expected in this case, owing to the effects of immigration. Where natural increase is not interfered with either by immigration or emigration, wars or pestilence, the proportion of the sexes is nearly equal, females being slightly in excess of males. This is shown (but rather imperfectly, on account of the effect of emigration) in the following table, which presents the proportions of the sexes in certain European countries:

COUNTRIES.	Males.	Females
	Per cent.	Per cent
United Kingdom	48.54	51.46
Austria	48.92	51.08
Denmark	48.76	51.24
Germany	49.03	50.97
Netherlands	49.42	50.58
Spain	49,04	50.96
Sweden	48, 43	51.57
Norway	47, 87	52, 13

In every one of these countries, without exception, females are in excess, constituting from 50.58 to 52.13 per cent of the whole population. In the United Kingdom, Denmark, Germany, Sweden, and Norway it may be accounted for by emigration, but in the cases of Austria, Netherlands, and Spain there is little emigration, and the figures are practically those of undisturbed natural increase. Judging, therefore, from these cases, it would appear that under undisturbed conditions the female sex outnumbers the male sex nearly in the proportion of 51 to 49.

The effect of emigration upon the population of the other countries is roughly measured by the fact that the average proportion of females to males in them is about 51.5 to 48.5. In the case of the United States, however, normal conditions are modified by immigration. Among the immigrants to this country males are in excess of females in the proportion of 3 to 2, and to this fact, coupled with the excessive immigration during the past decade, is to be attributed the large proportion of males.

If the history of the distribution of the population by sex from 1850 to 1890 is examined it is seen that males have always been in excess of females; that between 1850 and 1860 the proportion increased slightly, while between 1860 and 1870 it diminished by six-tenths of 1 per cent, which in such a matter as this is a very large reduction. This was doubtless due in great measure to the mortality of the civil war, the ravages of which were confined to the male sex, and in which probably not far from a million of our citizens lost their lives. Between 1870 and 1880 and 1880 and 1890 the proportion of males had again increased, reaching at the latter date a proportion slightly in excess of that which was shown in 1860.

The following table shows the proportion of males and females in each state and territory in 1890, 1880, 1870, 1860, and 1850:

PERCENTAGE OF MALES AND FEMALES OF TOTAL POPULATION: 1850 TO 1890.

	18	90	18	80	15	370	18	860	18	850
STATES AND TERRITORIES.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females
The United States	51, 21	48. 79	50, 88	49.12	50, 56	49, 44	51.16	48.84	51.04	48.9
Forth Atlantic division	49.87	50. 13	49, 36	50.64	49. 43	50, 57	49. 70	50.30	50.30	49.7
Maine	50, 31	49. 69	49, 94	50. 0 0	49. 94	50, 06	50. 49	49. 51	51.01	48, 9
New Hampshire	49, 55	50.45	49, 14	50.86	48. 90	51, 10	49. 01	50.99	49. 13	50.8
Vermont	50.94	49. 06	50. 22	49.78	50. 13	49, 87	50.39	49.61	50.05	49, 0
Massachusetts.	48, 58	51.42	48, 14	51.86	48, 29	51.71	48. 47	51,53	49. 12	50, 8
Rhode Island	48, 63	51. 37	48.11	51.89	48, 20	51.80	48. 18	51.82	48. 85	51, 1
Connecticut	49, 52	50.48	49. 11	50. 89	49.36	50.64	49, 11	50, 89	49. 54	50, 4
New York	49, 63	50. 37	49, 29	50.71	49. 36	50, 64	49. 82	50.18	50. 62	49, 3
New Jersey	49.89	50. 11	49.50	50. 50	49, 63	50.37	49.86	50.14	50, 12	49.
Pennsylvania	50.71	49, 29	49, 89	50.11	49. 93	50, 07	50, 05	49, 95	50. 53	49, 4
outh Atlantic division	49.88	50. 12	49, 46	50. 54	48.96	51.04	50. 09	49. 91	50.08	40. 9
Delaware	50, 79	49. 21	50, 55	49, 45	50, 10	49, 90	50. 52	49.48	50. 21	49, 7
Maryland	49.47	50. 53	49. 43	50. 57	49. 30	50.70	49.62	50.38	50.14	49. 8
District of Columbia	47. 56	52.44	47.05	52, 95	47. 22	52, 78	47. 28	52, 72	46.75	53,
Virginia	49.78	50. 22	49. 29	50, 71	48.73	51, 27	50.50	49.50	50, 49	49. 5
West Virginia	51.17	48, 83	50.85	49, 15	50, 42	49, 58				
North Carolina	49.39	50.61	49. 15	50, 85	48.42	51, 58	49, 93	50.07	49, 58	50.
South Carolina	49.72	50.28	49. 26	50.74	48.74	51, 26	49. 36	50. 64	49, 31	50.
Georgia.	50.07	49.93	49.47	50, 53	48.89	51.11	50.31	49. 69	50.37	49.
Florida	51.59	48.41	50, 63	49.37	50.36	49. 64	51.94	48.06	52, 52	47.
orth Central division	51.85	48, 15	51. 92	48, 08	51.72	48, 28	52. 14	47, 86	52, 08	47.
Ohio	50, 53	49, 47	50.47	49. 53	50. 18	49.82	50.87	49. 13	51, 35	48, (
Indiana	51.01	48, 99	51.07	48, 93	51,05	48, 95	51.78	48. 22	51, 79	48.
Illinois	51.55	48, 45	51.55	48.45	51.83	48.17	52.73	47, 27	52, 65	47.
Michigan	52, 14	47.86	52.68	47. 32	52, 17	47.83	52, 69	47. 31	52, 78	47.
Wiscousin	51.87	48. 13	51.70	48.30	51, 66	48. 34	52. 51	47. 49	53. 94	40.
Minnesota	53, 41	46, 59	53, 68	46.32	53, 51	46.49	54, 11	45, 89	61, 15	38.
Iowa	52, 01	47: 99	52, 21	47. 79	52, 42	47, 58	52, 52	47, 48	52, 57	47.
Missouri	51.70	48.30	51, 98	48.02	52.07	47. 93	52.64	47. 36	52.46	47.
North Dakota	55, 60	44.40	a60, 88	a39, 12	a62, 60	a37. 40	a57.83	a42. 17		
South Dakota	54.82	45. 18 §		200				ĮĮ.	i	
Nebraska	54.10	45, 90	55, 09	44. 91	57. 26	42.74	58. 11	41. 89		• • • • • • • •
Kansus	52.70	47.30	53, 88	46, 12	55. 50	44.50	55. 20	44, 80		•••••
outh Central division	50.98	49, 02	50, 62	49.38	50. 12	49, 88	51.45	48. 55	51. 33	48. 6
Kentucky	50.72	49, 28	50, 50	49. 50	50.39	49.61	51.25	48. 75	51. 17	48.
Tennessee	50.44	49, 56	49.88	50. 12	49. 53	50, 47	50, 70	49, 30	50, 28	49.
Alabama	50.00	49.94	49. 32	50, 68	49, 02	50. 98	50.75	49. 25	50.85	49.
Mississippi	50, 38	49, 62	50.12	49.88	49. 93	50, 07	51, 30	48.70	51.39	48.
Louisiana	50.01	49, 99	49. 87	50.13	49.82	50, 18	52, 26	47, 74	53, 04	46,
Texas	52.45	47.55	52.64	47. 36	51, 74	48. 26	52, 99	47.01	53. 52	46
Oklahoma	56, 17 51, 92	43, 83 48, 08	51.87	48, 13	51, 24	48.76	52, 30	47. 70	52, 33	47. 6
Vestern division	58.88	41, 12	60. 53	39. 47	61. 50	38. 50	68. 10	31. 90	73. 61	26, 1
Montana.	66, 50	33, 50	71. 96	28. 04	81. 43	18. 57				
Wyoming.	64. 81	35, 19	68. 07	31.93	79. 17	20, 83				
Colorado	59.50	40, 50	66. 45	33, 55	62, 26	37. 74	95, 37	4, 63		
New Mexico	54.07	45, 93	53. 94	46, 06	51, 30	48. 70	52.49	47.51	51.57	48.
Arizona	61.34	38, 66	69. 74	80.26	71. 31	28. 69				
Utah	53, 13	46, 87	51.76	48. 24	50, 84	49. 16	50, 20	49.71	53. 13	46.
Nevada	63, 84	36.16	67.48	32, 52	76, 20	23, 80	89.50	10.50		
Idaho	60.78	39, 22	66. 91	33, 09	81. 23	18, 77				
Washington	62. 27	37, 73	61. 20	38. 80	62. 58	37. 42	72.85	27, 15		
Oregon	57.95	42.05	59. 15	40.85	58. 44	41.56	60.21	39. 79	62, 12	37.
California	57.95	42, 05	59, 93	40.07	62.38	37.62	71.93	28. 07	92.42	7.

a Dakota territory.

The above table shows the wide range among the states and territories in the proportion which the sexes bear to each other. The extreme on one side is the District of Columbia, where no less than 52.44 per cent of the

SEX. lxxiii

total population are females. This is followed at some distance by Massachusetts, where women form 51.42 per cent of the whole number. On the other hand are the newer states and territories of the far west, where we find Montana, with a population made up of 2 parts male to 1 female, and Wyoming, where but 35.19 per cent of the population are females. In both the North Atlantic and South Atlantic divisions females are slightly in excess of males. In the South Central division males are slightly in excess, and in the North Central division they are in excess to a much larger extent, while in the Western division nearly three-fifths of the population are males.

These differences are easy of explanation. The Atlantic divisions form an old settled region whence naturally for many decades a stream of emigration has flowed westward. This emigration has consisted in considerable proportion of the male element. In this way the eastern communities have been depleted. It is true that in the northeastern states the place of these emigrants has been filled to some extent by foreign immigration from Europe, otherwise its effect would be vastly more marked. The manufacturing centers of the northeastern states have attracted not only males from among the immigrants but to a large extent females also, especially of Irish and French-Canadian extraction, who form the bulk of the factory operatives. The same cause which has reduced the proportion of males in the Atlantic states has increased it in the central and western states. In the North Central division and in the Western division to this cause is to be added foreign immigration, which, consisting largely of males, increases still further the proportion of that sex.

Glancing at the history unfolded by this table, it is seen that in the North Atlantic division females have been in excess at each census since 1850; that this excess reached its maximum in 1880, and is now diminishing, as the effect of immigration from Europe overcomes that of emigration to the west. In each of the states composing this division this proportionate increase of the female element can be traced, reaching its maximum in 1870 or 1880, and thereafter diminishing. The effect of the civil war upon the elements of the population of these states is scarcely perceptible.

In the South Atlantic division different conditions prevail. Immigration to these states is but slight, and not sufficient to affect the constitution of the population as regards sex. These states are found to be almost equally divided between the sexes in 1850 and 1860. In 1870 the proportion of males has diminished 1.13 per cent, the effect undoubtedly of the civil war. Since then the proportion of males has increased, and the numbers of the sexes are nearly equal in 1890. Among the various states composing this division there is considerable variety as regards sex. In Delaware, Maryland, and the District of Columbia there is little evidence of the effect of the civil war, while in the other states that effect is very strongly marked. Indeed, in North Carolina and Georgia there is a reduction in the proportion of males due to this cause of about 1.5 per cent, which in most cases has been recovered during the past twenty years.

In the North Central division still different conditions have prevailed. In 1850 many of these states were upon the frontier, and in the forty years that have elapsed the frontier has moved away beyond them and they have assumed the conditions of old settled communities. There has been as a rule comparatively little emigration from these states. On the other hand, there has been a vast amount of immigration to them, both from states farther east and from Europe, and of course it is understood that this immigration is disproportionately male. Starting then in 1850, this division of the states comprised a considerable excess of the male element. This element diminished appreciably by 1870, and since then has somewhat more than held its own. The influence of the war was probably slight, but, whether large or small, it can not be distinguished from the effect of other causes, to which it must be secondary. Among the various states considerable diversity exists, since this division stretches from Ohio, which in 1850 was an old settled community, to Kansas, Nebraska, North Dakota, and South Dakota, which even at present are sparsely settled on their western borders.

The South Central division comprises a group of states extending from Alabama, a well settled state even in 1850, on the east, to Texas, which in 1845 was admitted to the Union, on the west. It is a section which has received little foreign immigration, but which has been filled up by immigration from the South Atlantic states and by natural increase. In 1850 this section contained a considerable excess of the male element. In 1860 this had increased a little, and in 1870 had decidedly diminished, owing, doubtless, to the ravages of the civil war. Between 1870 and 1880 these losses were being repaired.

The Western division comprises states and territories some of which were not known by name in 1850, and others which at that date contained but a few thousand white inhabitants. Even now, without exception, they are sparsely settled. In 1850 this division was peopled with 3 males to 1 female. In 1860 the proportion had declined to 2 to 1; in 1870 and 1880 more than 6 out of 10 were males, and in 1890 the proportion of males was a little smaller. Indeed, in 1890 the least proportion of males in all these states and territories was in Utah, where 53.13 per cent were of that sex, and the largest proportion of males was in Montana, where they outnumbered the females in the proportion of 2 to 1. Considering these states and territories as regards extreme cases of disproportion between the sexes, it is seen that the population of Colorado in 1860 was composed of 95.37 per cent of males; that the population of Nevada in the same year was composed of 89.50 per cent of males, and that California in 1850, in the height of the gold excitement, contained only 7.58 per cent of wimen.

For the United States as a whole there are for every 100,000 males 95,280 females in 1890. In 1880 there were 96,544 females to every 100,000 males, while in 1870 there were 97,801 females to every 100,000 males.

The following table gives, by states and territories, arranged geographically, the whole number of males and females as returned under the census of 1890, and the number of females to each 100,000 males for the censuses of 1890, 1880, and 1870:

RELATIVE PROPORTIONS OF FEMALES TO MALES: 1870 TO 1890.

STATES AND TERRITORIES.	MALES.	FEMALES.	NUMBER OF FEMALES TO EACH 100,000 MALES.			
SIMISS AND TERRITORIES	1890	1890	1890	1880	1870	
The United States	32, 067, 880	30, 554, 370	95, 280	96, 544	97, 801	
North Atlantic division	8, 677, 798	8, 723, 747	100, 530	102, 600	102, 203	
Maine	332,590	328, 496	98, 709	100, 253	100, 226	
New Hampshire	186, 566	189, 964	101, 821	103, 483	104, 510	
Vermont	169, 327	163,095	96, 320	99, 108	09, 462	
Massachusetts	1, 087, 709	1, 151, 234	105, 840	107, 712	107, 075	
Rhode Island	168, 025	177, 481	105, 628	107, 871	107, 485	
Connecticut	369, 538	376, 720	101, 944	103, 642	102,600	
New York	2, 976, 893	3, 020, 960	101,480	102, 883	102, 603	
New Jersey	720, 819	724,114	100, 457	102, 013	101, 502	
Pennsylvania	2, 666, 331	2, 591, 683	97, 200	100, 448	100, 282	
South Atlantic division	4, 418, 769	4, 439, 151	100, 461	102, 177	104, 256	
Delaware	85, 573	, 82, 920	96, 900	97, 830	99, 615	
Maryland	515, 691	526, 699	102, 135	102, 287	102, 838	
District of Columbia	109, 584	120,808	110, 242	112, 525	111,764	
Virginia	824, 278	831, 702	100,901	102, 868	105, 100	
West Virginia	390, 285	872, 509	95, 445	96, 651	98, 252	
North Carolina	799, 149	818, 798	102, 459	103, 479	106, 546	
South Carolina.	572, 337	578, 812	101, 131	103, 010	105, 176	
Georgia	919, 925	917, 428	99, 729	102, 126	104, 525	
Florida	201, 947	189, 475	93, 824	97, 512	98, 574	
North Central division	11, 594, 910	10, 767, 369	92, 863	92, 594	93, 350	
Ohio	1, 855, 736	1,816,580	97, 890	98, 153	09, 204	
Indiana	1, 118, 347	1,074,057	96, 040	05, 801	95, 880	
Illinois	1, 972, 308	1, 854, 043	94, 004	94, 001	92, 922	
Michigan	1,091,780	1, 002, 109	91, 787	89, 822	91,674	
Wisconsin	874, 951	811, 929	92, 797	93, 436	93, 558	
Iowa.	695, 321	606, 505	87, 227	86, 276	86, 871	
Missouri.	904, 453	917, 443	92, 256	91, 551	90, 763	
North Dakota	1, 385, 238	1, 293, 946	93, 410	92, 371	92, 034	
South Dakota	101, 590	81, 129	79, 859			
Nebraska	180, 250	148, 558	82, 418 5	a64,257	a59,732	
Kansas	572, 824 752, 112	486, 086	84, 858	81, 512	74,644	
		674, 984	89, 745	85, 608	80, 196	
onth Central division	5, 593, 877	5, 379, 016	96, 159	97, 570	99, 506	
Tennessee	942, 758	915, 877	97, 149	98, 010	98, 447	
Alabama	891, 585	875, 933	98, 244	100, 495	101, 897	
Mississippi	757, 456	755, 561	99, 750	102, 770	103, 993	
Louisiana	649, 687	639, 913	98, 496	99, 514	100, 261	
Texas	559, 350	559, 237	99, 980	100, 520	100, 714	
Oklahoma	1, 172, 553	1, 062, 970	90, 054	89, 982	93, 263	
Arkansas	34, 733 585, 755	27, 101 542, 424	78, 027 92, 603	92, 785	95, 146	
estern division	1, 782, 526	1, 245, 087	69, 850			
Montana	87, 882	44, 277	50, 382	65, 200 38, 975	62, 614	
Wyoming	39, 343	21, 362	54, 297	46, 898	22, 801	
New Mexico	245, 247	166, 951	68, 075	50, 488	26, 306 60, 612	
Arizona	83, 055	70, 538	84, 929	85, 384	94, 917	
Utah	36, 571	23, 049	63, 025	43, 394	40, 235	
Nevada	110, 463	97, 442	88, 212	93, 216	96, 700	
Idaho	29, 214	16, 547	56, 641	48, 185	31, 230	
Washin ton	51, 290	33, 095	64, 525	49, 464	23, 104	
Oregon"	217, 562	131,828	60, 593	63, 392	59, 807	
California	181, 840	131, 927	72, 551	69, 052	71, 130	
	700, 059	508, 071	72, 575	66, 873	60, 309	

a Dakota territory.





~ o Miles

SEX. lxxy

The greatest preponderance of females in 1890 is found in the District of Columbia, or 110,242 females to every 100,000 males. In 1880 also the District of Columbia contained the highest proportion of females to males, or 112,525 females to every 100,000 males. In Massachusetts, the state having the next greatest excess of females over males in 1890, there are 105,840 females to every 100,000 males, while in Rhode Island, the state showing the third largest excess of females over males, there are 105,628 females to every 100,000 males. In 1880 Rhode Island was second as to the excess of females, with 107,871 females to every 100,000 males, and Massachusetts third, with 107,712 females to every 100,000 males.

Grouping the states with reference to the proportion of the sexes, it is seen that, besides the District of Columbia, there are 10 states, namely, Connecticut, Maryland, Massachusetts, New Hampshire, New Jersey, New York, North Carolina, Rhode Island, South Carolina, and Virginia, in which females are in excess. Every one of these, it will be noticed, is in one of the two Atlantic divisions.

In the remaining states males are in excess. Of these there are 13, namely, Alabama, Delaware, Georgia, Indiana, Kentucky, Louisiana, Maine, Mississippi, Ohio, Pennsylvania, Tennessee, Vermont, and West Virginia, in which the whole number of females represents 95 per cent or more of the whole number of males.

In 14 states and territories the number of females is between 80 and 95 per cent of the number of males. These are as follows: Arkansas, Florida, Illinois, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, New Mexico, South Dakota, Texas, Utah, and Wisconsin. In the remaining states and territories the whole number of females represents from 50 to 80 per cent of the whole number of males. These are Arizona, California, Colorado, Idaho, Montana, Nevada, North Dakota, Oklahoma, Oregou, Washington, and Wyoming.

The constitution of the population of many of the states with regard to sex has changed materially since 1880, while throughout the country at large there has been an increase in the proportion of males.

The increase of the male element in the country at large has resulted in transferring from the list of states in which females were in excess in 1880 to those in which males are in excess no fewer than 6 states, namely, Alabama, Georgia, Louisiana, Maine, Pennsylvania, and Tennessee. In general, it has increased the proportion of males in the northern and southern central states. On the other hand, the development of settled conditions in the group of western states and territories has reduced the proportion of males among them.

The whole number of states and territories where the females exceed the males in 1890 is 11 as against 17 in 1880. All of the states and territories showing an excess of females over males in 1890 are found in the North Atlantic and South Atlantic divisions, as was also true of the states and territories having an excess of females over males in 1880, with the exception of Alabama, Louisiana, and Tennessee, in the South Central division.

In 1880 there were 5 states and territories in which the number of females was less than 50 per cent of the number of males, namely, Arizona, Idaho, Montana, Nevada, and Wyoming, while in 1890 there is no state or territory where the number of females is not at least 50 per cent of the number of males.

In 1890 there are 11 states and territories, mainly in the Western division, in which the number of females is from 50 to 80 per cent of the number of males as against 5 states and territories in 1880.

For the remaining states and territories the number of females is over 80 per cent but less than 100 per cent of the number of males.

The females as compared with the males have lost relatively since 1880 in the United States as a whole, the numerical loss being 1,264 females to each 100,000 males as against a relative loss in 1880 of 1,257 females to each 100,000 males. There has been a relative loss during the decade of 2,070 females to each 100,000 males in the North Atlantic division; of 1,716 females to each 100,000 males in the South Atlantic division, and 1,411 females to each 100,000 males in the South Central division. There has been a slight increase relatively, on the other hand, of 269 females to each 100,000 males in the North Central division, and 4,650 females to each 100,000 males in the Western division. In 19 states and territories there has been a relative increase of females to each 100,000 males, while in 29 states and territories there has been a relative decrease of females to each 100,000 males, as is shown by the following table, giving in addition to the increase or decrease in 1890, on the assumed basis of 100,000 males, the increase or decrease as shown by the census of 1880 as compared with 1870:

RELATIVE INCREASE OF FEMALES TO EACH 100,000 MALES.

STATES AND TERRITORIES.	Increase since 1880.	Increase or decrease from 1870 to 1880.	STATES AND TERRUTORIES.	Increase since 1880.	Increase or decrease from 1870 to 1880.
Arizona	19, 631	+ 3, 159	Oregon	3, 499	2, 078
Colorado	17, 587	10, 124	Nebraska	3,346	+6,868
Dakota (a)	17, 239	+4,525	Michigan	1,965	_1,852
Idaho	15,061	+26, 360	Missouri	1,039	+837
Montana	11, 407	+16,174	Minnesota	951	595
Nevada	8, 456	+16,955	Iowa	705	+788
Wyoming	7, 399	+20,592	Texas	672	-3, 281
California	5,702	+6,564	Indiana	. 230	-79
Kansas	4, 137	+5,412	Illinois	. 3	+1,079
		<u> </u>		1	<u> </u>

PROGRESS OF THE NATION.

RELATIVE DECREASE OF FEMALES TO EACH 100,000 MALES.

STATES AND TERRITORIES.	Decrease since 1880.	Increase or decrease from 1870 to 1880.	STATES AND TERRITORIES,	Decrease since 1880,	Increase or decrease from 1870 to 1880.
Utah	5, 004	-3,484	New Jersey	1, 556	+ 511
Florida	3, 688	1,062	Maine		+27
Pennsylvania	3, 248	+166	New York		-1-280
Alabama	3,020	1, 223	West Virginia		-1,701
Washington	2,799	+3,585	North Carolina		-3, 067
Vermont	2, 788	354	Mississippi	1,018	-747
Georgia	2, 397	-2, 399	Delaware	930	-1, 785
District of Columbia	2, 283	+761	Kentucky	870	428
Tennessee	2, 251	1, 402	Wisconsin	639	122
Rhode Island	2, 243	+386	Louisiana	540	104
Virginia	1,967	-2,332	New Mexico	455	—9 , 533
South Carolina	1,879	2, 166	Ohio	263	-1, 111
Massachusetts	1,872	+637	Arkausas	182	2, 361
Connecticut	1,698	+1,036	Maryland	152	—551
New Hampsbire	1,662	1, 027		:	

The increase of females since 1880 for North Dakota and South Dakota is for these 2 states combined as compared with Dakota territory in 1880 and 1870.

In all the states and territories comprising the North Atlantic and South Atlantic divisions the females have decreased relatively as compared with males. This is also largely true of the South Central division, the females having decreased relatively in all the states and territories, with the exception of Texas. In Oklahoma in 1890 there are 78,027 females to each 100,000 males. The females have increased relatively as compared with males in all the states comprising the North Central division, with the exception of Ohio and Wisconsin. The females have also increased relatively as compared with the males in the states and territories comprising the Western division, with the exception of New Mexico, Utah, and Washington.

SEX.

lxxvii

The following table shows, by states and territories, the numerical increase in males and females for each decade since 1850:

INCREASE IN MALES AND FEMALES: 1850 TO 1890.

		INCREASE	IN MALES.		INCREASE IN FEMALES.				
STATES AND TERRITORIES.	1880 to 1890	1870 to 1880	1860 to 1870	1850 to 1860	1880 to 1890	1870 to 1880	1860 to 1870	1850 to 1860	
The United States	6, 549, 060	6, 025, 255	3, 408, 361	4, 247, 544	5, 917, 407	5, 572, 157	3, 706, 689	4, 003, 901	
North Atlantic division	1, 517, 176	1, 080, 953	814, 036	926, 220	1, 376, 962	1, 127, 724	890, 426	1,041,197	
Maine	8, 532	10, 955	a4, 086	10, 718	3, 618	11,066	2,722	25, 392	
New Hampshire	16, 040	14, 886	a4, 176	3, 596	13, 499	13, 805	a3, 597	4, 501	
Vermont	2, 440	1, 166	6, 935	a1, 247	• a2, 304	569	8, 518	2, 225	
Massachusetts	229, 269	154, 661	107,066	108, 196	226, 589	171,073	119, 219	128, 356	
Rhode Island	34, 995	28, 274	20, 623	12, 055	33,980	30, 904	22, 110	15, 020	
Connecticut	63, 756	40, 512	39, 276	42, 290	59, 802	44,734	38, 031	47, 06	
New York	471, 571	342, 093	229, 697	365, 591	443, 411	358, 019	272, 327	417, 750	
New Jersey	160, 897	110, 250	114, 621	89, 705	152, 920	114, 770	119, 440	92.77	
Pennsylvania	529, 670	378. 156	304, 080	286, 316	445, 447	382, 784	311, 656	308, 11	
outh Atlantic division	661, 071	891,884	178, 816	843, 762	599, 652	851, 703	310, 091	341, 85	
Delaware	11, 465	11,480	5, 939	10, 734	10, 420	10, 113	6, 860	9, 95	
Maryland	53, 504	77, 203	44, 086	48, 575	53, 943	76, 846	49, 759	55, 44	
District of Columbia	26, 006	21, 386	26, 693	11, 335	26, 762	24, 538	29, 927	12, 05	
Virginia	78, 689	148, 531	b209, 043	88, 237	64, 726	138, 871	b162, 112	86, 42	
West Virginia	75, 700	91, 652	222, 848		68, 547	84, 791	219, 171		
North Carolina	111, 241	169, 204	23, 088	64, 712	106, 956	159, 185	55, 651	58, 87	
, South Carolina	81,929	146, 506	a3, 418	17, 686	73, 643	143, 465	5, 316	17, 51	
Georgia	156, 944	184, 026	47,010	75, 480	138, 229	174, 045	79, 813	75, 62	
Florida	65, 503	41, 896	21,618	27, 003	56, 426	39, 849	25, 706	25, 97	
orth Central division	2, 578, 900	2, 302, 118	1, 970, 963	1, 928, 605	2, 419, 178	2, 080, 882	1, 913, 432	1, 764, 51	
Ohio	241,800	276, 386	147, 388	173, 354	232, 454	256, 416	178, 361	185, 82	
Indiana	107, 986	152, 367	158, 734	187, 367	106, 117	145, 297	171, 475	174, 64	
Illinois	385, 785	269, 986	413, 776	454, 440	362, 695	267, 994	414, 164	406, 04	
Michigan	229, 425	244, 610	223, 051	184, 798	227, 527	208, 268	211, 895	166, 66	
Wisconsin	194, 882	135, 183	137, 437	242, 733	176, 501	125, 644	141, 352	227, 75	
Minnesota	276, 172	183, 850	142, 215	89, 368	244, 881	157, 217	125, 468	76, 57	
Iowa	146, 317	222, 219	271, 424	253, 441	140,984	208, 376	247, 683	229, 25	
Missouri	258, 051	230, 840	274, 146	264, 369	252, 753	216, 245	265, 137	235, 59	
North Delegte		750 110	de 001	<i>3</i> 0. 707	-170 000	A17 570	d3, 203	d2, 04	
South Dakota.	c100, 544	d73, 418	d6, 081	d2,797	c176, 806	d47, 578	43, 203	02,04	
Nebraska	323, 583	178, 816	53, 665	16, 760	282, 925	150, 593	40, 487	12, 08	
Kansas	215, 445	334, 443	143, 046	59, 178	215, 555	207, 254	114, 147	48, 02	
outh Central division	1, 079, 331	1, 289, 382	256, 978	759, 035	974, 191	1, 195, 579	408, 774	706, 10	
Kentucky	110, 168	106, 915	73, 354	89, 591	99, 777	160,764	91, 973	83, 68	
Teunessee	122, 308	145, 930	60, 629	58, 586	102, 851	137, 909	88, 090	48, 49	
Alubama		133, 891	a553	96, 948	115, 685	131,622	33, 344	95, 63	
Mississippi	82, 510	153, 756	7,473	94, 224	75, 403	149, 919	29, 144	93, 55	
Louisiana	90, 596	106, 589	a7, 829	95, 398	88, 045	106, 442	26, 742	94, 84	
Texas	334, 713	414, 283	103, 390	206, 387	309, 061	358, 887	110.974	185, 23	
Oklahoma	34,738	 			27, 101				
Arkansas	169, 476	168, 018	20, 514	117, 901	156, 178	150, 036	28, 507	107, 65	
Vestern division	712, 492	400, 918	187, 568	289, 922	547, 424	316, 269	183, 966	150, 23	
Montana	59, 705	11, 406	16, 771		33, 295	7, 158	3, 824		
Wyoming	25, 191	6, 933	7, 219		14, 725	4, 738	1,899		
Colorado	116, 116	104, 311	a7,871	32, 691	101, 755	50, 152	13, 458	1,58	
New Mexico	18,559	17, 361	a1, 956	17, 349	15, 460	10, 330	314	14, 62	
Arizona	8,369	21, 315	6, 887		10, 811	9, 467	2,771		
Utah	35, 954	30, 388	23, 866	14, 209	27,988	26, 789	22, 647	14, 6	
Nevada	a12,805	9, 640	26, 242	6, 137	a3, 700	10, 135	9, 392	7	
Idaho	29,472	9, 634	12, 184		22, 303	7, 977	2, 815		
Washington	171,589	30, 983	6, 544	8, 446	102, 685	20, 178	5, 817	3, 1	
Oregon	78,450	50, 250	21,540	23, 333	60,540	33, 595	16, 918	15, 8	
California	181, 883	168, 697	76, 142	187, 757	161,553	135, 750	104, 111.	99, 6	

a Decrease.
b Decrease; due to loss of territory, West Virginia having been set off from Virginia December 31, 1862.

c North Dakota and South Dakota combined.
d Dakota territory.

The following table shows, by states and territories, the percentage of increase in males and females for each decade since 1850:

PERCENTAGE OF INCREASE IN MALES AND FEMALES: 1850 TO 1890.

South Dakota 3 South Dakota 3 South Dakota 3 South Central division 120.83 253.91 320.20 139.26 286.47 335.13 </th <th></th> <th>PER</th> <th>CENT OF INC</th> <th>REASE IN M</th> <th>ALES.</th> <th colspan="4">PER CENT OF INCREASE IN FEMALES.</th>		PER	CENT OF INC	REASE IN M	ALES.	PER CENT OF INCREASE IN FEMALES.			
The United States		to	to	to	to	to	to	to	1850 to 1860
Matine	, and the state of	. 25. 66	30. 91	21, 19	35.88	24.02	20, 23	24.14	35, 2
Now Humpahiro 9.41 9.50 a2.61 2.90 7.05 8.40 c2.20 Vermont 1.40 0.70 4.77 a0.20 52.55 5.45 Massachusetts 29.71 29.68 17.94 22.15 24.51 22.70 12.87 11.87	North Atlantic division	21.19	17.78	15. 46	21.34	18.74	18. 13	16.71	24. 2
Vermonth:	Maine	2.63	3.50	a1.29	6, 63	1.11	3, 53	0, 87	8. 8
Vermonish. 1.1.6	New Hampshire	9.41	9.50	a2. 61	2.30	7.65	8, 49	a2.16	2.7
Bibliot Falmul 29,32 29,10 21,11 16,72 29,08 27,45 24,43 Commoditant 29,55 15,87 17,38 23,20 18,20 10,33 13,00 New York 18,82 15,81 11,88 23,22 17,20 10,13 13,00 New Jensey 22,47 224,52 24,21 20,56 20,75 21,71 21,47 Ernenylymin 24,61 20,75 21,71 21,47 21,47 22,47 22,47 22,47 24,22 34,21 36,46 20,75 21,71 21,47			0, 70	4. 37	a0, 78	a1.39	. 0.35	5.45	1.4
Connectent	Massachusetts	. 26.71	21, 98	17.94	22.15	24.51	22,70	18.79	25, 3
New York	Rhode Island	26.31	26, 99	24. 51	16.72	23.68	27.45	24. 43	19.9
New Jersey	Connecticut	. 20.85	15. 27	17.38	23.02	18.87	16.44	16, 24	25. 1
Pennsylvania	New York	. 18.82	15, 81	11.88	23, 32	17. 20	16, 13	.13, 99	. 27.3
Delawars	New Jersey	. 28.74	24, 52	34, 21	36, 56	26,77	25.15	35.44	37.9
Delaware 15.47 18.33 10.48 29.30 14.37 10.21 12.35 Maryland 11.68 20.05 12.93 14.07 10.02 11.41 10.41 14.37 11.437 11.439 13.12 13.439 75.19 40.01 28.40 35.30 75.01 17.17 11.02 11.41 10.41 14.37 11.437 11.439 11.43			21.50	20. 91	24.51	20, 75	21.71	21.47	26. 9
Maryland.	South Atlantic division	17.59	31. 12	6. 65	14.67	15.62	28.51	11.58	14.0
Maryland	Delaware	15.47	18.33	10.48	23, 36	14. 37	16, 21	12.35	21.8
District of Columbia		1	1		1 11	11.41	19, 41	14.37	19, 0
West Virginia	· ·	i	!	75, 19	46.91	28, 46	35, 30	75. 61	43.8
North Carolina 16.17 32.62 4.68 15.02 15.03 28.80 11.20 South Carolina 10.71 42.00 a.0.88 5.37 14.74 23.70 15.19 Florida 48.01 44.31 20.64 58.80 42.41 42.76 38.09 14.90 15.10 1	Virginia	10,55	24.88	b25.93	12, 29	8.44	22.11	b20.51	12. 2
South Carolina	West Virginia	. 24.10	41, 13			22.55	38, 69		
Georgia. 20.57 31.70 8.84 16.54 17.74 28.76 15.10 Florida	North Carolina	. 16.17	32, 62	4.66	15.02	15.03	28, 80	11. 20	13. 4
Fiorkia 48.01 44.31 29.64 58.80 42.41 42.76 38.09	South Carolina	16.71	42, 60	. a0. 98	5, 37	14.58	39, 66	1.49	5. 1
North Central division 28,60 34,20 41,50 68,53 28,08 33,20 43,05	Georgia	. 20. 57	31.79	8.84	16, 54	17.74	28.76	15. 19	16. 8
Ohlo. 14.98 20.60 12.38 17.05 14.67 19.31 15.52 Indiana. 10.60 17.70 22.70 36.00 10.96 17.66 26.33 Illinois. 24.32 20.51 45.83 101.36 24.92 21.91 51.18 Michigan 28.60 36.60 36.00 56.51 88.04 29.37 36.78 60.70 Wisconsin 28.60 24.81 33.73 147.30 27.78 24.65 38.37 Mimesota 65.80 78.13 152.78 2.404.95 67.72 70.01 158.94 Iowa 17.25 35.50 76.57 44.06 73.88 24.28 26.21 47.30 Morth Dakota 22.89 25.75 44.06 73.88 24.28 26.21 47.30 Nebraska 120.83 255.01 30.20 139.20 280.47 335.13 Kentucky 33.23 23.91 30.98 8.60 34.30	Florida	48.01	44.31	29. 64	58. 80	42, 41	42, 76	38.09	62. 5
Indiana	Forth Central division	. 28.60	34. 29	41.56	68. 53	28.98	33, 20	43. 95	68,
Indiana	Ohio	. 14.98	20.66	12.38	17.05	14.67	19.31	15, 52	19.
Michigan 28,60 30,60 56,51 88,04 29,37 30,78 50,70 Wisconsin 28,66 24,81 33,73 147,30 27,78 24,05 88,37 Minnesota 65,80 78,13 152,78 24,05 68,37 Missouri 158,94 Lowa 17,25 35,50 76,57 250,80 18,15 36,08 77,30 Missouri 22,89 25,75 44,00 73,88 24,28 29,21 47,30 North Dakota 6242,47 d826,17 d217,41 c334,35 d897,19 d159,95 South Dakota 6242,47 d826,17 d217,41 c34,35 d897,19 d159,95 Nebraska 129,83 253,01 320,20 139,26 286,47 335,13 Kansas 40,15 165,38 241,72 40,02 183,29 237,07 Kentucky 13,23 25,07 12,38 17,82 12,23 24,53 10,33 Tennesse 15,9		Į.	17.76	22.70	36, 60	10.96	17.66	26, 33	36, 0
Wisconsin 28,66 24,81 33,73 147,36 27,78 24,65 88,37 Minnesota 65,80 78,13 152,78 2,404,95 67,72 76,91 158,94 Missouri 22,80 25,75 44,06 73,88 24,28 26,21 47,36 North Dakota. 6242,47 d826,17 d217,41 c334,35 d897,19 d159,95 Nebraska 129,83 253,01 300,20 139,26 286,47 335,13 Kansas 40,15 165,38 241,72 46,02 183,20 237,67 South Gentral division 23,91 39,98 8,66 34,36 22,12 37,25 14,60 Kentucky 13,23 25,07 12,38 17,82 12,23 24,53 16,33 Tennessee 15,90 23,41 10,77 11,62 13,30 21,71 16,10 Mississipi 14,55 37,19 1,84 30,23 13,38 30,17 7,56 <t< td=""><td>Illinois</td><td>. 24.32</td><td>20.51</td><td>45, 83</td><td>101.36</td><td>24.32</td><td>21.91</td><td>51.18</td><td>100.7</td></t<>	Illinois	. 24.32	20.51	45, 83	101.36	24.32	21.91	51.18	100.7
Minnesota 65. 89 78.13 152. 78 2.404.95 67. 72 76. 01 158.04 Iowa 17. 25 35.50 76.57 250.80 18.15 36.08 77.30 Missouri 22. 80 25.75 44.06 73.88 24.28 26.21 47.36 North Dakota 6242. 47 d820. 17 d217. 41 6334.35 d897. 19 d159.95 South Dakota 120.83 253.01 320.20 139.26 286.47 335.13 Kansas 40.15 165.38 241.72 46.02 183.20 237.67 South Central division 23.91 39.98 8.66 34.36 22.12 37.25 14.60 Kentucky 13.23 25.07 12.38 17.82 12.23 24.53 16.30 Tennessee 15.00 23.41 10.77 11.62 13.30 21.71 16.10 Alabama 21.05 27.40 40.11 24.71 18.08 25.90 7.02	Michigan	26.60	39.60	56. 51	88.04	29.37	36.78	59.79	88. 1
Towa	Wisconsin	. 28.66	24.81	33, 73	147.36	27.78	24.65	38, 37	161.9
Missouri. 22,89 25,75 44,06 73,88 24,28 26,21 47,36 North Dakota	Minnesota	. 65. 89	78. 13	152.78	2, 404, 95	67.72	76, 91	158, 94	3, 243
North Dakota South Dakota South Dakota Nebraska 120, 83 253, 91 320, 20 139, 26 286, 47 335, 13 Kansas 40, 15 165, 38 241, 72 46, 92 183, 20 237, 67 South Gentral division 23, 91 39, 98 8, 60 34, 36 22, 12 37, 25 14, 60 Kentucky 13, 23 25, 07 12, 38 17, 82 12, 23 24, 53 16, 33 Tennessee 15, 90 23, 41 10, 77 11, 62 13, 30 21, 71 16, 10 Alabama 21, 65 27, 40 40, 11 24, 71 18, 08 25, 90 7, 02 Mississippi 14, 55 37, 19 1, 84 30, 23 13, 38 30, 17 7, 56 Louisiana 19, 33 29, 43 42, 12 34, 74 18, 69 29, 18 7, 91 Texas 39, 95 97, 81 32, 26 181, 39 40, 99 90, 85 30, 07 Oklahoma 21, 89 68, 91 107, 33 40, 43 63, 52 13, 72 Western division 66, 59 75, 67 44, 50 220, 20 78, 47 82, 92 93, 18 Mohtana 211, 89 68, 91 107, 33 40, 43 63, 52 13, 72 Western division 66, 59 75, 67 44, 50 220, 20 78, 47 82, 92 93, 18 Mohtana 211, 89 68, 91 107, 33 40, 43 63, 52 13, 72 Western division 66, 59 75, 67 44, 50 220, 20 78, 47 82, 92 93, 18 Mohtana 211, 89 68, 91 303, 18 31, 19 Wyoming 178, 90 90, 94 420, 27 424, 98 156, 98 333, 37 848, 55 New Mexico 28, 78 36, 83 43, 98 54, 60 28, 99 23, 99 0, 71 Arizona 29, 68 309, 50 88, 34 341, 65 Utah 48, 25 68, 87 117, 83 235, 91 40, 30 62, 79 113, 13 Nevada 430, 47 29, 77 427, 60 418, 27 100, 23 73, 74 74, 74 74, 74 74, 74, 75 74, 75 74, 74, 75 74, 75 74, 74, 75 74, 75	Iowa	. 17.25	35.50	76. 57	250, 80		36. 68	77. 30	251.
South Dakota South Central division 129, 83 253, 91 320, 20 320, 20 139, 26 280, 47 335, 13 327, 67 335, 13 327, 67 335, 13 327, 67 335, 135, 13 335, 13 335, 13 335, 13 335, 13 335, 13 335, 135, 135, 135, 135, 135, 135, 135,	•	. 22, 89	25, 75	. 44,06	73.88	24.28	26, 21	47, 36	72, 0
South Dakota Nebraska 129.83 253.91 320.20 139.26 286.47 335.13 Kansas 40.15 165.38 241.72 46.92 183.20 237.67 South Central division 23.91 39.98 8.66 34.36 22.12 37.25 14.60 Kentucky 13.23 25.07 12.38 17.82 12.23 24.53 16.33 Tennessee 15.90 23.41 10.77 11.62 13.30 21.71 16.10 Alubama 21.65 27.40 a0.11 24.71 18.08 25.90 7.02 Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana 19.33 29.43 a2.12 34.74 18.69 20.18 7.91 Texas 39.95 97.81 32.20 181.39 40.99 90.85 30.07 Oklahoma Arkansas 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 03.18 Mohtana 211.89 68.01 303.18 187.19 Wyoming 178.00 96.04 221.86 240.50 Colorado 89.92 420.27 a24.68 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 Utah 48.25 68.87 117.83 235.01 40.30 62.70 113.13 Nevada 230.47 29.77 427.60 a18.27 100.23 1,304.44 Idaho 135.08 79.07 206.66 283.37		4949 47	4896 57	d217.41		c334, 35	d897, 19	d159,95	
Kansas 40.15 165.38 241.72 46.92 183.29 237.67 South Central division 23.91 39.98 8.66 34.36 22.12 37.25 14.60 Kentucky 13.23 25.07 12.38 17.82 12.23 24.53 16.33 Tennessee 15.90 23.41 10.77 11.62 13.30 21.71 16.10 Alabama 21.05 27.40 a0.11 24.71 18.08 25.90 7.02 Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana 19.33 29.43 a2.12 34.74 18.69 29.18 7.91 Texns 39.96 97.81 32.29 181.39 40.99 90.85 30.07 Oklahoma 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Mohtaua 211.89 68.01 303.18 187.19 249.	South Dakota	6242.41	2020.01	W217.41			,		
South Gentral division 23.91 39.98 8.66 34.36 22.12 37.25 14.60 Kentucky 13.23 25.07 12.38 17.82 12.23 24.53 16.33 Tennessee 15.90 23.41 10.77 11.62 13.30 21.71 16.10 Alubama 21.03 27.40 a0.11 24.71 18.08 25.90 7.02 Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana 19.33 29.43 a2.12 34.74 18.69 29.18 7.91 Texas 39.95 97.81 32.20 181.39 40.99 90.85 30.07 Oklahoma 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Mohtaua 211.89 68.01 303.18 187.19 221.86 240.5			253.91	320, 20				i	
Kentucky 13,23 25,07 12,38 17,82 12,23 24,53 16,33 Tennessee 15,90 23,41 10,77 11,62 13,30 21,71 16,10 Alubama 21,05 27,40 a0,11 24,71 18,08 25,90 7,02 Mississippi 14,55 37,19 1,84 30,23 13,38 36,17 7,56 Louisiana 19,33 29,43 a2,12 34,74 18,69 29,18 7,91 Texas 39,95 97,81 32,29 181,39 40,99 90,85 39,07 Oklahoma 40,71 67,68 9,01 107,33 40,43 63,52 13,72 Western division 66,59 75,67 44,50 220,26 78,47 82,92 93,18 Mohtaua 211,89 88,01 303,18 187,19 90,11 90,10 107,33 40,43 63,52 13,72 Western division 66,59 75,67 44,50	Kansas	. 40.15	165.38	241.72		46, 92	183. 29	237, 67	
Tennessee 15.90 23.41 10.77 11.62 13.30 21.71 16.10 Alubama. 21.65 27.40 a0.11 24.71 18.08 25.90 7.02 Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana 19.33 29.43 a2.12 34.74 18.69 29.18 7.91 Texas. 39.95 97.81 32.20 181.39 40.99 90.85 30.07 Oklahoma. 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Montana. 211.89 68.01 303.18 187.19			39.98	8.66	34. 36	22, 12	37. 25	14. GO	33.
Tennessee 15.90 23.41 10.77 11.62 13.30 21.71 16.10 Alubama. 21.65 27.40 a0.11 24.71 18.08 25.90 7.02 Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana 19.33 29.43 a2.12 34.74 18.69 29.18 7.91 Texas. 39.95 97.81 32.20 181.39 40.99 90.85 30.07 Oklahoma 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Mohtaua 211.89 68.01 303.18 187.19	Kentucky	. 13, 23	25.07	12, 38	17.82	12.23	24.53	16.33	17.
Mississippi 14.55 37.19 1.84 30.23 13.38 36.17 7.56 Louisiana. 19.33 29.43 a2.12 34.74 18.69 29.18 7.91 Texas. 39.95 97.81 32.29 181.39 40.99 90.85 39.07 Oklahoma. 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Montaua 211.89 68.01 303.18 187.19 82.92 93.18 Wyoming 178.00 96.04 221.86 249.50 249.50 Colorado 80.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 113.13 Nevada 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada 20.6			23, 41	10.77	11.62	13, 30	21.71	16.10	9.
Louisiana 19,33 20,43 a2,12 34,74 18,69 29,18 7,91 Texas 39,95 97,81 32,29 181,39 40,99 90,85 30,07 Oklahoma 40,71 67,68 9,01 107,33 40,43 63,52 13,72 Western division 66,59 75,67 44,50 220,26 78,47 82,92 93,18 Mohtana 211,89 68,01 303,18 187,19	Alabama	. 21.65	27.40	a0. 11	24.71	18.08	25.90	7.02	25.
Texas 39.95 97.81 32.20 181.39 40.99 90.85 30.07 Oklahoma 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Mohtana 211.89 68.01 303.18 187.19 19 Wyoming 178.00 96.04 221.86 240.50 Colorado 88.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 113.13 Nevada 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada 29.77 427.60 a18.27 100.23 1,304.44 Idaho 135.08 79.07 427.60 a18.27 100.23 1,304.44	Mississippi	. 14, 55	37. 19	1.84	30. 23	13.38	36.17	7.56	30.
Oklahoma 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Montana 211.89 68.01 303.18 187.19 <t< td=""><td>Louisiana</td><td>19, 33</td><td>29.43</td><td>a2.12</td><td>34.74</td><td>18, 69</td><td>29. 18</td><td>7.91</td><td>39.</td></t<>	Louisiana	19, 33	29.43	a2.12	34.74	18, 69	29. 18	7.91	39.
Arkansas 40.71 67.68 9.01 107.33 40.43 63.52 13.72 Western division 66.59 75.67 44.50 220.26 78.47 82.92 93.18 Montana 211.89 68.01 303.18 187.19 <t< td=""><td></td><td>39.95</td><td>97.81</td><td>32, 29</td><td>181.39</td><td>40.99</td><td>90.85</td><td>39.07</td><td>187.</td></t<>		39.95	97.81	32, 29	181.39	40.99	90.85	39.07	187.
Montaua 211.89 68.01 303.18 187.19 Wyoming 178.00 96.04 221.86 249.50 Colorado 89.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 Utah 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada a30.47 29.77 427.60 a18.27 100.23 1; 304.44 Idaho 135.08 79.07 206.66 283.37		40.71	67.68	9, 01	107, 33	40.43	63.52	13. 72	107.
Mohtana 211.89 68.01 303.18 187.19 Wyoming 178.00 96.04 221.86 249.50 Colorado 89.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 Utah 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada a30.47 29.77 427.60 a18.27 100.23 1; 304.44 Idaho 135.08 79.07 206.66 283.37	Vantaro Alviaio.	88 50	75.07	14.50	220.20	78 17	89 99	93 18	318.
Wyoming 178,00 96.04 221.86 249.50 Colorado 89.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65 Utah 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada a30.47 29.77 427.60 a18.27 100.23 1; 304.44 Idaho 135.08 79.07 206.66 283.37				44.50	220, 20				
Colorado 88.92 420.27 a24.08 156.08 333.37 848.55 New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona. 29.68 309.50 88.34 341.65			i		1		!]	
New Mexico 28.78 36.83 a3.98 54.66 28.09 23.09 0.71 Arizona 29.68 309.50 88.34 341.65	The state of the s	I .	i	a24.08			1 -	848. 55	
Arizona 29.68 309.50 88.34 341.65 Utah 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada a30.47 29.77 427.60 a18.27 100.23 1; 304.44 Idaho 135.08 79.07 206.66 283.37			1		54. 66		1	1	49.
Utah 48.25 68.87 117.83 235.01 40.30 62.79 113.13 Nevada a30.47 29.77 427.60 a18.27 100.23 1;304.44 Idaho 135.08 79.07 206.66 283.37			I		32,00		i		·
Nevada 29. 77 427. 60 218. 27 100. 23 1, 304. 44 1. 1daho 25. 08 79. 07 206. 66 283. 37		1		117.83	235.01		1	113.13	275.
Idaho		1	1		255.01		1	1	
		1	1						
TOTAL CONTROL		1	1	77 49			Į.	184.78	
Oregon					282.55		J.	i	314.
Oregon 15.89 Gradifornia 35.10 48.27 27.86 219.39 46.62 64.41 97.61	· · ·		1				1 .	I	1, 419

b Decrease; due to loss of territory, West Virginia having been set off from Virginia December 31, 1862.

c North Dakota and South Dakota combined. d Dakota territory.